

ACCESS ROAD PLAT

ACCESS ROAD FROM AN EXISTING CALICHE ROAD TO COTTON DRAW UNIT 284H, 448H, & 497H

DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 18, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO JULY 8, 2016

DESCRIPTION

A STRIP OF LAND 20 FEET WIDE CROSSING BUREAU OF LAND MANGEMENT LAND IN SECTION 18, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 10 FEET EACH SIDE OF THE FOLLOWING DESCRIBED. CENTERLINE SURVEY:


BEGINNING AT A POINT WITHIN THE NE/4 NE/4 OF SAID SECTION 18, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE NORTHWEST CORNER OF SAID SECTION 18, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS N67\*56'35"W, A DISTANCE OF 2217.35 FEET; THENCE N45\*00'55"W A DISTANCE OF 187.85 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHWEST CORNER OF SAID SECTION 18, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS N69\*59'35"W, A DISTANCE OF 2045.65 FEET;


SAID STRIP OF LAND BEING 187.85 FEET OR 11.38 RODS IN LENGTH, CONTAINING 0.086 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:


NE/4 NW/4 187.85 L.F. 11.38 RODS 0.086 ACRES


SURVEYOR CERTIFICATE


		I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE-GONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY.
	CENERAL NOTES	THAT THIS SURVEY IS TRUE, AND CORRECT TO THE BEST OF MY KNOWLEDGE AND
	1.) THE INTENT OF THIS ROUTE SURVEY IS TO	BELIEF, AND THAT THIS SURVEY AND RAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO
	ACQUIRE AN EASEMENT.	New Meta YEV
	2.) BASIS OF BEARING IS NMSP EAST	IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD,
	MODIFIED TO SURFACE COORDINATES.	NEW MEXICO, THIS (DAY 7097, JULY 2016)
		AADRON SURVEYING, INC.
		( Jan Sull Carlsbad, New MEXICO 88220
		2 Part (1) Phone (575) 234-3341
L	SHEET: 2-4	FILMON F. JARAMILLO PLS 12497 SURVEY NO. 4280A
	MADRON SURVEYING,	(INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO
Ŧ		











*FLOWLINE PLAT (400673XYZ)* TWO-6" GAS LIFT LINES AND TWO-6" FLOWLINES BURIED IN THE SAME TRENCH TO CONNECT COTTON DRAW UNIT 284H & 448H TO COTTON DRAW UNIT 12 CTB 2

> DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF A PIPELINE CROSSING SECTION 18, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO JULY 8, 2016

> > DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 18, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

MAIN LINE

BEGINNING AT A POINT WITHIN THE NE/4 NW/4 OF SAID SECTION 18, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE NORTHEAST CORNER OF SAID SECTION 18, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS N84\*14'10"E, A DISTANCE OF 3749.04 FEET;

THENCE N00°02'49"W A DISTANCE OF 354.36 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHWEST CORNER OF SAID SECTION 18, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS S89\*39'35"W, A DISTANCE OF 1586.96 FEET;

SAID STRIP OF LAND BEING 354.36 FEET OR 21.48 RODS IN LENGTH, CONTAINING 0.244 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NE/4 NW/4 354.36 L.F. 21.48 RODS 0.244 ACRES

#### SURVEYOR CERTIFICATE

JARAMILLO

FILIMON F.

INC.

301 SOUTH CANA

(575) 234-334

CENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

MADRON SURVEYING

2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES.

SHEET: 2-8

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.


IN WITNESS WHEBPOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD, NEW MEXICO, THIS DAY OF CULLY 2016

BAD

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

NEW MEXICO

SURVEY NO. 4748B



 FLOWLINE PLAT (400673XYZ)

 TWO-6" GAS LIFT LINES AND TWO-6" FLOWLINES BURIED IN THE SAME TRENCH TO CONNECT COTTON DRAW UNIT 284H & 448H TO COTTON DRAW UNIT 12 CTB 2

> DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF A PIPELINE CROSSING SECTION 7, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO JULY 8, 2016

> > DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 7, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

MAIN LINE

BEGINNING AT A POINT WITHIN THE SE/4 SW/4 OF SAID SECTION 7, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE SOUTHWEST CORNER OF SAID SECTION 7, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS S89"39'35"W, A DISTANCE OF 1586.96 FEET;

THENCE N00°02'49"W A DISTANCE OF 239.68 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N03°58'55"W A DISTANCE OF 103.09 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S87°52'11"W A DISTANCE OF 1581.87 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTHWEST CORNER OF SAID SECTION 7, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS SOO°14'07"E, A DISTANCE OF 293.15 FEET;

SAID STRIP OF LAND BEING 1924.65 FEET OR 116.65 RODS IN LENGTH, CONTAINING 1.326 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

SE/4 SW/4	594.40 L.F.	36.02 RODS	0.409 ACRES
SW/4 SW/4	1330.25 L.F.	80.62 RODS	0.916 ACRES

#### SURVEYOR CERTIFICATE

THIS

ARAMILL

NEW MEXICO,

FILIMON

INC

301 SOUTH CANA (575) 234-3341

*GENERAL NOTES* 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

MADRON SURVEYING

2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES.

SHEET: 4-8

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS\_TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS BERTIFICATE IS EXECUTED AT CARLSBAD,

JULY 2016


DAPOR

ARLSBAD

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

NEW MEXICO

SURVEY NO. 4748B



*FLOWLINE PLAT (400673XYZ)* TWO-6" CAS LIFT LINES AND TWO-6" FLOWLINES BURIED IN THE SAME TRENCH TO CONNECT COTTON DRAW UNIT 284H & 448H TO COTTON DRAW UNIT 12 CTB 2

> DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF A PIPELINE CROSSING SECTION 12, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO JULY 8, 2016

> > DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 12, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE SE/4 SE/4 OF SAID SECTION 12, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M., WHENCE THE SOUTHEAST CORNER OF SAID SECTION 12, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M. BEARS SOO"14'07"E, A DISTANCE OF 293.15 FEET;


THENCE S87\*52'11"W A DISTANCE OF 1465.00 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N02\*07'53"W A DISTANCE OF 505.11 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE EAST QUARTER CORNER OF SAID SECTION 12, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M. BEARS N37\*50'22"E, A DISTANCE OF 2401.39 FEET;


SAID STRIP OF LAND BEING 1970.10 FEET OR 119.40 RODS IN LENGTH, CONTAINING 1.357 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:


SE/4 SE/4	1327.06 L.F.	80.43 RODS	0.914 ACRES
SW/4 SE/4	643.04 L.F.	38.97 RODS	0.443 ACRES

#### SURVEYOR CERTIFICATE

	GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.	I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.
	2.) BASIS OF BEARING IS NMSP EAST	IN WITNESS WHEREOF, WHILS CERTIFICATE IS EXECUTED AT CARLSBAD, NEW MEXICO, THIS DAY OF JULY 2016
	MODIFIED TO SURFACE COORDINATES.	12797 WADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 U Phone (575) 234-3341
	SHEET: 6-8 MADRON SURVEYING,	INC: (575) 234-3341 CARLSBAD, NEW MEXICO
ł	MADRON SURVEIING,	(IIV C: (575) 234-3341 CAALIDDAD, IVE W MEATCO







### SECTION 18, T25S-R32E, N.M.P.M., LEA COUNTY, NEW MEXICO

### ELECTRIC LINE PLAT

#### **LEGAL DESCRIPTION**

#### FOR

## **DEVON ENERGY PRODUCTION COMPANY, L.P.**

# BUREAU OF LAND MANAGEMENT

#### **30' EASEMENT DESCRIPTION:**

**BEING** an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of the northwest quarter (NW <sup>1</sup>/<sub>4</sub>) of Section 18, Township 25 South, Range 32 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 3" iron pipe w/ BC 1916 for the northwest corner of Section 18, T25S-R32E, N.M.P.M., Lea County, New Mexico;

Thence S 85°02'14" E a distance of 1729.03' to the **Point of Beginning** of this easement having coordinates of Northing=414170.66 feet, Easting=731973.04 feet and continuing the following course;

Thence S 00°02'31" E a distance of 195.32' to the **Point of Ending** having coordinates of Northing=413975.34 feet, Easting=731973.18 feet, from said point a 1" iron pipe w/ BC 1916 for the west quarter corner of Section 18, T25S-R32E bears S 36°43'08" W a distance of 2862.79', covering **195.32' or 11.84 rods** and having an area of **0.135 acres**.

#### NOTES:

Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.

B.L. Laman PLS 22404 Date Signed: 07/13/2016 Horizon Row, LLC 571 State Street, Jasper, TX (402) 202-5111 75951 Employee of Horizon Row, LLC



