Form 3160-5 (June 2015)

UNITED STATES

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMINT AT SDAD

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-entermal abandoned well. Use form 3160-3 (APD) for such proposals. D

SUBMIT IN T	TRIPLICATE - Other inst	ructions on	page 2	5000	7. If Unit or CA/Ag	greemen	t, Name and/or No.	
Type of Well	ner		HOUR	3 0CD	8. Well Name and N REBEL 20 FED		/	
Name of Operator DEVON ENERGY PROD CO.	Contact: , L.P. E-Mail: linda.good(LINDA GOOI @dvn.com	APR	ENE	9) API Well No. 30-025-43158	3		
			(include area code 2-6558	ECE	10. Field and Pool or Exploratory Area PADUCA; DELAWARE, NORTH			
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description,)			11. County or Paris	h, State		
Sec 20 T24S R32E Mer NMP	NENE 250FNL 660FEL	/			LEA COUNT	Y, NM		
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICA	ΓE NATURE (OF NOTICE, I	REPORT, OR O	THER	DATA	
TYPE OF SUBMISSION			TYPE C	OF ACTION				
Notice of Intent	☐ Acidize	☐ Dee	pen	☐ Production	on (Start/Resume)		Water Shut-Off	
	☐ Alter Casing	☐ Hyd	raulic Fracturing	Reclamat	tion		Well Integrity	
☐ Subsequent Report	□ Casing Repair	□ New	Construction	□ Recompl	ete		Other	
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Abandon	□ Tempora	rily Abandon		hange to Original A	
	☐ Convert to Injection	☐ Plug	Back	☐ Water Di	isposal	-		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for final Devon Energy respectfully requesign safety factors are attack	operations. If the operation re- pandonment Notices must be fil- inal inspection.	sults in a multipl ed only after all	e completion or recrequirements, including grade from Ho	completion in a nouding reclamation CK-55 to J-55.	ew interval, a Form 3, have been complete	3160-4 n	nust be filed once	
14. I hereby certify that the foregoing is true and correct. Electronic Submission #371053 verified by the BLM Well Information System For DEVON ENERGY PROD CO., L.P., sent to the Hobbs Committed to AFMSS for processing by Name (Printed/Typed) LINDA GOOD Title REGULATORY SPECIALIST								
Signature (Electronic S	Submission)		Date 03/27/2	2017 APP	ROVED			
	THIS SPACE FO	R FEDERA			E			
Approved By Mustafe	Hague		Title	PETROLEUI	A ÉNGINEER		Date 4/11/201	
Conditions of approval, if any, are attached certify that the applicant holds legal or equ which would entitle the applicant to condu	itable title to those rights in the		Office CP	BUREAU OF LA CARLSBAD	ND MANAGEMEN FIELD OFFICE	IT		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **



Devon Energy, Rebel 20 Fed 4H

2. Casing Program

Hole Size	Casing Interval		Csg.	Weight	Grade	Conn	SF	SF Burst	SF
	From	To	Size	(lbs)		•	Collapse		Tension
17.5"	0	975'	13.375"	48	H-40	STC	1.67	3.21	2.29
12.25"	0	4,600'	9.625"	40	J-55	BTC	1.15	1.56	2.45
8.75"	0	12,863	5.5"	17	P-110	BTC	1.94	1.25	2.45
	-			BLM Min	imum Safet	y Factor	1.125	1.00	1.6 Dry
									1.8 Wet

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h

Must have table for contingency casing

	Y or N		
Is casing new? If used, attach certification as required in Onshore Order #1	Y		
Does casing meet API specifications? If no, attach casing specification sheet.			
Is premium or uncommon casing planned? If yes attach casing specification sheet.			
Does the above casing design meet or exceed BLM's minimum standards? If not provide justification (loading assumptions, casing design criteria).	Y		
Will the intermediate pipe be kept at a minimum 1/3 fluid filled to avoid approaching the collapse pressure rating of the casing? — > 5 & con	Y		
Is well located within Capitan Reef?	N		
If yes, does production casing cement tie back a minimum of 50' above the Reef?			
Is well within the designated 4 string boundary.			
	Marie Commence		
Is well located in SOPA but not in R-111-P?	N		
If yes, are the first 2 strings cemented to surface and 3 rd string cement tied back 500' into previous casing?			
Is well located in R-111-P and SOPA?	N		
If yes, are the first three strings cemented to surface?			
Is 2 nd string set 100' to 600' below the base of salt?			
Is well located in high Cave/Karst?	N		
If yes, are there two strings cemented to surface?			
(For 2 string wells) If yes, is there a contingency casing if lost circulation occurs?			
Is well located in critical Cave/Karst?	N		
If yes, are there three strings cemented to surface?			

PECOS DISTRICT CONDITIONS OF APPROVAL

OPERATOR'S NAME: Devon Energy Production Company, L.P.

LEASE NO.: NMNM-116575

WELL NAME & NO.: Rebel 20 Fed 4H

SURFACE HOLE FOOTAGE: 0250' FNL & 0820' FEL BOTTOM HOLE FOOTAGE 0330' FSL & 0660' FEL

LOCATION: | Section 20, T. 24 S., R 32 E., NMPM

COUNTY: Lea County, New Mexico

A. CASING

All previous COAs still apply except the following:

Intermediate casing shall be kept fluid filled while running into hole to meet BLM minimum collapse requirements.

MHH 04112017