





فر




, **k**










	•	and the second
	ACCESS ROAD PLAT ACCESS ROAD FOR MORAB 29 FED COM 1H & MORAB 29-20 FED COM 2H, 3H, & 4H	
	DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO SEPTEMBER 22, 2016	
S	DESCRIPTION STRIP OF LAND 20 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 30, TOWNSHIP 25 OUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 10 FEET EACH SIDE OF THE OLLOWING DESCRIBED CENTERLINE SURVEY:	
N N Ti Q	EGINNING AT A POINT WITHIN THE SE/4 NE/4 OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, .M.P.M., WHENCE THE EAST QUARTER CORNER OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, .M.P.M. BEARS SO6'50'22"E, A DISTANCE OF 444.13 FEET; HENCE N90'00'00"E A DISTANCE OF 49.72 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE EAST UARTER CORNER OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS SO0'24'42"E, A ISTANCE OF 440.98 FEET;	
	AID STRIP OF LAND BEING 49.72 FEET OR 3.01 RODS IN LENGTH, CONTAINING 0.023 ACRES MORE OR LESS AND EING ALLOCATED BY FORTIES AS FOLLOWS:	
S	E/4 NE/4 49.72 L.F. 3.01 RODS 0.023 ACRES	
	I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 127	97,
1.) Th	TRAL NOTES HE INTENT OF THIS ROUTE SURVEY IS TO IRE AN EASEMENT. HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVE THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LA SURVEYING IN THE STATE OF NEW MEXICO.	Y,
MÓDIF	ASIS OF BEARING IS NMSP EAST TED TO SURFACE COORDINATES. NEW MEXICO, THIS DAY OF SEPTEMBER 2016 (2797) MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341	
SH	IEET: 2-6 MADRON SURVEYING, INC. (375) 254-3341 CARESBAD, NEW MEXICO	




ACCESS ROAD PLAT ACCESS ROAD FOR MORAB 29 FED COM 1H & MORAB 29-20 FED COM 2H, 3H, & 4H DEVON ENERGY PRODUCTION COMPANY. L.P. CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST. N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO SEPTEMBER 22, 2016 DESCRIPTION A STRIP OF LAND 20 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 29. TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 10 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY: BEGINNING AT A POINT WITHIN THE SW/4 NW/4 OF SAID SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE WEST QUARTER CORNER OF SAID SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS SO0°24'42"E, A DISTANCE OF 440.98 FEET; THENCE N90'00'00"E A DISTANCE OF 395.05 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N89'29'10"E A DISTANCE OF 538.32 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N88'59'22"E A DISTANCE OF 568.35 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED: THENCE N89'59'27"E A DISTANCE OF 540.27 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N88'58'44"E A DISTANCE OF 508.78 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED: THENCE S89'59'13"E A DISTANCE OF 540.35 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S89'58'55"E A DISTANCE OF 205.87 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED: THENCE S45'02'34"E A DISTANCE OF 84.99 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE EAST QUARTER CORNER OF SAID SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS S79'51'01"E, A DISTANCE OF 2013.70 FEET; SAID STRIP OF LAND BEING 3381.98 FEET OR 204.97 RODS IN LENGTH, CONTAINING 1.553 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS: SW/4 NW/4 1332.35 L.F. 80.75 RODS 0.612 ACRES SE/4 NW/4 1334.02 L.F. 80.85 RODS 0.612 ACRES SW/4 NE/4 43.37 RODS 715.61 L.F. 0.329 ACRES SURVEYOR CERTIFICATE I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND REAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO. GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD, DAY OF SEPTEMBER 2016 2.) BASIS OF BEARING IS NMSP EAST NEW MEXICO, THIS MÓDIFIED TO SURFACE COORDINATES. MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341 FILINON P. JARAMINO MIST 12797 SHEET: 4-6 SURVEY NO. 4042A INO. 301 SOUTH CANAL CARLSBAD MADRON SURVEYING NEW MEXICO










ACCESS ROAD PLAT ACCESS ROAD FOR MORAB 29 FED COM 1H & MORAB 29-20 FED COM 2H, 3H, & 4H DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO SEPTEMBER 22, 2016 DESCRIPTION A STRIP OF LAND 20 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 10 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY: BEGINNING AT A POINT WITHIN THE SE/4 NE/4 OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE EAST QUARTER CORNER OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS SO6'50'22"E, A DISTANCE OF 444.13 FEET; THENCE N90'00'00"E A DISTANCE OF 49.72 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE EAST QUARTER CORNER OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS SO0'24'42"E, A DISTANCE OF 440.98 FEET; SAID STRIP OF LAND BEING 49.72 FEET OR 3.01 RODS IN LENGTH, CONTAINING 0.023 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS: SE/4 NE/4 49.72 L.F. 3.01 RODS 0.023 ACRES SURVEYOR CERTIFICATE I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, I, FILIMON F. WARMILLO, A NEW MEXICO FROE SIDIAL SOURCE TO THE LESSINGLE SOURTING IN 1279, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO. GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. IN WITNESS WHEREOF, THIS GERTIFICATE IS EXECUTED AT CARLSBAD, NEW MEXICO, THIS DAY OF SEPTEMBER 2016 2.) BASIS OF BEARING IS NMSP EAST MÓDIFIED TO SURFACE COORDINATES. 0 MADRON SURVEYING, INC. SOUTH CANAL 301 CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341 FILIMON F. SHEET: 2-6 ARAMILO SURVEY NO. 4042A PLS. 12791 INC. (575) 234-3341 CARESBAD MADRON SURVEYING NEW MEXICO (575)




ACCESS ROAD PLAT ACCESS ROAD FOR MORAB 29 FED COM 1H & MORAB 29-20 FED COM 2H, 3H, & 4H DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO SEPTEMBER 22, 2016 DESCRIPTION A STRIP OF LAND 20 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 10 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY: BEGINNING AT A POINT WITHIN THE SW/4 NW/4 OF SAID SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE WEST QUARTER CORNER OF SAID SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS SO0°24'42"E, A DISTANCE OF 440.98 FEET; THENCE N90'00'00"E A DISTANCE OF 395.05 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N89'29'10"E A DISTANCE OF 538.32 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N88'59'22"E A DISTANCE OF 568.35 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N89'59'27"E A DISTANCE OF 540.27 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N88'58'44"E A DISTANCE OF 508.78 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE \$89'59'13"E A DISTANCE OF 540.35 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S89'58'55"E A DISTANCE OF 205.87 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED: THENCE \$45'02'34"E A DISTANCE OF 84.99 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE EAST QUARTER CORNER OF SAID SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS S79'51'01"E, A DISTANCE OF 2013.70 FEET; SAID STRIP OF LAND BEING 3381.98 FEET OR 204.97 RODS IN LENGTH, CONTAINING 1.553 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS: SW/4 NW/4 1332.35 L.F. 80.75 RODS 0.612 ACRES SE/4 NW/4 1334.02 L.F. 80.85 RODS 0.612 ACRES SW/4 NE/4 715.61 L.F. 43.37 RODS 0.329 ACRES SURVEYOR CERTIFICATE I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND RUAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO: GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. IN WITNESS WHEREOF THIS CERTIFICATE IS EXECUTED AT CARLSBAD, 2.) BASIS OF BEARING IS NMSP EAST NEW MEXICO, THIS DAY OF SEPTEMBER 2016 MÓDIFIED TO SURFACE COORDINATES. MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341 SHEET: 4-6 FILIMON F. SARAMINO PLS 12797 SURVEY NO. 4042A INO. 301 SOUTH CANAL CARLSBAD MADRON SURVEYING NEW MEXICO










PETRA 9/20/2016 1:27:23 PM





Ŵ COTTON DRAW 29-30 BS CENTRAL TANK BATTERY DEVON ENERGY PRODUCTION COMPANY, L.P. IN THE NE/4 SE/4 NE/4 OF SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO MARCH 10, 2015 QUAD MAP *1110 r dar Figer COTTON DRAW 29-30 BS CENTRAL TANK BATTERY SECTION 30 T. 25 S., R. 32 E. BUREAU OF LAND MANAGEMENT LAND 4^{7.140} SHEET: 2-3 SURVEY NO. 3763 MADRON SURVEYING, INC. 101 SUCIH CARLSBAD, NEW MEXICO 1 dth





~

SECTION 29, T25S-R32E, N.M.P.M., LEA COUNTY, NEW MEXICO

ELECTRIC LINE PLAT

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

BUREAU OF LAND MANAGEMENT

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of the southeast quarter (SE ¹/₄) and the northeast quarter (NE ¹/₄) of Section 29, Township 25 South, Range 32 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 1" iron pipe w/ BC 1939 for the east quarter corner of Section 29, T25S-R32E, N.M.P.M., Lea County, New Mexico;

Thence S 87°18'07" E a distance of 2520.41' to the **Point of Beginning** of this easement having coordinates of Northing=401097.24, Easting=738449.11 feet and continuing the following course;

Thence N 00°00'03" W a distance of 118.21' to the **Point of Ending** having coordinates of Northing=401215.45 Easting=738449.11 feet in the northeast quarter of Section 29, T25S-R32E, N.M.P.M., Lea County, New Mexico, from said point a 1" iron pipe for the east quarter corner of Section 29, T25S-R32E bears N 89°59'25" E a distance of 2517.62', covering **118.21' or 7.16 rods** and having an area of **0.081 acres**.

NOTES:


Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.


I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.


B.L. Laman PLS# 22404 Date Signed: 06/15/2016 Horizon Row, LLC 571 State Street Jasper, TX (409) 202-5111 75951 Employee of Horizon Row, LLC




Sheet 2 of 4







FLOWLINE PLAT (400662XYZ) TWO 6" CAS LIFT LINES & TWO 6" FLOWLINES (BURIED) FROM MORAB 29-20 FED COM 2H AND 3H TO THE COTTON DRAW UNIT 29-30 BS CTB DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF A PIPELINE CROSSING SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO SEPTEMBER 22, 2016 DESCRIPTION A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY: BEGINNING AT A POINT WITHIN THE SE/4 NW/4 OF SAID SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE EAST QUARTER CORNER OF SAID SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS N89'40'19"E, A DISTANCE OF 2694.01 FEET; THENCE S00'03'34"W A DISTANCE OF 59.87 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N90'00'00"W A DISTANCE OF 2642.49 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE WEST QUARTER CORNER OF SAID SECTION 29, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS NO1'15'48"E, A DISTANCE OF 25.42 FEET; SAID STRIP OF LAND BEING 2702.36 FEET OR 163.77 RODS IN LENGTH, CONTAINING 1.862 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS: SE/4 NW/4 9.76 L.F. 0.59 RODS 0.007 ACRES NE/4 SW/4 1368.92 L.F. 82.96 RODS 0.943 ACRES NW/4 SW/4 1323.68 L.F. 80.22 RODS 0.912 ACRES SURVEYOR CERTIFICATE I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO. GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO IN WITNESS WHERE OF THIS CERTIFICATE IS EXECUTED AT CARLSBAD, ACQUIRE AN EASEMENT. DAY OF SEPTEMBER 2016 2.) BASIS OF BEARING IS NMSP EAST (NAD83) NEW MEXICO, THIS MODIFIED TO SURFACE COORDINATES. NAD 83 MADRON SURVEYING, INC. (FEET) AND NAVD 88 (FEET) COORDINATE 301 SOUTH CANAL SYSTEMS USED IN THE SURVEY. 0 CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341 TILIMON F. JARAMILLO PLSX 12797 SHEET: 2-6 SURVEY NO. 4664A MADRON SURVEYING, INC. 101 SOUTH CANAL CARLSBAD NEW MEXICO d



• •
FLOWLINE PLAT (400662XYZ) TWO 6" GAS LIFT LINES & TWO 6" FLOWLINES (BURIED) FROM MORAB 29-20 FED COM 2H AND 3H TO THE COTTON DRAW UNIT 29-30 BS CTB
DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF A PIPELINE CROSSING SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO SEPTEMBER 22, 2016
DESCRIPTION A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:
BEGINNING AT A POINT WITHIN THE NE/4 SE/4 OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE EAST QUARTER CORNER OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS N01*15'48"E, A DISTANCE OF 25.42 FEET;
THENCE N90'00'00"W A DISTANCE OF 107.18 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N00'00'04"E A DISTANCE OF 881.97 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N89'59'38"W A DISTANCE OF 345.15 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N00'01'09"W A DISTANCE OF 230.14 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S89'55'32"E A DISTANCE OF 30.06 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHEAST CORNER OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS N14'35'47"E, A DISTANCE OF 1602.89 FEET;
SAID STRIP OF LAND BEING 1594.50 FEET OR 96.64 RODS IN LENGTH, CONTAINING 1.098 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:
NE/4 SE/4 131.78 L.F. 7.99 RODS 0.091 ACRES SE/4 NE/4 1462.72 L.F. 88.65 RODS 1.007 ACRES
GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. 2.) BASIS OF BEARING IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY. SURVEYOR CERTIFICATE Image: Note of the survey is the survey of the survey is the survey is the survey is the survey of the survey is the survey of the survey is the survey of the survey is the survey of the survey is the survey of the survey is the survey is the survey is the survey of surveying, inc. 301 South Canal, Carlsbab, New Mexico 88220 Carlsbab, New Mexico 88220
SHEET: 4-6 MADRON SURVEYING, INC. SOI SOUTH CARLSBAD, NEW MEXICO

