

Submit 1 Copy To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
October 13, 2009

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-33944
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Selby Maveety
8. Well Number 3
9. OGRID Number 873
10. Pool name or Wildcat Monument Abo
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3609' GR

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐

2. Name of Operator  
Apache Corp.

3. Address of Operator  
P O box Drawer D Monument NM 88265

4. Well Location

Unit Letter K: 2310 feet from the S line and 1650 feet from the W line  
Section 35 Township 19S Range 36E NMPM Lea County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐ Temporary Abandon

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PERFS: 7260-7377

This Approval of Temporary  
Abandonment Expires 4/26/2021

- MIRU. POOH & LD RODS/TBG
- SET CIBP @ 7200' DUMP BAIL 35' CMT ON TOP.
- LOAD CSG W/ PKR FLUID
- TEST CSG TO 580# FOR 30 MINUTES with a 10 # loss to 570#
- Witnessed by NMOCD George Bower

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Joel Sisk TITLE SR. PUMPER DATE 2/26/17

Type or print name JOEL SISK E-mail address: joel.sisk@apacheccorp.com PHONE: 575-441-0793


For State Use Only

APPROVED BY: Mary Brown TITLE AO/II DATE 5/4/2017

Conditions of Approval (if any):

RBDMS - CHART - V







GL=3609'  
KB=3622'  
Spud: 5/5/97

## Apache Corporation – Selby Maveety #3

### Wellbore Diagram – Current Status

Date : 3/23/2017

API: 30-025-33944

Surface Location K. Grisham




2310' FSL & 1650' FWL, Unit K  
Sec 35, T19S, R36E, Lea County, NM

#### Surface Casing

8-5/8", 24# @ 1155' w/ 400 sx to surface

Hole Size  
=11"

Hole Size  
=7-7/8"



4/17: Set CIBP @ 7200' capped w/ 35' cmt. Test well and held ok, status changed to TA.

6/97: Perf fr/ 7260-79', 7258-7300', 7312-7344' & 7355-7377' (365 holes). Acidized w/ 4300 gals 0.6% Fercheck SC acid.

9/02: Tst csg, held ok. Ran PAL log fr/ surf - 7233'. Acidized Abo Zone csg perms fr/ 7260-7377' w/ 2000 gals 15% HCl acid.

#### Production Casing

5-1/2", 15.5# @ 7550' w/ 1350 sxs. TOC @'

PBTD = 7165'  
TD = 7550'