

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-43039
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 19552
7. Lease Name or Unit Agreement Name North Hobbs Unit (G/SA)
8. Well Number 669
9. OGRID Number 157984
10. Pool name or Wildcat Hobbs (G/SA)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3685' KB

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐ Injector

2. Name of Operator
Occidental Permian Ltd

3. Address of Operator
P.O. Box 4294, Houston, TX 77210

4. Well Location
Unit Letter H : 2134 feet from the North line and 585 feet from the East line
Section 24 Township 18S Range 37E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU x NDWH x NUBOP.
- POOH injection equipment x 119 jts tbg.
- RIH 6 1/8" bit x tag @ 4702'.
- RIH pkr @ 4523'. Attempted to get injection rate x was unsuccessful.
- RIH 7" CIBP @ 4610' x dumped 40' peagravel x 45' sand @ tagged top @ 4547'.
- Ran 2 more runs of sand x tagged @ 4525'. RIH 2nd CIBP @ 4522' x dumped 3' of cmt.
- RIH 7" inj pkr @ 4410' w/ 133 jts tbg x on/off tool.
- Ran MIT x passed - Chart attached.
- RD x NDBOP x NUWH

Spud Date:

04/18/17

Rig Release Date:

04/26/17

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

April Hood

TITLE Regulatory Specialist

DATE 06/08/2017

Type or print name April Hood

E-mail address: April_Hood@Oxy.com

PHONE: 713-366-5771

For State Use Only

APPROVED BY:

Mahy Brown

TITLE

AO/II

DATE

7/10/2017

Conditions of Approval (if any):

RBDMS - CHART - ✓

Graphic Controls LLC
(6.375 ARC LINE GRAD.)

DATE 10E-9E 1000
MCI P 0-1000-8-96MIN
699-hc -rns-in

PRINTED IN U.S.A.

24 MIN
#245-

32 MIN

40 MIN

48 MIN

56 MIN

64 MIN

72 MIN

80 MIN

88 MIN

96 MIN

START

65-00-00
1000

North Hobb's (GSA) unit
well No. 24-669
H Sec. 24-1185-23
#30-005-43539
Unit #

#245



Wellbore Diagram : NHSAU 669-24

