Office Submit I Copy To Appropriate District	tate of New Mexico	Form C-103
Office <u>District I</u> – (575) 393-616 <b>HOBBS</b> Office 1625 N. French Dr., Hobbs, NM 88240	inerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283		WELL API NO. 30-025-43815
811 S. First St., Artesia, NM 88717 1 7 2017 OIL CONSERVATION DIVISION		5. Indicate Type of Lease
1000 Pio Brazos Pd. Aztec NM 87410		STATE FEE
District IV – (505) 476-3460 RECEIVED  S 1220 S. St. Francis Dr., Sant RECEIVED	anta Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Rep No. 1220 S. St. St. St. St. St. St. St. St. St.		
SUNDRY NOTICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		Braswell 16 State Com
PROPOSALS.)		
	other	8. Well Number 704H
Name of Operator     EOG Resources, Inc.		9. OGRID Number 7377
3. Address of Operator		10. Pool name or Wildcat
P.O. Box 2267 Midland, TX 79702	2	*WC-025 G-09 S263327G; Upper Wolfcamp
4 Well Location		25
Unit Letter C : 269 feet fi	om the North line and 23	35 feet from the West line
Section 16 Town	ship 26S Range 33E	NMPM County Lea
	Show whether DR, RKB, RT, GR, etc.,	
32	79' GR	
12. Check Appropriate Bo	x to Indicate Nature of Notice,	Report or Other Data
NOTICE OF INTENTION TO	): SUB	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐ PLUG AND AB		
TEMPORARILY ABANDON   CHANGE PLAN	NS 🗵 COMMENCE DR	ILLING OPNS.  ■ P AND A
PULL OR ALTER CASING   MULTIPLE CO	MPL CASING/CEMEN	T JOB 🔽
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM  OTHER:	OTHER:	П
13. Describe proposed or completed operations.		d give pertinent dates, including estimated date
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of		
proposed completion or recompletion.		
7/10/17 Spud 14-3/4" hole.		
Ran 23 jts 10-3/4", 40.5#, J-55 STC casing set at 1017'.		
Cement lead w/ 555 sx Class C, 13.5 ppg, 1.76 CFS yield;		
tail w/ 250 sx Class C, 14.8 ppg, 1.36 CFS yield. Circulated 373 sx cement to surface. WOC 19 hrs.		
7/11/17 Tested casing to 1500 psi for 30 minutes. Test good.		
Resumed drilling 9-7/8" hole.		
Spud Date: 7/10/17	Rig Release Date:	
I hereby certify that the information above is true and	complete to the best of my knowledg	e and belief.
. 1	B	7/40/0047
SIGNATURE Stan Way	TITLE Regulatory Analyst	DATE 7/12/2017
Stan Wagner		122 696 2690
Type or print name	E-mail address:	PHONE: 432-060-3089
For State Use Only	Date	
APPROVED BY:	TITLE Petroleum Engi	neer DATE 97/25/17

Conditions of Approval (if any):