Form 3160-5 (June 2015)

CATTED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to resenter an abandoned well. Use form 3160-3 (APD) for such proposals, 6 2017					5. Lease Serial No. NMNM56264		
					SUBMIT IN TRIPLICATE - Other instructions on page 2 1. Type of Well Received RECEIVED TO SUBMIT IN TRIPLICATE - Other instructions on page 2		
1. Type of Well	RECE		8. Well Name and No. NORTH LEA FED 05				
Ø Oil Well ☐ Gas Well ☐ Ott 2. Name of Operator	AJAS		9. API Well No.				
READ & STEVENS INCORPO	om		30-025-31413-00-S1				
3a. Address 3b. Phone Ph. 575.			o. (include area code) 22-3770 10. Field and Pool QUAIL RIDG		10. Field and Pool or Exploratory Area		
ROSWELL, NM 88202					QUAIL RIDGE		
4. Location of Well (Footage, Sec., 7	11. County or Parish, State						
Sec 10 T20S R34E NENW 66		LEA COUNTY, NM					
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OT	HER DATA	
TYPE OF SUBMISSION TYPE OF ACTION							
	☐ Acidize ☐ Deer		pen Production (Start/Resume)		☐ Water Shut-Off		
□ Notice of Intent	☐ Alter Casing		raulic Fracturing	Reclam		☐ Well Integrity	
Subsequent Report	Casing Repair		Construction	Construction Recomplete and Abandon Temporarily Abandon		☑ Other	
☐ Final Abandonment Notice	☐ Change Plans		and Abandon			Workover Operations	
_	Convert to Injection	Plug					
 Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 07/17/2017: MIRU. TOH w/m 	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation res bandonment Notices must be file final inspection.	give subsurface the Bond No. or sults in a multipled and only after all	locations and measure file with BLM/BIA te completion or recorrequirements, include	red and true ve a. Required sul empletion in a t ling reclamation	ertical depths of all perti- besquent reports must be new interval, a Form 310 n, have been completed	nent markers and zones. e filed within 30 days 60-4 must be filed once	
07/17/2017: MIRU. TOH w/rods, laying dwn pump. NDWH. NUBOP. TIH w/4 3/4" bit, 5 1/2" scrapper and 2 7/8" tbg. Run bit to 6290'. TOH w/2 7/8" tbg laying dwn bit and scrapper. TIH w/2 7/8" x 5 1/2" treating pkr. Set pkr at 5516' w/16,000# compression. RU reverse unit on backside. Load csg. Pressure up to 500# and hold for 15 min. Held okay. Prep to acidize. 07/20/2017: Pressure up backside to 400 and hold. Open well. Acidize well w/2000 gals 15% HCL. Flush w/46 bbls 2% KCL wtr. Max press 1000#, Avg press 600#, Avg rate 5 BPM, ISIP on vacuum. RD							
acid crew. TOH w/tbg. TIH w/2 3/8" BPMA, 2 3/8" x 4' perfd sub, 2 3/8" 0D seating nipple, 8 jnts 2 3/8" tbg. 2 3/8" tbg. 2 3/8" x 5 1/2" TAC, 189 jnts 2 3/8" tbg. Bottom 15 jnts are new pipe. Tested tbg to 5000# below slips. Prep to run pump and rods. EOT at 6146'. SN at 6111'. TAC at 5861'.						AUG 1 4 2017	
07/21/2017: NDBOP. Set TAC w/12,000# tension. NUWH. TIH w/2" x 1 1/4"" x 24' pump, 162 3/4"						RECEIVED	
14. I hereby certify that the foregoing is	Electronic Submission #3	VENS INCOR	PORATED, sent	to the Hobbs			
Name (Printed/Typed) KELLY B		T PREPAR					
Signature (Electronic	Submission)		Date 07/24/2	017			
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE U	SE		
Apptroved By ACCEPTED			(BLM Approver Not Specified) Title		Date 08/07/2017		
Conditions of approval, if any, are attached the certify that the applicant holds legal or equivalent would entitle the applicant to conditions.	Office Hobbs						
Fitle 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to ma	ake to any department		

(Instructions on page 2) ** BLM REVISED **

KZ

Additional data for EC transaction #382310 that would not fit on the form

32. Additional remarks, continued

rods, 81 7/8" rods, 7/8" x 2' x 4' x 8' pony rods and 1 1/4" x 22' polished steel rod. Seat and space pump. Hang well on. RU vacuum truck. Load 25 BPW. Pressure to 500# w/downhole pump. Held okay. RD vacuum truck. RDMOSU. Left unit pumping to battery on 120" stroke with 8 SPM.

Revisions to Operator-Submitted EC Data for Sundry Notice #382310

Operator Submitted

BLM Revised (AFMSS)

Sundry Type:

WRK SR

Lease:

NMNM56264

WRK SR

NMNM56264

Agreement:

Operator:

READ & STEVENS P. O. BOX 1518 ROSWELL, NM 88202 Ph: 575-622-3770

Admin Contact:

KELLY BARAJAS

REPORT PREPARER

E-Mail: kbarajas@read-stevens.com

Ph: 575-624-3760

Tech Contact:

KELLY BARAJAS REPORT PREPARER

E-Mail: kbarajas@read-stevens.com

Ph: 575-624-3760

Location:

State: County: NM LEA

Field/Pool:

QUAIL RIDGE; DELAWARE

Well/Facility:

NORTH LEA FEDERAL 5 Sec 10 T20S R34E 660FNL 1980FWL

READ & STEVENS INCORPORATED

ROSWELL, NM 88202 Ph: 575 622 3770 Fx: 575 622 8643

KELLY BARAJAS REPORT PREPARER

E-Mail: kbarajas@read-stevens.com

Ph: 575-622-3770

KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com

Ph: 575-622-3770

NM LEA

QUAIL RIDGE

NORTH LEA FED 05 Sec 10 T20S R34E NENW 660FNL 1980FWL