

State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
Revised July 18, 2013

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd. Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD
OCT 30 2017
RECEIVED
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRIY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-10746
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Apache Corporation		6. State Oil & Gas Lease No. B-158
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705		7. Lease Name or Unit Agreement Name New Mexico BZ State NCT-8
4. Well Location Unit Letter E : 1980 feet from the N line and 660 feet from the W line Section 16 Township 23S Range 37E NMPM County LEA		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3329' DF		9. OGRID Numer 873
10. Pool Name or Wildcat Langlie Mattix; 7 Rvrs-Qn		

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT RECOMMENDATION

REMEDIAL WORK ☐ AL
 COMMENCE DRILLING OPNS. ☐ P
 CASING/CEMENT JOB ☐
 OTHER: ☐

INT TO PA
P&A NR
P&A R

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.14 NMAC.

Spud Date:

**NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Guinn Burks* TITLE Sr. Reclamation Foreman DATE 10/24/17

Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

For State Use Only

APPROVED BY: *Mark Whitaker* TITLE Petroleum Engr. Specialist DATE 10/31/2017

Conditions of Approval (if any):



WELL BORE INFO.

LEASE NAME

New Mexico BZ State

WELL #

1

API #

30-025-10746

COUNTY

LEA

PROPOSED PROCEDURE

Cut off wellhead 3' below ground level. Verify cement to surface. Install P&A marker.

4. PUH & perf @ 200' & attempt to sqz 50 sx Class "C" cmt from 200' to surf. (Water Board)


3. PUH & perf @ 1210' & attempt to sqz 50 sx Class "C" cmt from 1210'-1022' WOC/TAG (Surf Shoe & Top of Salt)

2. PUH & perf @ 2550' & attempt to sqz 50 sx Class "C" cmt from 2550'-2300' WOC/TAG (Base of Salt)

1. MIRU P&A rig. POOH & LD tbg. RIH w/WL & set CIBP @ 3400'. RIH w/ tbg & CIRC w/ MLF & spot 25 sx Class "C" cmt from 3400'-3150' (Queen)

Queen perfs @ 3470' - 3650'

Pressure test csg.



0

364

728

Perf'd csg @ 1000' & 800' & CIRC cmt to surf

Perf'd csg @ 1105' & sqzd cmt, TOC @ 1020' (TS)

11" Hole

8 5/8" 24# @ 1072'

w/ 800 sx CIRC to surf

1093

1457

1821

2185

Perf'd csg @ 2185' & sqz cmt TOC @ 1865' (TS)
TOC @ 2189' Cal

2549

2914

3278

7 7/8" Hole

5 1/2" 24# @ 3642'

w/350 sx, Cal TOC @ 2189'

3642

TD @ 3642'



WELL BORE INFO.

LEASE NAME

New Mexico BZ State

WELL #

1

API #

30-025-10746

COUNTY

LEA

0

364

728

Perf'd csg @ 1000' & 800' & CIRC cmt to surf

1093

Perf'd csg @ 1105' & sqzd cmt, TOC @ 1020' (TS)
11" Hole
8 5/8" 24# @ 1072'
w/ 800 sx CIRC to surf

1457

1821

2185

Perf'd csg @ 2185' & sqz cmt TOC @ 1865' (TS)
TOC @ 2189' Cal

2549


2914

3278

2 3/8" tbg @ 3219'

3642

7 7/8" Hole
5 1/2" 24# @ 3642'
w/350 sx, Cal TOC @ 2189'



TD @ 3642'

Queen perms @ 3470' - 3650'