Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMLC032511E

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals BS

6. If Indian, Allottee or Tribe Name

SUBMIT IN	TRIPLICATE - Other instruction	ons on page	2018 7. If Clift of CA	Agreement, Name and/or No.		
Type of Well Gas Well	8. Well Name ar	8. Well Name and No. LANGLIE JAL UNIT 76				
Name of Operator POGO OIL & GAS OPERATING	9. API Well No	9. API Well No. 30-025-24881				
3a. Address 1515 W CALLE SUR, SUITE HOBBS, NM 88240	Phone No. (include area code) 575-492-1236	de) 10. Field and Pool or Exploratory Area LANGLIE MATTIX				
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)		11. County or P	arish, State		
Sec 9 T25S R37E 1980FNL 6	60FWL		LEA COUN	NTY, NM		
12. CHECK THE AI	PPROPRIATE BOX(ES) TO I	NDICATE NATURE O	F NOTICE, REPORT, OR	OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION					
Notice of Intent □ Subsequent Report	☐ Acidize ☐ Alter Casing	☐ Deepen ☐ Hydraulic Fracturing	☐ Production (Start/Resun ☐ Reclamation	☐ Well Integrity		
	☐ Casing Repair	☐ New Construction	Recomplete	☐ Other		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	☑ Temporarily Abandon			
13. Describe Proposed or Completed Op	Convert to Injection	□ Plug Back	☐ Water Disposal			
Test anchors - if not tested in RU JWS NU BOP. Pulled rods/tubing, i TOH w/tbg. Set CIBP @ 3255 Circulate packer fluid & spot 3 Pressure test above PBTD to File for temporarily abandonm	if still in hole. LD rods. 5' +/- 95 sxs Class C cement on top C 500# for 30 mins. nent. Carlsba	CIBP @ 3255' CD Hobbs C	ECATTACHED ONDITIONS OF	FOR F APPROVAL		
	Electronic Submission #40231 For POGO OIL & GAS Committed to AFMSS for prod	OPERATING, INC, sent to cessing by PRISCILLA PE	o the Hobbs REZ on 01/31/2018 ()			
Name (Printed/Typed) AGGIE ALEXIEV Title CONTROLLE			OLLER			
Signature (Electronic S	Submission)	Date 01/25/20	018			
	THIS SPACE FOR F	EDERAL OR STATE	OFFICE USE	200		
Approved By		Title	EPTED FOR RECO	Date		
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conduct the conduction of th	ct lease Office	MAR 2 1 2018				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a crime statements or representations as to any	for any person knowingly and matter within its jurisdiction	DEALL OF VAND MANAGEM	ENI		
(Instructions on page 2) ** OPERA	OR-SUBMITTED ** OPER	ATOR-SUBMITTED	CARLSBAD FIELD OFFICE	TED**		

Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: January 31, 2018

5. Lease Serial No.

				LC 032511 (e)	
				6. If Indian, Allottee or Tribe Name	
	form for proposals to drill or				
abandoned well.	Use Form 3160-3 (APD) for su	ich proposals			
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit of CA/Agreement, Name and/or No.	
1. Type of Well				Langlie Jal Unit	
✓ Oil Well Gas Well Other				8. Well Name and No. Langlie Jal Unit #76	
2. Name of Operator Pogo Oil & Gas	Operating, Inc	9. API Well N	9. API Well No. 30-025-24881		
3a. Address 1515 W Calle, Suite 17	o. (include area cod	(include area code) 10. Field and Pool or Exploratory Area			
Hobbs, NM 88240	236	Langlie Ma	Langlie Mattix; 7 Rivers- Queen-Grayburg		
4. Location of Well (Footage, Sec., T., I	R.,M., or Survey Description)	11. Country o	r Parish, State		
1980' FNL & 660' FWL, Unit Lette	r E, Sec 9, T25S, R37E	Lea County	Lea County, New Mexico		
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	NDICATE NATUR	E OF NOTICE, REPORT	OR OTHER DATA	
TYPE OF SUBMISSION		TY	PE OF ACTION		
✓ Notice of Intent	Acidize Dec	epen	Production (Start/R	esume) Water Shut-Off	
Worker of Intern	Alter Casing Hye	draulic Fracturing	Reclamation	Well Integrity	
Subsequent Report	Casing Repair New	w Construction	Recomplete	Other	
	Change Plans Plu	g and Abandon	▼ Temporarily Aband	on	
Final Abandonment Notice	Convert to Injection Plu	g Back	Water Disposal		
Test anchors - if not tested in p RU JWS NU BOP. Pulled rods/tubing, if TOH w/tbg. Set CIBP @ 3255'	still in hole. LD rods +/- 5 sxs Class 'C' cement on top CIBP @ 500# for 30 mins.		oment.		
14 I hereby certify that the foregoing is	true and correct Name (Printed/Typed)				
M.Y (Merch) Merchant		Title			
Signature CACO	Date	Date 01/25/2018			
	THE SPACE FOR FEE	ERAL OR ST	ATE OFICE USE		
Approved by		Title		Date	
	ned Approval of this notice does not warra quitable title to those rights in the subject I duct operations thereon.				

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporarily abandoned well is defined as a completion that is not capable of production in paying quantities but which may have value as a service well. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful mechanical or casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.
 - a. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging. CIBP must be capped with minimum 25 sacks cement, **placed with tubing**.
 - b. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. Any leak-off will be evaluated.
 - c. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
 - d. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
 - e. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 3. Provides justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned. 43 CFR 3162.3-4 (a) The operator shall promptly plug and abandon...wells in which oil or gas is not encountered in paying quantities...

Wells that successfully pass the casing integrity test **may** be approved for Temporary Abandonment (TA) status provided that the operator:

- 1. Submits a subsequent Sundry Notice (Form 3160-5) requesting TA approval with well bore diagram with all perforations and CIBP's and tops of cement on CIBP's.
- 2. Describes the temporary abandonment procedure.
- 3. Attaches a clear copy or the original of the pressure test chart.
- 4. Give justification to allow well to be place in TA status and plan for future use of well with time frame that well will be place back on line or plans to P&A well will be submitted.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- 1. A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.

Well Name: <u>LANGLIE JAL UNIT 76</u> Submit Subsequent Report and well bore diagram with all Perforations and CIBP with tops of cement. Well may be approved to be TA for a period of <u>6 months or until 09/21/2018</u> after successful MIT and subsequent report is submitted. This well has been shut-in since December 2015. If well is not brought into production by 09/21/2018, operator shall P&A the well.