Submit I Copy To Appropriate District Office	State of New Me				rm C-103
District 1 - (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources		Revised July 18, 2013 WELL API NO.		
District II - (575) 748-1283	OIL CONSEDUATION DIVISION		30-025-26525		
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		5. Indicate Type of Lease		
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505		6. State Oil & G		
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Sulta 1 c, 1441 o	303		B-2273-2	
87505 SUNDRY NOT	TICES AND REPORTS ON WELLS		7. Lease Name o		nt Nome
(DO NOT USE THIS FORM FOR PROPODIFFERENT RESERVOIR. USE "APPL	OSALS TO DRILL OR TO DEEPEN OR PLUICATION FOR PERMIT" (FORM C-101) FO	JG BACK TO A		um GB/SA Tr	
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well Other - INJECT	OBBS OCI		007	/
2. Name of Operator	nocoPhillips Company	APR 2 6 2018	9. OGRID Numb		/
3. Address of Operator	nocor minps Company	-11/5	10. Pool name or Vac	Wildcat	
600 N. Dairy	Ashford Rd. Houston, TX 77079	RECEIVE	Vac	uum GB/SA	/
4. Well Location		-			
	2500feet from theNorth_	line and1:	200feet from	theWest_	line
Section 34		ange 35-E	NMPM	County	Lea
	11. Elevation (Show whether DR, 3942)				
	3942	GK	La Software		
12. Check	Appropriate Box to Indicate N	ature of Notice.	Report or Other	Data	
	NTENTION TO:	200 000 000	SEQUENT		
PERFORM REMEDIAL WORK TEMPORARILY ABANDON	PLUG AND ABANDON ☐ CHANGE PLANS ☐	REMEDIAL WORK COMMENCE DRIE	_	INT TO PA	PM
PULL OR ALTER CASING		CASING/CEMENT		P&A NR	
DOWNHOLE COMMINGLE				P&A R	
CLOSED-LOOP SYSTEM		OTHER.			
OTHER: 13. Describe proposed or comp	pleted operations. (Clearly state all p	OTHER:	d give pertinent dat	es including es	timated date
	ork). SEE RULE 19.15.7.14 NMAC				
proposed completion or re-	completion.				
MIRU.	ND WH, NU BOP. POOH RBP @	4414'			
Tag Pk	KR @ 4427' - Circ hole w/ MLF. Spe	ot 45sx cmt @ 4427	7' – 4052'. WOC-T	ag Pressu	re test es
Spot 2:	osx cmt @ 3/92' - 36/2'				
	5sx cmt @ 2922' – 2802'. WOC-Tag 5sx cmt @ 1588' – 1468'. WOC-Tag				
Spot 45sx cmt @ 400' - 3'					
POOH	. Fill wellbore. Verify cmt @ surface	in all annuli			
NOTIFY OCD 24 HOURS	PRIOR TO	C103	3 INTENT TO P&	A EXPIRES	
BEGINNING PLUGGING	OPERATIONS		AR FROM DATE		AL
A closed-loop system	will be used for all fluids from this wel	lbore and disposed o	of required by OCD	Rule 19.15.17	
Spud Date:	Rig Release Da	te:			
######################################					
I hereby certify that the information	above is true and complete to the be	est of my knowledge	e and belief.		
SIGNATURE	TITLEP&A /	A.M. – Basic Energ	gy ServicesDA	TE4/26/	18
Type or print nameGreg Bry	vant E-mail address:		PHON	E: 432-563	-3355
For State Use Only					
APPROVED BY: Mark	Xtale TITIEPotral	leum Engr. Sp	prioriet na	TE 04/30	2018
Conditions of Approval (if any):	HILETCHO	المال المال	DA	TE	9

WELLBORE SKETCH ConocoPhillips Company — Permian Basin Business Unit

							Date: 4/25/18
RKB @	3942'						
	3932		Subarea:	Buckeye	(East)		
			Lease & Well No		EAST VACUUM (G		
tectors	feetesta.		Legal Description		Sec. 34, T-17S, R-35E		2500' FNL - 1200' FWL
		face 18°, 24#/ft @ 350	County: Field:	VACUUM		tate:	New Mexico
		rd w/ 300 SX	Date Spudded :	VACCOON	10/28/79		
		C - Circ'd to surface	API Number :	30025265			
					Operate		ber:
	Produ	14#/ft 0 / 1001			Lease ! Field N		
		148/R w/ 1450 SX C4787			LIGIO M	amber.	
		Circ'd to surface					
181							
	, ,						
8.	A 'E RAP	D 4414' - 4419,					
l k	K X X	54414 - 4410,					
182	WW						
lik'	T TA ABBO	WSET PACKER WITH PROFILE PLUG IN ON/OFF	TOOL				
		8' - 4435.2'	1002.				
	1 11 1						
		sub, and pump out plug					
	— EOT	3~4440,					
200	=						
=	=						
		Perfd in San Andres					
=	=	4509' - 4630,					
1881	1881						
1881	883						
181							
=	=						
1681							
183	181						
	100	PBTD @4741'					

WELLBORE SKETCH ConocoPhillips Company -- Permian Basin Business Unit

								Date: 4/25/18
KB (3	942						
DF (@ 3	942						
GL (@ 3	932			Subarea:	Buckeye		T 4 124 00 00
					Lease & Weil No		EAST VACUUM (GSA) UN	
today		TOTAL BANK	with a second		Legal Description		Sec. 34, T-17S, R-35E	2500' FNL - 1200' FWL
			Surface		County:	LEA	State :	New Mexico
		2	8-5/8", 24#/ft		Field:	VACUUM		
			Cmt'd w/ 300 SX		Date Spudded:		10/28/79	
	I KOK		TOC - Circ'd to surface		API Number:	300252652	25	
		₩	Spot 45sx cmt @ 400'-3'					
- 18	8		Spot 25sx cmt @ 1588'-1468' -	Tag			Operator Num	ber:
- 18		18	Production				Lease ID:	
	探观	223	5-1/2°, 14#/R				Field Number:	
- 18		≋	Cmt'd w/ 1450 SX					
- 18			TOC - Circ'd to surface					
		8						
	\$1859	600	Spot 25sx cmt @ 2922'-2802' -	Tag				
- 18			0,000					
- 18	1000	eser S	Spot 25sx cmt @ 3792'-3672'					
	DOM:NO	PRINCE	Spot 2054 Citt @ 5192 7012					
		181						
- 18	-		C 4F 0 44074 40004 3					
	Mar.	44	Spot 45sx cmt @ 4427*-4052*- 1	ag				
- 18	V							
18	M	M	ARROWSET PACKER WITH PROFILE	PLUG IN ON/OFF	TOOL.			
- 18	₩-	- /1381	4427.8° - 4435.2°					
- 188			Tubing sub, and pump out plug					
- 18	-	- 18	EOT @-4440.					
=		=						
=		=						
			Perfd in San Andres					
			4509' - 4630,					
	=							
	1							
=	=	=						
		8						
_		-						
=		=						
188								
=								
133		188						
	72	L.	PBTD @4741*					
***	.,	-6-11	TD @4800'					