

**HOBBS OCD**  
MAY 23 2018  
RECEIVED

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
**APPLICATION FOR PERMIT TO DRILL OR REENTER**

FORM APPROVED  
OMB No. 1004-0137  
Expires October 31, 2014

MIN F  
SUA F

|  |   |   |
|--|---|---|
| 1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER   |   | 5. Lease Serial No.<br>NMNM0381970  |
| 1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone   |   | 6. If Indian, Allottee or Tribe Name  |
| 2. Name of Operator<br>APACHE CORPORATION (873)  |   | 7. If Unit or CA Agreement, Name and No.  |
| 3a. Address<br>303 Veterans Airpark Lane #1000 Midland TX  |   | 8. Lease Name and Well No.<br>ONION-KNIGHT FEDERAL 202H (32457)                                 |
| 3b. Phone No. (include area code)<br>(432)818-1000   |   | 9. API Well No.<br>70-025-44860   |
| 4. Location of Well (Report location clearly and in accordance with any State requirements.)<br>At surface SESW / 150 FSL / 2315 FWL / LAT 32.4138919 / LONG -103.4759903<br>At proposed prod. zone NENW / 280 FNL / 2315 FWL / LAT 32.4273306 / LONG -103.4759169 |   | 10. Field and Pool or Application<br>SILVERADO RIDGE, OJO CHISO / OJO CHISO, BONESPRING (28430) |
| 11. Sec., T. R. M. or Blk. and Survey or Area<br>SEC 4 / T22S / R34E / NMP   |   | 12. County or Parish<br>LEA   |
| 13. State<br>NM  |   | 14. Distance in miles and direction from nearest town or post office*<br>18.7 miles             |
| 15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)<br>150 feet  | 16. No. of acres in lease<br>160                    | 17. Spacing Unit dedicated to this well<br>161.12   |
| 18. Distance from proposed location* to nearest well, drilling, completed, 850 feet applied for, on this lease, ft.  | 19. Proposed Depth<br>10420 feet / 15104 feet       | 20. BLM/BIA Bond No. on file<br>FED: NMB000736  |
| 21. Elevations (Show whether DF, KDB, RT, GL, etc.)<br>3619 feet   | 22. Approximate date work will start*<br>10/15/2017 | 23. Estimated duration<br>28 days   |
| 24. Attachments  |   |   |

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, must be attached to this form:

- |  |   |
|--|---|
| 1. Well plat certified by a registered surveyor.   | 4. Bond to cover the operations unless covered by an existing bond on file (see item 20 above). |
| 2. A Drilling Plan.  | 5. Operator certification   |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the BLM.             |

|  |   |                    |
|--|---|--------------------|
| 25. Signature<br>(Electronic Submission)           | Name (Printed/Typed)<br>Sorina Flores / Ph: (432)818-1167 | Date<br>06/07/2017 |
| Title<br>Supv of Drilling Services                 |   |                    |
| Approved by (Signature)<br>(Electronic Submission) | Name (Printed/Typed)<br>Cody Layton / Ph: (575)234-5959   | Date<br>04/18/2018 |
| Title<br>Supervisor Multiple Resources             |   |                    |

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.  
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

\*(Instructions on page 2)

**APPROVED WITH CONDITIONS**  
Approval Date: 04/18/2018

K2  
05/31/18  
Requires NSL

Rec ECP 5/23/18

## INSTRUCTIONS

**GENERAL:** This form is designed for submitting proposals to perform certain well operations, as indicated on Federal and Indian lands and leases for action by appropriate Federal agencies, pursuant to applicable Federal laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from local Federal offices.

**ITEM 1:** If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable Federal regulations concerning subsequent work proposals or reports on the well.

**ITEM 4:** Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local Federal offices for specific instructions.

**ITEM 14:** Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on the reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal agency offices.

**ITEMS 15 AND 18:** If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective productive zone.

**ITEM 22:** Consult applicable Federal regulations, or appropriate officials, concerning approval of the proposal before operations are started.

## NOTICES

The Privacy Act of 1974 and regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

**AUTHORITY:** 30 U.S.C. 181 et seq., 25 U.S.C. 396; 43 CFR 3160

**PRINCIPAL PURPOSES:** The information will be used to: (1) process and evaluate your application for a permit to drill a new oil, gas, or service well or to reenter a plugged and abandoned well; and (2) document, for administrative use, information for the management, disposal and use of National Resource Lands and resources including (a) analyzing your proposal to discover and extract the Federal or Indian resources encountered; (b) reviewing procedures and equipment and the projected impact on the land involved; and (c) evaluating the effects of the proposed operation on the surface and subsurface water and other environmental impacts.

**ROUTINE USE:** Information from the record and/or the record will be transferred to appropriate Federal, State, and local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecution, in connection with congressional inquiries and for regulatory responsibilities.

**EFFECT OF NOT PROVIDING INFORMATION:** Filing of this application and disclosure of the information is mandatory only if you elect to initiate a drilling or reentry operation on an oil and gas lease.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to allow evaluation of the technical, safety, and environmental factors involved with drilling for oil and/or gas on Federal and Indian oil and gas leases. This information will be used to analyze and approve applications.

Response to this request is mandatory only if the operator elects to initiate drilling or reentry operations on an oil and gas lease.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN-HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C Street, N.W., Mail Stop 401 LS, Washington, D.C. 20240.

## Additional Operator Remarks

### Location of Well

1. SHL: SESW / 150 FSL / 2315 FWL / TWSP: 22S / RANGE: 34E / SECTION: 4 / LAT: 32.4138919 / LONG: -103.4759903 ( TVD: 0 feet, MD: 0 feet )  
PPP: SESW / 194 FSL / 2315 FWL / TWSP: 22S / RANGE: 34E / SECTION: 4 / LAT: 32.4140112 / LONG: -103.4759895 ( TVD: 10135 feet, MD: 10140 feet )  
BHL: NENW / 280 FNL / 2315 FWL / TWSP: 22S / RANGE: 34E / SECTION: 4 / LAT: 32.4273306 / LONG: -103.4759169 ( TVD: 10420 feet, MD: 15104 feet )

### BLM Point of Contact

Name: Judith Yeager

Title: Legal Instruments Examiner

Phone: 5752345936

Email: jyeager@blm.gov

CONFIDENTIAL

### **Review and Appeal Rights**

A person contesting a decision shall request a State Director review. This request must be filed within 20 working days of receipt of the Notice with the appropriate State Director (see 43 CFR 3165.3). The State Director review decision may be appealed to the Interior Board of Land Appeals, 801 North Quincy Street, Suite 300, Arlington, VA 22203 (see 43 CFR 3165.4). Contact the above listed Bureau of Land Management office for further information.

CONFIDENTIAL



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## Application Data Report

04/19/2018

**APD ID:** 10400014871

**Submission Date:** 06/07/2017

Highlighted data  
reflects the most  
recent changes

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

[Show Final Text](#)

**Well Type:** OIL WELL

**Well Work Type:** Drill

### Section 1 - General

**APD ID:** 10400014871

**Tie to previous NOS?** 10400010616

**Submission Date:** 06/07/2017

**BLM Office:** CARLSBAD

**User:** Sorina Flores

**Title:** Supv of Drilling Services

**Federal/Indian APD:** FED

**Is the first lease penetrated for production Federal or Indian?** FED

**Lease number:** NMNM0381970

**Lease Acres:** 160

**Surface access agreement in place?**

**Allotted?**

**Reservation:**

**Agreement in place?** NO

**Federal or Indian agreement:**

**Agreement number:**

**Agreement name:**

**Keep application confidential?** YES

**Permitting Agent?** NO

**APD Operator:** APACHE CORPORATION

**Operator letter of designation:**

### Operator Info

**Operator Organization Name:** APACHE CORPORATION

**Operator Address:** 303 Veterans Airpark Lane #1000

**Zip:** 79705

**Operator PO Box:**

**Operator City:** Midland

**State:** TX

**Operator Phone:** (432)818-1000

**Operator Internet Address:**

### Section 2 - Well Information

**Well in Master Development Plan?** NO

**Master Development Plan name:**

**Well in Master SUPO?** NO

**Master SUPO name:**

**Well in Master Drilling Plan?** NO

**Master Drilling Plan name:**

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

**Well API Number:**

**Field/Pool or Exploratory?** Field and Pool

**Field Name:** OJO CHISO

**Pool Name:** OJO CHISO;  
BONESPRING,S

**Is the proposed well in an area containing other mineral resources?** OIL

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

**Describe other minerals:**

**Is the proposed well in a Helium production area?** N **Use Existing Well Pad?** YES **New surface disturbance?** N

**Type of Well Pad:** MULTIPLE WELL

**Multiple Well Pad Name:**

**Number:** 202H

**Well Class:** HORIZONTAL

ONION KNIGHT

**Number of Legs:** 1

**Well Work Type:** Drill

**Well Type:** OIL WELL

**Describe Well Type:**

**Well sub-Type:** OTHER

**Describe sub-type:** DEVELOPMENT

**Distance to town:** 18.7 Miles

**Distance to nearest well:** 850 FT

**Distance to lease line:** 150 FT

**Reservoir well spacing assigned acres Measurement:** 161.12 Acres

**Well plat:** OnionKnightFed202H\_REVPlat\_signed\_06-05-2017.pdf

**Well work start Date:** 10/15/2017

**Duration:** 28 DAYS

### Section 3 - Well Location Table

**Survey Type:** RECTANGULAR

**Describe Survey Type:**

**Datum:** NAD83

**Vertical Datum:** NAVD88

**Survey number:**

|                  | NS-Foot | NS Indicator | EW-Foot  | EW Indicator | Twsp | Range | Section | Aliquot/Lot/Tract | Latitude       | Longitude            | County | State             | Meridian          | Lease Type | Lease Number        | Elevation     | MD        | TVD       |
|------------------|---------|--------------|----------|--------------|------|-------|---------|-------------------|----------------|----------------------|--------|-------------------|-------------------|------------|---------------------|---------------|-----------|-----------|
| SHL<br>Leg<br>#1 | 150     | FSL          | 231<br>5 | FWL          | 22S  | 34E   | 4       | Aliquot<br>SESW   | 32.41389<br>19 | -<br>103.4759<br>903 | LEA    | NEW<br>MEXI<br>CO | NEW<br>MEXI<br>CO | F          | NMNM<br>038197<br>0 | 361<br>9      | 0         | 0         |
| KOP<br>Leg<br>#1 | 330     | FSL          | 231<br>5 | FWL          | 22S  | 34E   | 4       | Aliquot<br>SESW   | 32.41438<br>63 | -<br>103.4759<br>875 | LEA    | NEW<br>MEXI<br>CO | NEW<br>MEXI<br>CO | F          | NMNM<br>038197<br>0 | -<br>669<br>7 | 103<br>71 | 103<br>16 |
| PPP<br>Leg<br>#1 | 194     | FSL          | 231<br>5 | FWL          | 22S  | 34E   | 4       | Aliquot<br>SESW   | 32.41401<br>12 | -<br>103.4759<br>895 | LEA    | NEW<br>MEXI<br>CO | NEW<br>MEXI<br>CO | F          | NMNM<br>038197<br>0 | -<br>651<br>6 | 101<br>40 | 101<br>35 |



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## Drilling Plan Data Report

04/19/2018

APD ID: 10400014871

Submission Date: 06/07/2017

Highlighted data  
reflects the most  
recent changes

Operator Name: APACHE CORPORATION

Well Name: ONION KNIGHT FEDERAL

Well Number: 202H

[Show Final Text](#)

Well Type: OIL WELL

Well Work Type: Drill

### Section 1 - Geologic Formations

| Formation ID | Formation Name | Elevation | True Vertical Depth | Measured Depth | Lithologies | Mineral Resources    | Producing Formation |
|--------------|----------------|-----------|---------------------|----------------|-------------|----------------------|---------------------|
| 1            | QUATERNARY     | 3619      | 0                   | 0              |             | USEABLE WATER,POTASH | No                  |
| 2            | RUSTLER        | 1882      | 1737                | 1737           |             | POTASH               | No                  |
| 3            | SALADO         | 1432      | 2187                | 2187           |             | POTASH               | No                  |
| 4            | BASE OF SALT   | -118      | 3737                | 3737           |             | NATURAL GAS,OIL      | No                  |
| 5            | CAPITAN REEF   | -726      | 4345                | 4345           |             | USEABLE WATER        | No                  |
| 6            | DELAWARE       | -1718     | 5337                | 5337           |             | NATURAL GAS,OIL      | No                  |
| 7            | BONE SPRING    | -4868     | 8487                | 8487           |             | NATURAL GAS,OIL      | Yes                 |

### Section 2 - Blowout Prevention

Pressure Rating (PSI): 3M

Rating Depth: 10948

Equipment: Rotating head, mud gas separator, blow down pit, flare line

Requesting Variance? YES

Variance request: Apache requesting variance for choke flex line

**Testing Procedure:** BOP/BOPE will be tested by independent service company to 250psi low & high pressure indicated above per Onshore Order 2 requirements. System may be upgraded to higher pressure but still tested to WP listed. If system is upgraded, all components installed will be functional and tested. Pipe rams will be operationally checked each 24 hr period. Blind rams will be operationally checked on each TOOH. These checks will be noted on daily tour sheets. Other accessories to BOP equipment will include Kelly cock and floor safety valve (inside BOP), choke lines and choke manifold. (see attached schematic)

**Choke Diagram Attachment:**

OnionKnightFed\_BOP\_Manif\_Schem\_05-18-2017.pdf


**BOP Diagram Attachment:**

OnionKnightFed\_BOP\_Manif\_Schem\_05-18-2017.pdf

OnionKnightFed\_Flexline\_05-18-2017.pdf

# VICINITY MAP

NOT TO SCALE



## DIRECTIONS

From the intersection of NM 176 and CR-30;  
 Go Southwest on CR-30 approx. 5.9 miles to Grama Ridge road on the right;  
 Turn right and go Northwest approx. 0.1 miles to a proposed road on the left;  
 Turn left on proposed road and go West approx. 1.0 miles to location on the left.

**SECTION 4, TWP. 22 SOUTH, RGE. 34 EAST,  
 N. M. P. M., LEA CO., NEW MEXICO**

OPERATOR: Apache Corporation

LOCATION: 150' FSL & 2315' FWL

LEASE: Onion Knight Federal

ELEVATION: 3619'

WELL NO.: 202H

Firm No.: TX 10193838 NM 4655451

Copyright 2016 - All Rights Reserved

| NO.                 | REVISION | DATE |
|---------------------|----------|------|
| JOB NO.: LS1701018  |          |      |
| DWG. NO.: 1701018VM |          |      |

# RRC

308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-8200

|                    |
|--------------------|
| SCALE: N. T. S.    |
| DATE: 2-08-17      |
| SURVEYED BY: JM/JF |
| DRAWN BY: LPS      |
| APPROVED BY: RMH   |
| SHEET: 1 OF 1      |



**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

### Section 3 - Casing

| Casing ID | String Type  | Hole Size | Csg Size | Condition | Standard | Tapered String | Top Set MD | Bottom Set MD | Top Set TVD | Bottom Set TVD | Top Set MSL | Bottom Set MSL | Calculated casing length MD | Grade | Weight | Joint Type | Collapse SF | Burst SF | Joint SF Type | Joint SF | Body SF Type | Body SF |
|-----------|--------------|-----------|----------|-----------|----------|----------------|------------|---------------|-------------|----------------|-------------|----------------|-----------------------------|-------|--------|------------|-------------|----------|---------------|----------|--------------|---------|
| 1         | INTERMEDIATE | 12.25     | 9.625    | NEW       | API      | N              | 0          | 470           | 0           | 470            | -6801       | -7111          | 470                         | J-55  | 40     | BUTT       | 10.25       | 1.96     | BUOY          | 2.35     | BUOY         | 2.06    |
| 2         | SURFACE      | 17.5      | 13.375   | NEW       | API      | N              | 0          | 1750          | 0           | 1750           | -6801       | -8566          | 1750                        | J-55  | 54.5   | BUTT       | 2.09        | 1.82     | BUOY          | 4        | BUOY         | 3.75    |
| 3         | INTERMEDIATE | 12.25     | 9.625    | NEW       | API      | N              | 470        | 5320          | 470         | 5320           | -7111       | -11961         | 4850                        | J-55  | 40     | LTC        | 1.68        | 2.06     | BUOY          | 1.8      | BUOY         | 2.16    |
| 4         | PRODUCTION   | 8.75      | 5.5      | NEW       | API      | N              | 0          | 10692         | 0           | 10420          | -6801       | -17291         | 10692                       | P-110 | 17     | BUTT       | 1.48        | 1.28     | BUOY          | 2.2      | BUOY         | 2.11    |
| 5         | PRODUCTION   | 8.5       | 5.5      | NEW       | API      | N              | 10762      | 15172         | 10490       | 10490          | -17291      | -17291         | 4410                        | P-110 | 17     | BUTT       | 1.47        | 1.28     | BUOY          | 2.19     | BUOY         | 2.1     |

#### Casing Attachments

**Casing ID:** 1      **String Type:** INTERMEDIATE

**Inspection Document:**

**Spec Document:**

**Tapered String Spec:**

**Casing Design Assumptions and Worksheet(s):**

OnionKnightFed202H\_IntermCsgAssmpt\_06-07-2017.pdf

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

#### Casing Attachments

---

**Casing ID:** 2      **String Type:** SURFACE

**Inspection Document:**

**Spec Document:**

**Tapered String Spec:**

**Casing Design Assumptions and Worksheet(s):**

OnionKnightFed202H\_SurfCsgAssmpt\_06-07-2017.pdf

---

**Casing ID:** 3      **String Type:** INTERMEDIATE

**Inspection Document:**

**Spec Document:**

**Tapered String Spec:**

**Casing Design Assumptions and Worksheet(s):**

OnionKnightFed202H\_IntermCsgAssmpt\_06-07-2017.pdf

---

**Casing ID:** 4      **String Type:** PRODUCTION

**Inspection Document:**

**Spec Document:**

**Tapered String Spec:**

**Casing Design Assumptions and Worksheet(s):**

OnionKnightFed202H\_ProdCsgAssmpt\_06-07-2017.pdf

---

Operator Name: APACHE CORPORATION

Well Name: ONION KNIGHT FEDERAL

Well Number: 202H

#### Casing Attachments

Casing ID: 5 String Type: PRODUCTION

Inspection Document:

Spec Document:

Tapered String Spec:

Casing Design Assumptions and Worksheet(s):

OnionKnightFed202H\_ProdCsgAssmpt\_06-07-2017.pdf

#### Section 4 - Cement

| String Type  | Lead/Tail | Stage Tool Depth | Top MD | Bottom MD | Quantity(sx) | Yield | Density | Cu Ft   | Excess% | Cement type | Additives  |
|--------------|-----------|------------------|--------|-----------|--------------|-------|---------|---------|---------|-------------|--|
| SURFACE      | Lead      |                  | 0      | 1400      | 703          | 1.73  | 13.5    | 1216.19 | 25      | CI C        | 4% bentonite, 1% CaCl2   |
| SURFACE      | Tail      |                  | 1400   | 1750      | 258          | 1.33  | 14.8    | 343.14  | 25      | CI C        | 1% CaCl2   |
| INTERMEDIATE | Lead      |                  | 0      | 4320      | 857          | 1.93  | 12.6    | 1654.01 | 25      | CI C        | 5% NaCl, 4% bentonite, 0.2% retarder   |
| INTERMEDIATE | Tail      |                  | 4320   | 5320      | 300          | 1.33  | 14.8    | 399     | 25      | CI C        | 0.2% retarder  |
| INTERMEDIATE | Lead      |                  | 0      | 4320      | 857          | 1.93  | 12.6    | 1654.01 | 25      | CI C        | 5% NaCl, 4% bentonite, 0.2% retarder   |
| INTERMEDIATE | Tail      |                  | 4320   | 5320      | 300          | 1.33  | 14.8    | 399     | 25      | CI C        | 0.2% retarder  |
| PRODUCTION   | Lead      |                  | 4820   | 9942      | 447          | 3.43  | 10.8    | 1533.21 | 20      | TXI Lite    | 10% Bentonite + 10 lb/sk Compressive Strength Enhancer + 5 lb/sk Silica Fume + 0.5% Fluid Loss Additive + 0.5% Defoamer + 1% SMS + 0.7% Retarder + 0.2% Organic Retarder |
| PRODUCTION   | Tail      |                  | 9942   | 1504      | 1090         | 1.33  | 13.2    | 1449.7  | 20      | TXI Lite    | 0.4% fluid loss + 0.3% retarder  |
| PRODUCTION   | Lead      |                  | 4820   | 9942      | 447          | 3.43  | 10.8    | 1533.21 | 20      | TXI Lite    | 10% Bentonite, 10 lb/sk Compressive Strength   |

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

| String Type | Lead/Tail | Stage Tool Depth | Top MD | Bottom MD | Quantity(sx) | Yield | Density | Cu Ft      | Excess% | Cement type | Additives  |
|-------------|-----------|------------------|--------|-----------|--------------|-------|---------|------------|---------|-------------|--|
| PRODUCTION  | Tail      |                  | 9942   | 1510<br>4 | 1090         | 1.33  | 13.2    | 1449.<br>7 | 20      | TXI Lite    | Enhancer, 5 lb/sk Silica Fume, 0.5% Fluid Loss Additive, 0.5% Defoamer, 1% SMS, 0.7% Retarder, 0.2% Organic Retarder<br>0.4% fluid loss, 0.3% retarder |

### Section 5 - Circulating Medium

**Mud System Type:** Closed

**Will an air or gas system be Used?** NO

**Description of the equipment for the circulating system in accordance with Onshore Order #2:**

**Diagram of the equipment for the circulating system in accordance with Onshore Order #2:**

**Describe what will be on location to control well or mitigate other conditions:** BOP, choke manifold, gas buster, blow down pit, flare line with igniter, pre-mix pit, rotating head

**Describe the mud monitoring system utilized:** PVT, Pason, Visual monitoring

### Circulating Medium Table

| Top Depth | Bottom Depth | Mud Type          | Min Weight (lbs/gal) | Max Weight (lbs/gal) | Density (lbs/cu ft) | Gel Strength (lbs/100 sqft) | PH | Viscosity (CP) | Salinity (ppm) | Filtration (cc) | Additional Characteristics |
|-----------|--------------|-------------------|----------------------|----------------------|---------------------|-----------------------------|----|----------------|----------------|-----------------|----------------------------|
| 0         | 1750         | SPUD MUD          | 8.3                  | 9                    |                     |                             |    |                |                |                 |                            |
| 1750      | 5320         | SALT SATURATED    | 9.8                  | 10.5                 |                     |                             |    |                |                |                 |                            |
| 5320      | 10420        | OTHER : Cut brine | 8.6                  | 9.5                  |                     |                             |    |                |                |                 |                            |

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

## Section 6 - Test, Logging, Coring

**List of production tests including testing procedures, equipment and safety measures:**

Will run GR/CNL from TD to surf (horizontal well - vertical portion of hole). Stated logs run will be in the completion report & submitted to BLM.

**List of open and cased hole logs run in the well:**

CBL,CNL/FDC,DS,GR,MWD,MUDLOG,TL

**Coring operation description for the well:**

N/A

## Section 7 - Pressure

**Anticipated Bottom Hole Pressure:** 4909

**Anticipated Surface Pressure:** 2616.6

**Anticipated Bottom Hole Temperature(F):** 150

**Anticipated abnormal pressures, temperatures, or potential geologic hazards?** YES

**Describe:**

Capitan reef poses lost circ potential

**Contingency Plans geohazards description:**

For capital reef, Apache will be switching over to a fresh water system if lost circ is encountered. A 2-stage cmt job will be proposed to get cmt to surface.

**Contingency Plans geohazards attachment:**

**Hydrogen Sulfide drilling operations plan required?** YES

**Hydrogen sulfide drilling operations plan:**

OnionKnightFed\_H2SOpsContPlan\_05-18-2017.pdf

## Section 8 - Other Information

**Proposed horizontal/directional/multi-lateral plan submission:**

OnionKnightFed202H\_DirPlan\_06-07-2017.pdf

OnionKnightFed202H\_WallPlot\_06-07-2017.pdf

**Other proposed operations facets description:**

If lost circ is encountered, Apache may 2-stage Interm csg. DVT may be used in 9-5/8" csg & ECP maybe placed below DVT. \*\*See attachment.

\*\*Cmt info is duplicated in Section 4. AFMSS requires equal segments in cmt and csg. Complete cmt plan attached.

\*\*Apache request variance to use flexible hose between BOP and Choke Manifold. Flex hose may vary depending on rig availability. Certificate and test chart will be available for flex hose used.

\*Anticipated Completion Date: 10/7/2018

\*Anticipated First Production Date: 11/7/2018

**Other proposed operations facets attachment:**

OnionKnightFed202H\_CmtDetailandContingency\_06-07-2017.pdf

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

OnionKnightFed202H\_CsgDetail\_06-07-2017.pdf

OnionKnightFed\_GasCapturePlan\_07-19-2017.pdf


**Other Variance attachment:**

OnionKnightFed\_Flexline\_05-31-2017.pdf

# APACHE BOP AND CHOKE MANIFOLD SCHEMATIC

13-5/8" 5M PSI BOP (to be tested as a 3M)

All valves & lines on choke manifold are 2" unless noted  
Exact manifold configuration may vary  
(Installed on Surface Csg & Interm Csg)




\*\*\* If H2S is encountered in quantities greater than 100ppm, Apache will shut in well & install a remote operated choke \*\*\*

# APACHE BOP AND CHOKE MANIFOLD SCHEMATIC


13-5/8" 5M PSI BOP (to be tested as a 3M)


All valves & lines on choke manifold are 2" unless noted  
Exact manifold configuration may vary  
(Installed on Surface Csg & Interm Csg)



\*\*\* If H2S is encountered in quantities greater than 100ppm, Apache will shut in well & install a remote operated choke \*\*\*



|  |  |  |  |  |  |
|--|--|--|--|--|--|
| <b>QUALITY CONTROL<br/>INSPECTION AND TEST CERTIFICATE</b>   |  |  |  | CERT. N°: 373  |  |
| PURCHASER: ContiTech Oil & Marine Corp.  |  |  |  | P.O. N°: 4500398355  |  |
| CONTITECH RUBBER order N°: 538079  |  | HOSE TYPE: 3" ID Choke and Kill Hose       |  |  |  |
| HOSE SERIAL N°: 67090  |  | NOMINAL / ACTUAL LENGTH: 10,67 m / 10,73 m |  |  |  |
| W.P. 68,9 MPa 10000 psi  |  | T.P. 103,4 MPa 15000 psi                   |  | Duration: 60 min.  |  |
| <p>Pressure test with water at ambient temperature</p> <p style="text-align: center;">See attachment. ( 1 page )</p> <p>↑ 10 mm = 10 Min.<br/>→ 10 mm = 25 MPa</p>   |  |  |  |  |  |
| COUPLINGS Type   |  | Serial N°                                  |  | Quality  |  |
| 3" coupling with   |  | 1252 8901                                  |  | AISI 4130  |  |
| 4 1/16" 10K API b.w. Flange end  |  |  |  | AISI 4130  |  |
|  |  |  |  | Heat N°  |  |
|  |  |  |  | A0709N A1126U  |  |
|  |  |  |  | 035285   |  |
| <b>NOT DESIGNED FOR WELL TESTING</b>   |  |  |  | <b>API Spec 16 C</b>   |  |
|  |  |  |  | <b>Temperature rate:"B"</b>  |  |
| All metal parts are flawless   |  |  |  |  |  |
| WE CERTIFY THAT THE ABOVE HOSE HAS BEEN MANUFACTURED IN ACCORDANCE WITH THE TERMS OF THE ORDER INSPECTED AND PRESSURE TESTED AS ABOVE WITH SATISFACTORY RESULT.  |  |  |  |  |  |
| STATEMENT OF CONFORMITY: We hereby certify that the above items/equipment supplied by us are in conformity with the terms, conditions and specifications of the above Purchaser Order and that these items/equipment were fabricated inspected and tested in accordance with the referenced standards, codes and specifications and meet the relevant acceptance criteria and design requirements. |  |  |  |  |  |
| COUNTRY OF ORIGIN HUNGARY/EU   |  |  |  |  |  |
| Date:  |  | Inspector                                  |  | Quality Control  |  |
| 05. March 2014.  |  |  |  | ContiTech Rubber<br>Industrial Kft.<br>Quality Control Dept.<br> |  |





## Hose Data Sheet

|                                |  |
|--------------------------------|--|
| CRI Order No.                  | 538079   |
| Customer                       | ContiTech Oil & Marine Corp.                                       |
| Customer Order No              | 4500398355   |
| Item No.                       | 1  |
| Hose Type                      | Flexible Hose  |
| <b>Standard</b>                | <b>API SPEC 16 C</b>   |
| Inside dia in inches           | 3  |
| Length                         | 35 ft  |
| Type of coupling one end       | FLANGE 4.1/16" 10K API SPEC 6A TYPE 6BX FLANGE C/W BX155 R.GR.SOUR |
| Type of coupling other end     | FLANGE 4.1/16" 10K API SPEC 6A TYPE 6BX FLANGE C/W BX155 R.GR.SOUR |
| H2S service NACE MR0175        | Yes  |
| Working Pressure               | 10 000 psi   |
| Design Pressure                | 10 000 psi   |
| Test Pressure                  | 15 000 psi   |
| Safety Factor                  | 2,25   |
| Marking                        | USUAL PHOENIX  |
| Cover                          | NOT FIRE RESISTANT   |
| Outside protection             | St. steel outer wrap   |
| Internal stripwound tube       | No   |
| Lining                         | OIL + GAS RESISTANT SOUR   |
| Safety clamp                   | No   |
| Lifting collar                 | No   |
| Element C                      | No   |
| Safety chain                   | No   |
| Safety wire rope               | No   |
| Max.design temperature [°C]    | 100  |
| Min.design temperature [°C]    | -20  |
| Min. Bend Radius operating [m] | 0,90   |
| Min. Bend Radius storage [m]   | 0,90   |
| Electrical continuity          | The Hose is electrically continuous                                |
| Type of packing                | WOODEN CRATE ISPM-15   |

## Casing Design Assumptions and Load Cases

### Surface

All casing design assumptions were ran in StressCheck to determine safety factors which meet or exceed both Apache Corp and BLM minimum requirements. All casing strings will be filled while running in hole in order to not exceed collapse rating of the casing.

| Surface Casing Burst Design           |                          |  |
|---------------------------------------|--------------------------|--|
| Load Case                             | External Pressure        | Internal Pressure                                    |
| Pressure Test                         | Mud and Cement Mix Water | Test psi with Mud Weight of displacement fluid       |
| Fracture @ shoe w/ Gas Gradient Above | Mud and Cement Mix Water | Fracture psi at shoe and 0.7 gas gravity above shoe  |
| Green Cement Pressure Test            | Mud and Cement Mix Water | Max pressure used to bump the plug during cement job |
| Lost Returns with Water               | Mud and Cement Mix Water | Pressure to fracture shoe with water hydrostatic     |

| Surface Casing Collapse Design |                              |  |
|--------------------------------|------------------------------|--|
| Load Case                      | External Pressure            | Internal Pressure                                    |
| Full/Partial Evacuation        | Mud weight string was set in | 50% casing evacuation with surface mud inside casing |
| Lost Returns with Mud Drop     | Mud weight string was set in | Lost returns at 3900' (Capitan Reef) with Brine      |
| Cementing                      | Wet cement weight            | Water (8.33 ppg)                                     |

| Surface Casing Axial Design |                                |
|-----------------------------|--------------------------------|
| Load Case                   | Assumptions                    |
| Overpull                    | 100 kips                       |
| Running in hole             | 2 ft/s                         |
| Green Cement Pressure Test  | Max pressure when bumping plug |
| Service Loads               | N/A                            |

## Casing Design Assumptions and Load Cases

### Intermediate

All casing design assumptions were ran in StressCheck to determine safety factors which meet or exceed both Apache Corp and BLM minimum requirements. All casing strings will be filled while running in hole in order to not exceed collapse rating of the casing.

| Surface Casing Burst Design |                          |  |
|-----------------------------|--------------------------|--|
| Load Case                   | External Pressure        | Internal Pressure  |
| Pressure Test               | Mud and Cement Mix Water | Test psi with Mud Weight of displacement fluid   |
| Gas Kick                    | Mud and Cement Mix Water | Pressure seen while circulating out a 30 bbl 0.5 ppg kick intensity influx from well TD to surface while using current mud weight. |
| Green Cement Pressure Test  | Mud and Cement Mix Water | Max pressure used to bump the plug during cement job   |
| Lost Returns with Water     | Mud and Cement Mix Water | Pressure to fracture shoe with water hydrostatic   |

| Surface Casing Collapse Design |                              |   |
|--------------------------------|------------------------------|---|
| Load Case                      | External Pressure            | Internal Pressure   |
| Full/Partial Evacuation        | Mud weight string was set in | 50% casing evacuation with intermediate mud inside casing |
| Lost Returns with Mud Drop     | Mud weight string was set in | Lost returns at Brushy Canyon with Cut Brine (9.2 ppg)    |
| Cementing                      | Wet cement weight            | Water (8.33 ppg)  |

| Surface Casing Axial Design |                                |
|-----------------------------|--------------------------------|
| Load Case                   | Assumptions                    |
| Overpull                    | 100 kips                       |
| Running in hole             | 2 ft/s                         |
| Green Cement Pressure Test  | Max pressure when bumping plug |
| Service Loads               | N/A                            |

## Casing Design Assumptions and Load Cases

### Intermediate

All casing design assumptions were ran in StressCheck to determine safety factors which meet or exceed both Apache Corp and BLM minimum requirements. All casing strings will be filled while running in hole in order to not exceed collapse rating of the casing.

| Surface Casing Burst Design |                          |  |
|-----------------------------|--------------------------|--|
| Load Case                   | External Pressure        | Internal Pressure  |
| Pressure Test               | Mud and Cement Mix Water | Test psi with Mud Weight of displacement fluid   |
| Gas Kick                    | Mud and Cement Mix Water | Pressure seen while circulating out a 30 bbl 0.5 ppg kick intensity influx from well TD to surface while using current mud weight. |
| Green Cement Pressure Test  | Mud and Cement Mix Water | Max pressure used to bump the plug during cement job   |
| Lost Returns with Water     | Mud and Cement Mix Water | Pressure to fracture shoe with water hydrostatic   |

| Surface Casing Collapse Design |                              |   |
|--------------------------------|------------------------------|---|
| Load Case                      | External Pressure            | Internal Pressure   |
| Full/Partial Evacuation        | Mud weight string was set in | 50% casing evacuation with intermediate mud inside casing |
| Lost Returns with Mud Drop     | Mud weight string was set in | Lost returns at Brushy Canyon with Cut Brine (9.2 ppg)    |
| Cementing                      | Wet cement weight            | Water (8.33 ppg)  |

| Surface Casing Axial Design |                                |
|-----------------------------|--------------------------------|
| Load Case                   | Assumptions                    |
| Overpull                    | 100 kips                       |
| Running in hole             | 2 ft/s                         |
| Green Cement Pressure Test  | Max pressure when bumping plug |
| Service Loads               | N/A                            |

## Casing Design Assumptions and Load Cases

### Production

All casing design assumptions were ran in StressCheck to determine safety factors which meet or exceed both Apache Corp and BLM minimum requirements. All casing strings will be filled while running in hole in order to not exceed collapse rating of the casing.

| Surface Casing Burst Design |  |   |
|-----------------------------|--|---|
| Load Case                   | External Pressure  | Internal Pressure                                     |
| Pressure Test               | Mud base fluid density to TOC, cement mix-water gradient to outer shoe and pore pressure to TD | Fluid in hole (water or produced water) + test psi    |
| Tubing Leak                 | Mud base fluid density to TOC, cement mix-water gradient to outer shoe and pore pressure to TD | Packer @ KOP, leak below surface 8.6 ppg packer fluid |
| Stimulation                 | Mud base fluid density to TOC, cement mix-water gradient to outer shoe and pore pressure to TD | Max frac pressure with heaviest frac fluid            |
| Green Cement Pressure Test  | Mud base fluid density to TOC, cement mix-water gradient to outer shoe and pore pressure to TD | Max pressure used to bump the plug during cement job  |

| Surface Casing Collapse Design |                              |                   |
|--------------------------------|------------------------------|-------------------|
| Load Case                      | External Pressure            | Internal Pressure |
| Full Evacuation                | Mud weight string was set in | None              |
| Cementing                      | Wet cement weight            | Water (8.33 ppg)  |

| Surface Casing Axial Design |                                |
|-----------------------------|--------------------------------|
| Load Case                   | Assumptions                    |
| Overpull                    | 100 kips                       |
| Running in hole             | 2 ft/s                         |
| Green Cement Pressure Test  | Max pressure when bumping plug |
| Service Loads               | N/A                            |

## Casing Design Assumptions and Load Cases

### Production

All casing design assumptions were ran in StressCheck to determine safety factors which meet or exceed both Apache Corp and BLM minimum requirements. All casing strings will be filled while running in hole in order to not exceed collapse rating of the casing.

| Surface Casing Burst Design |  |   |
|-----------------------------|--|---|
| Load Case                   | External Pressure  | Internal Pressure                                     |
| Pressure Test               | Mud base fluid density to TOC, cement mix-water gradient to outer shoe and pore pressure to TD | Fluid in hole (water or produced water) + test psi    |
| Tubing Leak                 | Mud base fluid density to TOC, cement mix-water gradient to outer shoe and pore pressure to TD | Packer @ KOP, leak below surface 8.6 ppg packer fluid |
| Stimulation                 | Mud base fluid density to TOC, cement mix-water gradient to outer shoe and pore pressure to TD | Max frac pressure with heaviest frac fluid            |
| Green Cement Pressure Test  | Mud base fluid density to TOC, cement mix-water gradient to outer shoe and pore pressure to TD | Max pressure used to bump the plug during cement job  |

| Surface Casing Collapse Design |                              |                   |
|--------------------------------|------------------------------|-------------------|
| Load Case                      | External Pressure            | Internal Pressure |
| Full Evacuation                | Mud weight string was set in | None              |
| Cementing                      | Wet cement weight            | Water (8.33 ppg)  |

| Surface Casing Axial Design |                                |
|-----------------------------|--------------------------------|
| Load Case                   | Assumptions                    |
| Overpull                    | 100 kips                       |
| Running in hole             | 2 ft/s                         |
| Green Cement Pressure Test  | Max pressure when bumping plug |
| Service Loads               | N/A                            |





U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## SUPO Data Report

04/19/2018

APD ID: 10400014871

Submission Date: 06/07/2017

Highlighted data  
reflects the most  
recent changes

Operator Name: APACHE CORPORATION

Well Name: ONION KNIGHT FEDERAL

Well Number: 202H

[Show Final Text](#)

Well Type: OIL WELL

Well Work Type: Drill

### Section 1 - Existing Roads

Will existing roads be used? YES

Existing Road Map:

OnionKnightFed202H\_ExistRd\_06-07-2017.pdf

Existing Road Purpose: ACCESS, FLUID TRANSPORT

Row(s) Exist? YES

ROW ID(s)

ID:

Do the existing roads need to be improved? YES

Existing Road Improvement Description: Improve road to accommodate drilling and completion operations.

Existing Road Improvement Attachment:

### Section 2 - New or Reconstructed Access Roads

Will new roads be needed? YES

New Road Map:

OnionKnightFed202H\_NewAccessRd\_06-07-2017.pdf

New road type: LOCAL, RESOURCE

Length: 595.72 Feet

Width (ft.): 25

Max slope (%): 2

Max grade (%): 2

Army Corp of Engineers (ACOE) permit required? NO

ACOE Permit Number(s):

New road travel width: 14

New road access erosion control: Road will be crowned for water drainage and to control erosion.

New road access plan or profile prepared? NO

New road access plan attachment:

Access road engineering design? NO

Access road engineering design attachment:



### Hose Data Sheet

|                                |  |
|--------------------------------|--|
| CRI Order No.                  | 538079   |
| Customer                       | ContiTech Oil & Marine Corp.                                       |
| Customer Order No              | 4500398355   |
| Item No.                       | 1  |
| Hose Type                      | Flexible Hose  |
| <b>Standard</b>                | <b>API SPEC 16 C</b>   |
| Inside dia in inches           | 3  |
| Length                         | 35 ft  |
| Type of coupling one end       | FLANGE 4.1/16" 10K API SPEC 6A TYPE 6BX FLANGE C/W BX155 R.GR.SOUR |
| Type of coupling other end     | FLANGE 4.1/16" 10K API SPEC 6A TYPE 6BX FLANGE C/W BX155 R.GR.SOUR |
| H2S service NACE MR0175        | Yes  |
| Working Pressure               | 10 000 psi   |
| Design Pressure                | 10 000 psi   |
| Test Pressure                  | 15 000 psi   |
| Safety Factor                  | 2,25   |
| Marking                        | USUAL PHOENIX  |
| Cover                          | NOT FIRE RESISTANT   |
| Outside protection             | St.steel outer wrap  |
| Internal stripwound tube       | No   |
| Lining                         | OIL + GAS RESISTANT SOUR   |
| Safety clamp                   | No   |
| Lifting collar                 | No   |
| Element C                      | No   |
| Safety chain                   | No   |
| Safety wire rope               | No   |
| Max.design temperature [°C]    | 100  |
| Min.design temperature [°C]    | -20  |
| Min. Bend Radius operating [m] | 0,90   |
| Min. Bend Radius storage [m]   | 0,90   |
| Electrical continuity          | The Hose is electrically continuous                                |
| Type of packing                | WOODEN CRATE ISPM-15   |

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

**Access surfacing type:** OTHER

**Access topsoil source:** OFFSITE

**Access surfacing type description:** Caliche

**Access onsite topsoil source depth:**

**Offsite topsoil source description:** Caliche pit located off lease

**Onsite topsoil removal process:**

**Access other construction information:**

**Access miscellaneous information:**

**Number of access turnouts:**

**Access turnout map:**

### Drainage Control

**New road drainage crossing:** OTHER

**Drainage Control comments:** Road will be crowned for water drainage

**Road Drainage Control Structures (DCS) description:** N/A

**Road Drainage Control Structures (DCS) attachment:**

### Access Additional Attachments

**Additional Attachment(s):**

## Section 3 - Location of Existing Wells

**Existing Wells Map?** YES

**Attach Well map:**

OnionKnightFed202H\_1miRadius\_06-07-2017.pdf

**Existing Wells description:**

## Section 4 - Location of Existing and/or Proposed Production Facilities

**Submit or defer a Proposed Production Facilities plan?** SUBMIT

**Production Facilities description:** Approx 595.82 feet of 4 inch 150 degree buried Thermoflex PL, rated 750psi operating, to transport production will be installed from proposed well to proposed offsite production facility. A 30 feet wide disturbance will be needed to install buried PL. In areas where blading is allowed, topsoil will be stockpiled and separated from excavated trench mineral material. Final reclamation procedures will match procedures in plans for surface reclamation. When excavated soil is backfilled, it will be compacted to prevent subsidence. No berm over pipeline will be evident. The proposed pipeline does not cross lease boundaries, so a ROW will not need to be acquired from BLM.

**Production Facilities map:**

OnionKnightFed202H\_Flowline\_06-07-2017.pdf

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

## Section 5 - Location and Types of Water Supply

### Water Source Table

**Water source use type:** INTERMEDIATE/PRODUCTION CASING

**Water source type:** OTHER

**Describe type:** BRINE

**Source latitude:** 32.48407

**Source longitude:** -103.15848

**Source datum:** NAD83

**Water source permit type:** PRIVATE CONTRACT

**Source land ownership:** FEDERAL

**Water source transport method:** TRUCKING

**Source transportation land ownership:** FEDERAL

**Water source volume (barrels):** 4000

**Source volume (acre-feet):** 0.51557237

**Source volume (gal):** 168000

**Water source use type:** INTERMEDIATE/PRODUCTION CASING,  
SURFACE CASING

**Water source type:** GW WELL

**Describe type:**

**Source latitude:** 32.48407

**Source longitude:** -103.15848

**Source datum:** NAD83

**Water source permit type:** PRIVATE CONTRACT

**Source land ownership:** FEDERAL

**Water source transport method:** TRUCKING

**Source transportation land ownership:** FEDERAL

**Water source volume (barrels):** 3000

**Source volume (acre-feet):** 0.3866793

**Source volume (gal):** 126000

**Water source use type:** STIMULATION

**Water source type:** GW WELL

**Describe type:**

**Source latitude:** 32.423138

**Source longitude:** -103.54925

**Source datum:** NAD83

**Water source permit type:** WATER WELL

**Source land ownership:** STATE

**Water source transport method:** PIPELINE

**Source transportation land ownership:** STATE

**Water source volume (barrels):** 25000

**Source volume (acre-feet):** 3.2223275

**Source volume (gal):** 1050000

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

**Water source use type:** STIMULATION

**Water source type:** GW WELL

**Describe type:**

**Source latitude:** 32.423138

**Source longitude:** -103.54925

**Source datum:** NAD83

**Water source permit type:**

**Source land ownership:** STATE

**Water source transport method:** PIPELINE

**Source transportation land ownership:** STATE

**Water source volume (barrels):** 25000

**Source volume (acre-feet):** 3.2223275

**Source volume (gal):** 1050000

**Water source and transportation map:**

OnionKnightFed\_BrineWtr\_06-07-2017.pdf

OnionKnightFed\_FW\_06-07-2017.pdf

OnionKnightFed\_FW\_Alt\_06-07-2017.pdf

**Water source comments:** Listed is preferred water source but may change due to availability. Water volume may be adjusted depending on conditions.

**New water well?** NO

**New Water Well Info**

**Well latitude:**

**Well Longitude:**

**Well datum:**

**Well target aquifer:**

**Est. depth to top of aquifer(ft):**

**Est thickness of aquifer:**

**Aquifer comments:**

**Aquifer documentation:**

**Well depth (ft):**

**Well casing type:**

**Well casing outside diameter (in.):**

**Well casing inside diameter (in.):**

**New water well casing?**

**Used casing source:**

**Drilling method:**

**Drill material:**

**Grout material:**

**Grout depth:**

**Casing length (ft.):**

**Casing top depth (ft.):**

**Well Production type:**

**Completion Method:**

**Water well additional information:**

**State appropriation permit:**

**Additional information attachment:**

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

### Section 6 - Construction Materials

**Construction Materials description:** Dirt fill and caliche will be used to construct well pad

**Construction Materials source location attachment:**

### Section 7 - Methods for Handling Waste

**Waste type:** DRILLING

**Waste content description:** Drilling fluids, produced oil and water while drilling and completion operations

**Amount of waste:** 2500 barrels

**Waste disposal frequency :** Weekly

**Safe containment description:** All drilling and completion waste will be stored in frac tanks and disposed of properly

**Safe containmant attachment:**

**Waste disposal type:** RECYCLE

**Disposal location ownership:** OTHER

**Disposal type description:**

**Disposal location description:** Next well or trucked to an approved disposal facility.

**Waste type:** GARBAGE

**Waste content description:** Garbage and trash produced during drilling and completion operations

**Amount of waste:** 1500 pounds

**Waste disposal frequency :** Weekly

**Safe containment description:** Garbage and trash produced during drilling and completion ops will be collected in portable trash trailers and disposed of properly at a state approved disposal facility.

**Safe containmant attachment:**

**Waste disposal type:** OTHER

**Disposal location ownership:** STATE

**Disposal type description:** Landfill

**Disposal location description:** Lea County Landfill

**Waste type:** SEWAGE

**Waste content description:** Human waste and grey water

**Amount of waste:** 2000 gallons

**Waste disposal frequency :** Weekly

**Safe containment description:** Wast will be properly contained and disposed of.

**Safe containmant attachment:**

**Waste disposal type:** OTHER

**Disposal location ownership:** STATE

**Disposal type description:** State

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

**Disposal location description:** Hobbs Municipal Wast Facility

**Waste type:** COMPLETIONS/STIMULATION

**Waste content description:** Flowback water during completion operations

**Amount of waste:** 5000 barrels

**Waste disposal frequency :** Weekly

**Safe containment description:** Frac tanks

**Safe containmant attachment:**

**Waste disposal type:** HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** PRIVATE

**Disposal type description:**

**Disposal location description:** R360 or commercial SWD, pending type of water produced

**Waste type:** FLOWBACK

**Waste content description:** Flwoback water during flowback operations

**Amount of waste:** 5000 barrels

**Waste disposal frequency :** Daily

**Safe containment description:** Frac tanks

**Safe containmant attachment:**

**Waste disposal type:** HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** PRIVATE

**Disposal type description:**

**Disposal location description:** Commercial SWDs in area

**Waste type:** PRODUCED WATER

**Waste content description:** Produced water during production operations

**Amount of waste:** 5000 barrels

**Waste disposal frequency :** Daily

**Safe containment description:** Frac tanks

**Safe containmant attachment:**

**Waste disposal type:** HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** PRIVATE

**Disposal type description:**

**Disposal location description:** Commercial SWDs in area

**Reserve Pit**

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

**Reserve Pit being used?** NO

**Temporary disposal of produced water into reserve pit?**

**Reserve pit length (ft.)**

**Reserve pit width (ft.)**

**Reserve pit depth (ft.)**

**Reserve pit volume (cu. yd.)**

**Is at least 50% of the reserve pit in cut?**

**Reserve pit liner**

**Reserve pit liner specifications and installation description**

### Cuttings Area

**Cuttings Area being used?** NO

**Are you storing cuttings on location?** YES

**Description of cuttings location** Cuttings will be stored in steel haul off bins and taken to an NMOCD approved disposal facility.

**Cuttings area length (ft.)**

**Cuttings area width (ft.)**

**Cuttings area depth (ft.)**

**Cuttings area volume (cu. yd.)**

**Is at least 50% of the cuttings area in cut?**

**WCuttings area liner**

**Cuttings area liner specifications and installation description**

### Section 8 - Ancillary Facilities

**Are you requesting any Ancillary Facilities?:** NO

**Ancillary Facilities attachment:**

**Comments:**

### Section 9 - Well Site Layout

**Well Site Layout Diagram:**

OnionKnightFed202H\_WellsiteDiagram\_06-07-2017.pdf

**Comments:** V-door may change based on rig availability.



**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

## Section 10 - Plans for Surface Reclamation

**Type of disturbance:** New Surface Disturbance

**Multiple Well Pad Name:** ONION KNIGHT

**Multiple Well Pad Number:** 202H

**Recontouring attachment:**

**Drainage/Erosion control construction:** During construction, proper erosion control methods will be used to control erosion, runoff and siltation of surrounding area and will be maintained to control dust and minimize erosion to extent practical.

**Drainage/Erosion control reclamation:** Topsoil and subsoils shall be replaced to their original relative positions and contoured as to achieve erosion control, long-term stability and preservation of surface water flow patterns. Disturbed area shall be reseeded in the first favorable growing season. Please note: Reclamation can be delayed until such time as there are no pending permits or no activity is planned for 5 years. Interim reclamation may vary pending surface conditions at the time but amount of long term disturbance will be same as described on permit.

**Wellpad long term disturbance (acres):** 3.37

**Wellpad short term disturbance (acres):** 3.37

**Access road long term disturbance (acres):** 0.41

**Access road short term disturbance (acres):** 0.41

**Pipeline long term disturbance (acres):** 0

**Pipeline short term disturbance (acres):** 0.00028236915

**Other long term disturbance (acres):** 0

**Other short term disturbance (acres):** 5.449

**Total long term disturbance:** 3.78

**Total short term disturbance:** 9.229282

**Reconstruction method:** The areas planned for interim reclamation will then be recontoured to the original contour if feasible, or if not feasible, to an interim contour that blends with surrounding topography as much as possible. Where applicable, any fill material of well pad will be backfilled into the cut to bring area back to original contour.

**Topsoil redistribution:** Topsoils shall be replaced to their original relative positions and contoured to achieve erosion control, long term stability and preservation of surface water flow pattern. Topsoil will be revegetated over entire disturbed area not needed for all weather operations.

**Soil treatment:** After all disturbed areas have been properly prepared, areas will need to be seeded with recommended seed mixture, free of noxious weeds. Final seedbed prep will consist of contour cultivating to a depth of 4-6 inches within 24 hrs prior to seeding, dozer tracking or other imprinting in order to break soil crust to create seed germination micro-sites.

**Existing Vegetation at the well pad:**

**Existing Vegetation at the well pad attachment:**

**Existing Vegetation Community at the road:**

**Existing Vegetation Community at the road attachment:**

**Existing Vegetation Community at the pipeline:**

**Existing Vegetation Community at the pipeline attachment:**

**Existing Vegetation Community at other disturbances:**

**Existing Vegetation Community at other disturbances attachment:**

**Non native seed used?** NO

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

**Non native seed description:**

**Seedling transplant description:**

**Will seedlings be transplanted for this project?** NO

**Seedling transplant description attachment:**

**Will seed be harvested for use in site reclamation?** NO

**Seed harvest description:**

**Seed harvest description attachment:**

### Seed Management

#### Seed Table

**Seed type:**

**Seed source:**

**Seed name:**

**Source name:**

**Source address:**

**Source phone:**

**Seed cultivar:**

**Seed use location:**

**PLS pounds per acre:**

**Proposed seeding season:**

#### Seed Summary

**Total pounds/Acre:**

| Seed Type | Pounds/Acre |
|-----------|-------------|
|-----------|-------------|

**Seed reclamation attachment:**

#### Operator Contact/Responsible Official Contact Info

**First Name:**

**Last Name:**

**Phone:**

**Email:**

**Seedbed prep:**

**Seed BMP:**

**Seed method:**

**Existing invasive species?** NO

**Existing invasive species treatment description:**

**Existing invasive species treatment attachment:**

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

**Weed treatment plan description:** Standard regular weed maintenance to maintain a clear location and road on as needed basis.

**Weed treatment plan attachment:**

**Monitoring plan description:** Identify area supporting weeds prior to construction, prevent introduction and spread of weeds from construction equipment during construction and contain weed seeds and propagules by preventing segregated topsoil from being spread to adjacent areas. No invasive species present. Standard regular maintenance to maintain a clear location and road.

**Monitoring plan attachment:**

**Success standards:** Maintain all disturbed areas as per Gold Book standards. Please note: Reclamation can be delayed until such time as there are no pending permits or no activity is planned for 5 years. Interim reclamation may vary pending surface conditions at the time but amount of long term disturbance will be same as described on permit.

**Pit closure description:** N/A

**Pit closure attachment:**

## Section 11 - Surface Ownership

**Disturbance type:** WELL PAD

**Describe:**

**Surface Owner:** BUREAU OF LAND MANAGEMENT

**Other surface owner description:**

**BIA Local Office:**

**BOR Local Office:**

**COE Local Office:**

**DOD Local Office:**

**NPS Local Office:**

**State Local Office:**

**Military Local Office:**

**USFWS Local Office:**

**Other Local Office:**

**USFS Region:**

**USFS Forest/Grassland:**

**USFS Ranger District:**

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

**Disturbance type:** PIPELINE

**Describe:**

**Surface Owner:** BUREAU OF LAND MANAGEMENT

**Other surface owner description:**

**BIA Local Office:**

**BOR Local Office:**

**COE Local Office:**

**DOD Local Office:**

**NPS Local Office:**

**State Local Office:**

**Military Local Office:**

**USFWS Local Office:**

**Other Local Office:**

**USFS Region:**

**USFS Forest/Grassland:**

**USFS Ranger District:**

**Disturbance type:** NEW ACCESS ROAD

**Describe:**

**Surface Owner:** BUREAU OF LAND MANAGEMENT

**Other surface owner description:**

**BIA Local Office:**

**BOR Local Office:**

**COE Local Office:**

**DOD Local Office:**

**NPS Local Office:**

**State Local Office:**

**Military Local Office:**

**USFWS Local Office:**

**Other Local Office:**

**USFS Region:**

**USFS Forest/Grassland:**

**USFS Ranger District:**

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

**Disturbance type:** EXISTING ACCESS ROAD

**Describe:**

**Surface Owner:** BUREAU OF LAND MANAGEMENT

**Other surface owner description:**

**BIA Local Office:**

**BOR Local Office:**

**COE Local Office:**

**DOD Local Office:**

**NPS Local Office:**

**State Local Office:**

**Military Local Office:**

**USFWS Local Office:**

**Other Local Office:**

**USFS Region:**

**USFS Forest/Grassland:**

**USFS Ranger District:**

**Disturbance type:** OTHER

**Describe:** ELECTRICAL LINE

**Surface Owner:** BUREAU OF LAND MANAGEMENT

**Other surface owner description:**

**BIA Local Office:**

**BOR Local Office:**

**COE Local Office:**

**DOD Local Office:**

**NPS Local Office:**

**State Local Office:**

**Military Local Office:**

**USFWS Local Office:**

**Other Local Office:**

**USFS Region:**

**USFS Forest/Grassland:**

**USFS Ranger District:**

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

## Section 12 - Other Information

**Right of Way needed?** NO

**Use APD as ROW?**

**ROW Type(s):**

### ROW Applications

**SUPO Additional Information:** Arch survey has been completed by Boone Arch Services. Operator Rep: Larry VanGilder, Drlg Supt, 432-818-1965 or 432-557-1097; Operator Production Rep: Heath Dean, 575-631-0125. Apache plans to insall an overhead electrical line for the proposed well. Total length of line will be 7912.61 feet with approx. 30 feet of disturbance. Elect line will be constructed to provide protection from raptor electrocution. Proposed line does not cross lease boundaries. ROW grant will not need to be acquired from BLM.

**Use a previously conducted onsite?** YES

**Previous Onsite information:** Onsite completed by Jeffery Robertson on 1/31/17 for Onion Knight Federal 201H, 202H, 203H and 204H.

### Other SUPO Attachment

OnionKnightFed201H\_to\_207H\_ElectLine\_05-23-2017.pdf

OnionKnightFed202H\_Flowline\_06-07-2017.pdf

OnionKnightFed202H\_NewAccessRd\_06-07-2017.pdf



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## PWD Data Report

04/19/2018

### Section 1 - General

Would you like to address long-term produced water disposal? NO

### Section 2 - Lined Pits

Would you like to utilize Lined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Lined pit PWD on or off channel:

Lined pit PWD discharge volume (bbl/day):

Lined pit specifications:

Pit liner description:

Pit liner manufacturers information:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Lined pit precipitated solids disposal schedule:

Lined pit precipitated solids disposal schedule attachment:

Lined pit reclamation description:

Lined pit reclamation attachment:

Leak detection system description:

Leak detection system attachment:

Lined pit Monitor description:

Lined pit Monitor attachment:

Lined pit: do you have a reclamation bond for the pit?


Is the reclamation bond a rider under the BLM bond?

Lined pit bond number:

Lined pit bond amount:

Additional bond information attachment:

**APACHE CORPORATION**  
**PROPOSED ACCESS ROAD FROM THE ONION KNIGHT FEDERAL #202H**  
**TO THE ONION KNIGHT FEDERAL #203H**  
**SECTION 4, T22S, R34E,**  
**N. M. P. M., LEA CO., NEW MEXICO**



A strip of land 30 feet wide, being 595.72 feet or 36.104 rods in length, lying in Section 4, Township 22 South, Range 34 East, N. M. P. M., Lea County, New Mexico, being 15 feet left and 15 feet right of the following described survey of a centerline across B. L. M. land:

BEGINNING at Engr. Sta. 0+00, a point in the Southwest quarter of Section 4, which bears, N 19°53'33" W, 339.34 feet, from a brass cap, stamped "1913", found for the South quarter corner of Section 4.

Thence N 89°31'23" E, 595.72 feet, to Engr. Sta. 5+95.72, the End of Survey, a point in the Southeast quarter of Section 4, which bears, N 82°00'36" W, 2188.35 feet, from a brass cap, stamped "1918", found for the Southeast corner of Section 4.

Said strip of land contains 0.410 acres, more or less, and is allocated by forties as follows:

|             |             |             |
|-------------|-------------|-------------|
| SE1/4 SW1/4 | 6.904 Rods  | 0.078 Acres |
| SW1/4 SE1/4 | 29.200 Rods | 0.332 Acres |

SCALE: 1" = 1000'

0 500 1000

BEARINGS ARE GRID NAD 27  
 NM EAST  
 DISTANCES ARE HORIZ. GROUND.

LEGEND

( ) RECORD DATA - GLO

◆ FOUND MONUMENT  
 AS NOTED

— PROPOSED ROAD

I, R. M. Howett, a N. M. Professional Surveyor, hereby certify that I prepared this plat from an actual survey made on the ground under my direct supervision, said survey and plat meet the Min. Stds. for Land Surveying in the State of N. M. and are true and correct to the best of my knowledge and belief.

*Robert M. Howett*  
 Robert M. Howett NM PS 19680



Firm No.: TX 10193838 NM 4655451

Copyright 2014 - All Rights Reserved

| NO.       | REVISION  | DATE |
|-----------|-----------|------|
| JOB NO.:  | LS1701018 |      |
| DWG. NO.: | 1701018RD |      |

**RRC**

308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-8200

SCALE: 1"=1000'

DATE: 2-8-2017

SURVEYED BY: JM/JF

DRAWN BY: JR

APPROVED BY: RMH

SHEET : 1 OF 1



### **Section 3 - Unlined Pits**

Would you like to utilize Unlined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Unlined pit PWD on or off channel:

Unlined pit PWD discharge volume (bbl/day):

Unlined pit specifications:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Unlined pit precipitated solids disposal schedule:

Unlined pit precipitated solids disposal schedule attachment:

Unlined pit reclamation description:

Unlined pit reclamation attachment:

Unlined pit Monitor description:

Unlined pit Monitor attachment:

Do you propose to put the produced water to beneficial use?

Beneficial use user confirmation:

Estimated depth of the shallowest aquifer (feet):

Does the produced water have an annual average Total Dissolved Solids (TDS) concentration equal to or less than that of the existing water to be protected?

TDS lab results:

Geologic and hydrologic evidence:

State authorization:

Unlined Produced Water Pit Estimated percolation:

Unlined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Unlined pit bond number:

Unlined pit bond amount:

Additional bond information attachment:

### **Section 4 - Injection**

Would you like to utilize Injection PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Injection PWD discharge volume (bbl/day):

Injection well mineral owner:

**Injection well type:**

**Injection well number:**

**Injection well name:**

**Assigned injection well API number?**

**Injection well API number:**

**Injection well new surface disturbance (acres):**

**Minerals protection information:**

**Mineral protection attachment:**

**Underground Injection Control (UIC) Permit?**

**UIC Permit attachment:**

### **Section 5 - Surface Discharge**

**Would you like to utilize Surface Discharge PWD options? NO**

**Produced Water Disposal (PWD) Location:**

**PWD surface owner:**

**PWD disturbance (acres):**

**Surface discharge PWD discharge volume (bbl/day):**

**Surface Discharge NPDES Permit?**

**Surface Discharge NPDES Permit attachment:**

**Surface Discharge site facilities information:**

**Surface discharge site facilities map:**

### **Section 6 - Other**

**Would you like to utilize Other PWD options? NO**

**Produced Water Disposal (PWD) Location:**

**PWD surface owner:**

**PWD disturbance (acres):**

**Other PWD discharge volume (bbl/day):**

**Other PWD type description:**

**Other PWD type attachment:**

**Have other regulatory requirements been met?**

**Other regulatory requirements attachment:**



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## Bond Info Data Report

04/19/2018

### Bond Information

Federal/Indian APD: FED

BLM Bond number: NMB000736

BIA Bond number:

Do you have a reclamation bond? NO

Is the reclamation bond a rider under the BLM bond?

Is the reclamation bond BLM or Forest Service?

BLM reclamation bond number:

Forest Service reclamation bond number:

Forest Service reclamation bond attachment:

Reclamation bond number:

Reclamation bond amount:

Reclamation bond rider amount:


Additional reclamation bond information attachment:

**Operator Name:** APACHE CORPORATION

**Well Name:** ONION KNIGHT FEDERAL

**Well Number:** 202H

|                   | NS-Foot | NS Indicator | EW-Foot  | EW Indicator | Twsp | Range | Section | Aliquot/Lot/Tract | Latitude       | Longitude            | County | State             | Meridian          | Lease Type | Lease Number        | Elevation     | MD        | TVD       |
|-------------------|---------|--------------|----------|--------------|------|-------|---------|-------------------|----------------|----------------------|--------|-------------------|-------------------|------------|---------------------|---------------|-----------|-----------|
| EXIT<br>Leg<br>#1 | 280     | FNL          | 231<br>5 | FWL          | 22S  | 34E   | 4       | Aliquot<br>NENW   | 32.42733<br>06 | -<br>103.4759<br>169 | LEA    | NEW<br>MEXI<br>CO | NEW<br>MEXI<br>CO | F          | NMNM<br>005867<br>8 | -<br>680<br>1 | 151<br>04 | 104<br>20 |
| BHL<br>Leg<br>#1  | 280     | FNL          | 231<br>5 | FWL          | 22S  | 34E   | 4       | Aliquot<br>NENW   | 32.42733<br>06 | -<br>103.4759<br>169 | LEA    | NEW<br>MEXI<br>CO | NEW<br>MEXI<br>CO | F          | NMNM<br>005867<br>8 | -<br>680<br>1 | 151<br>04 | 104<br>20 |





U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## Operator Certification Data Report

04/19/2018

### Operator Certification

*I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.*

**NAME:** Sorina Flores

**Signed on:** 06/07/2017

**Title:** Supv of Drilling Services

**Street Address:** 303 Veterans Airpark Ln #1000

**City:** Midland

**State:** TX

**Zip:** 79705

**Phone:** (432)818-1167

**Email address:** sorina.flores@apachecorp.com

### Field Representative

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Email address:**

Collapse Design Safety Factor: 1.48 Burst Design Safety Factor: 1.28

Body Tensile Design Safety Factor type?: Dry/Buoyant

Buoyant

Body Tensile Design Safety Factor: 2.11

Joint Tensile Design Safety Factor type?: Dry/Buoyant

Buoyant

Joint Tensile Design Safety Factor: 2.2

Tapered String (Y/N)?: N

If yes, need spec attachment