UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

OCD Hobbs

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5.	Lease Serial No.
	NMLC032100

	NMLC032100
6.	If Indian, Allottee or Tribe Name

_ 001151(1	TO THE PARTY OF					
Do not use thi abandoned we	is form for proposals to o II. Use form 3160-3 (APD	irill or to re-enter an) for such proposals.		6. If Indian	, Allottee or Tribe Name	
SUBMIT IN	TRIPLICATE - Other instr	uctions on HOB	3 060	7. If Unit o	or CA/Agreement, Name and/o	or No.
1. Type of Well Gas Well Oth			2 7 2018	8. Well Nar CH LO	ne and No. CKHART -1 07	-
Name of Operator CHEVRON USA INCORPORA	Contact: NATED E-Mail: NGLANN@	IICK GLANN CHEVRON.COM REC	EIVED	9. API Wel 30-025	II No. 5-12130-00-C1	
3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706		3b. Phone No. (include are Ph: 661-599-5062	a code)	10. Field at DRINK	nd Pool or Exploratory Area (ARD	
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)			11. County	or Parish, State	
Sec 18 T22S R38E NWNE 66	0FNL 1979FEL			LEA C	OUNTY, NM ·	
12. CHECK THE AI	PPROPRIATE BOX(ES)	O INDICATE NATU	RE OF NOTICE	REPORT,	OR OTHER DATA	_
TYPE OF SUBMISSION		TY	PE OF ACTION			
□ Notice of Intent	☐ Acidize	□ Deepen	☐ Produc	tion (Start/		
_	☐ Alter Casing	☐ Hydraulic Fract	uring 🔲 Reclam	ation	INT TO PA	
Subsequent Report	☐ Casing Repair	□ New Constructi	on Recom	plete	P&A NR	 -
☐ Final Abandonment Notice	☐ Change Plans	☑ Plug and Aband		-	P&A R	
	Convert to Injection	☐ Plug Back	☐ Water 1	Disposal		
determined that the site is ready for f 6/7/2018: MIRU 6/8/2018: Tagged CIBP @ 49 4985' t/ 4744' 6/11/2018: Tagged TOC @ 4 casing t/ 500 psi for 5 minutes 25 sx 14.8 ppg CL C cmt f/ 40 6/12/2018: Tagged TOC @ 3 t/ 3605', spot sait gel f/ 3596' d good, perforate @ 2987', esta outside casing, squeezed 215 6/13/2018: Tagged TOC @ 2 500 psi for 5 minutes - good,	285', attempt to test casing 680 (approved by Stephers - good, perforate @ 3944 44' t/ 3804' as per Stepher 2987', test casing f/ 2072 blished injection rate of 3 is x 14.8 ppg CL C cmt f/ 2 346', spot salt get f/ 2346'.	Caffey), spot salt gel in the caffey caffey, spot 25 sx 10 for 3605 to 500 psi for 250 m @ 500 psi with ret 987 to 2350 to 500 psi to 500 psi to 500 psi with ret	/ 4680' t/ 3944', to jection rate, spot 4.8 ppg CL C cmt 5 minutes - urns coming up		RECLAMATION PROATTACHED RECLAMAT DUE 12-14-1	TON
	Electronic Submission #4	JSA INCORPORATED, 1 Sing by DEBORAH MCKI	sent to the Hobbs NNEY on 06/25/20	_	36SE)	
Name (Printed/Typed) NICK GLA	ANN	Title P	&A ENGINEER			
Signature (Electronic	Submission)	Date 06	6/22/2018			
87	THIS SPACE FO	R FEDERAL OR ST	ATE OFFICE U	SECCE	DTEN END DEC	JBU
Approved By		Title		7100)
Conditions of approval, if any, are attache certify that the applicant holds legal or eq which would entitle the applicant to conduct the applicant the ap	uitable title to those rights in the	not warrant or			JUN 2 5 2018	
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a statements or representations as	crime for any person knowing o any matter within its juris	gly and willfully to m	alle to any	PATTINENT OF A BEING NOT HE UNITED OF FLORE	N [†]
(I			7		ALTO CALLED CALLED	

(Instructions on page 2)
** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

FOR RECORD ONLY NMOCD 06/27/2018

Additional data for EC transaction #425161 that would not fit on the form

32. Additional remarks, continued

1275', WOC, run in t/ 1490' to tag cement and nothing, squeezed another 50 sx f/ 1425' t/ 1275' as per Stephen Caffey

(7/14/20/18: Tag TOC @ 1260, test casing f/ 39' t/ 1260' to 500 psi for 5 minutes - good, perforate @ 464', squeezed 170 sx 14.8 ppg CL C cmt f/ 464' t/ surface, unset packer & spotted cement f/ 39' t/ surface. Job complete. RDMO.

Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0137 Expires: January 31, 2018

5. Lease Serial No.

NMLC032100

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit of CA/Agree	ement, Name and/or No.	_
1. Type of Well				8 Well Name and No.			
✓ Oil Well Gas V					6. Well Hame and Ho	CH Lockhart NCT-1 7	
2. Name of Operator Chevron USA In	corporated E-M	lail: NGlann@c	hevron.com		9. API Well No. 30-02	25-12130	
3a. Address 6301 Deauville Blvd, RI Midland, TX 79706	b. Phone No. <i>(inc</i> 432) 687-7786	clude area code	?)	10. Field and Pool or Drinkard	Exploratory Area		
4. Location of Well (Footage, Sec., T., F	• • •				11. Country or Parish,	, State	
Sec 18 T22S R38E NWNE 660' F	NL & 1979' FEL				Lea County, NM		
12. CHE	CK THE APPROPRIATE BOX	K(ES) TO INDIC	ATE NATURE	OF NOTI	CE, REPORT OR OTI	HER DATA	
TYPE OF SUBMISSION			TY	PE OF AC	TION		
Notice of Intent	Acidize Alter Casing	Deepen Hydraul	ic Fracturing	=	uction (Start/Resume) amation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair	=	nstruction	=	omplete	Other	
	Change Plans	= -	l Abandon		porarily Abandon		
Final Abandonment Notice 13 Describe Proposed or Completed C	Convert to Injection	Plug Ba			er Disposal		
is ready for final inspection.) 6/7/2018: MIRU 6/8/2018: Tagged CIBP @ 49 6/11/2018: Tagged TOC @ 46 3944', unable to establish injec 6/12/2018: Tagged TOC @ 38 f/ 2072' t/ 3605' to 500 psi for 5 squeezed 215 sx 14.8 ppg CL 6/13/2018: Tagged TOC @ 23 50 sx 14.8 ppg CL C cnt f/ 142 6/14/2018: Tag TOC @ 1260, surface, unset packer & spotte	880 (approved by Stephen Cition rate, spot 25 sx 14.8 pp 160' (approved by Stephen Cominutes - good, perforate (C cmt f/ 2987' t/ 2350' 146', spot salt gel f/ 2346' t/ 1275', WOC, run in t/ 1 test casing f/ 39' t/ 1260' to d cement f/ 39' t/ surface. J	caffey), spot sal g CL C cmt f/ 4 Caffey), spot 25 g 2987', establi 1425', test casir 490' to tag cem 500 psi for 5 m ob complete. R	t gel f/ 4680' t 1044' t/ 3804' a sx 14.8 ppg (shed injection ng f/ 312' t/ 23 ent and nothi inutes - good	/ 3944', te as per Ste CL C cmt to rate of 3 46' to 500 ng, squee	st casing t/ 500 psi for phen Caffey f/ 3860' t/ 3605', spot bpm @ 500 psi with psi for 5 minutes - g zed another 50 sx f/	salt gel f/ 3596' t/ 2987', tes returns coming up outside co good, perforate @ 1425', squ 1425' t/ 1275' as per Stephe	t casing asing, eezed n Caffey
Nick Glann		Well Abandonment Engineer Title					
Signature			Date 06/22/2018				
	THE SPACE	FOR FEDER	RAL OR ST	ATE OF	ICE USE ACC	EPTED FOR REC	ORD
Approved by							1
			Title			Datel UN 2 5 2018	
Conditions of approval, if any, are attac certify that the applicant holds legal or which would entitle the applicant to con	the subject lease	Office			FEAU OF LAND MANAGEME		
Title 18 U.S.C Section 1001 and Title 4	3 U.S.C Section 1212, make it	a crime for any	erson knowing	gly and will	Ifully to make to appy d	epartment of agency of the Unit	ed States

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of
 Operations must include adequate measures for stabilization and reclamation of disturbed lands.
 Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD
 process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Henryetta Price Environmental Protection Specialist 575-234-5951

Shelly Tucker Environmental Protection Specialist 575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612