	UREAU OF LAND MANAG	TS ON WELLS	N	ase Serial No. MLC069276
Do not use th abandoned we	is form for proposals to d II. Use form 3160-3 (APD)	for such propped B		Indian, Allottee or Tribe Name
	TRIPLICATE - Other instru		7. If	Unit or CA/Agreement, Name a
1. Type of Well Soli Well Gas Well Ot	her			ell Name and No. EST CORBIN 19 02
2. Name of Operator DEVON ENERGY PRODUCT		IAX LUBITZ		PI Well No. D-025-33508-00-S1
3a. Address 6488 SEVEN RIVERS HIGH ARTESIA, NM 88211	WAY	3b. Phone No. (include area co Ph: 405-552-7825		ield and Pool or Exploratory A CASS
4. Location of Well (Footage, Sec., 7	T., R., M., or Survey Description)		11. C	County or Parish, State
Sec 19 T18S R33E NWSW 2	173FSL 660FWL		LE	EA COUNTY, NM
12. CHECK THE A	PPROPRIATE BOX(ES) 1	O INDICATE NATURE	OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		ТҮРЕ	OF ACTION	
□ Notice of Intent	C Acidize	Deepen	Production (
Subsequent Report	Alter Casing	Hydraulic Fracturir		INT TO PA P&A NR
	Casing Repair	New Construction		
Final Abandonment Notice	 Change Plans Convert to Injection 	Plug and Abandon Plug Back	Temporarily Water Dispo	
 Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@9886 	ally or recomplete horizontally, g rk will be performed or provide th d operations. If the operation resu bandonment Notices must be filed final inspection.	ive subsurface locations and me ne Bond No. on file with BLM/ lts in a multiple completion or i a only after all requirements, inc	asured and true vertical d BIA. Required subsequer recompletion in a new intr cluding reclamation, have	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION P
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@ 9880 3. 4/28/18 Gire 140 bbl MLF. 8351. 4. 4/30/18 Spot 30 x class "C	ally or recomplete horizontally, g rk will be performed or provide th d operations. If the operation resu bandonment Notices must be filed final inspection. It. O'. Press test 500 psi. Good PUH to 8556'. Spot 25 x cla " cmt@ 7105'-6805'. Displa	ive subsurface locations and me ne Bond No. on file with BLM/ lts in a multiple completion or i d only after all requirements, inc ass "H" cmt. Displace 32 b	asured and true vertical d BIA. Required subsequer recompletion in a new into luding reclamation, have	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@9880 3. 4/28/18 Gire 140 bbl MLF. 8351'. 4. 4/30/18 Spot 30 x class "C" class "C" cmt@5275'-4975'. 19.1 bbl MLF. Tag TOC@490 5. 5/01/18 Spot 40 x class "C"	ally or recomplete horizontally, g rk will be performed or provide th d operations. If the operation resu bandonment Notices must be filed final inspection. It. D'. Press test 500 psi. Good PUH to 8556'. Spot 25 x cla 'cmt@ 7105'-6805'. Displa Displace D'. Cmt@2910'-2510'. Tag TC	ive subsurface locations and me ne Bond No. on file with BLM/ lits in a multiple completion or i d only after all requirements, inc ass "H" cmt. Displace 32 to ce 26.3 bbl MLF. Tag TOO	asured and true vertical d BIA. Required subsequer recompletion in a new intr cluding reclamation, have obl MLF. Tag TOC@ C @6801'. Spot 30 x	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@ 9880 3. 4/28/18 Gire 140 bbl MLF. 8351'. 4. 4/30/18 Spot 30 x class "C' class "C" cmt@5275'4975'. E 19.1 bbl MLF. Tag TOC@4900 5. 5/01/18 Spot 40 x class "C 1550'-1300'. Tag TOC@ 129 6	ally or recomplete horizontally, g rrk will be performed or provide ti d operations. If the operation resu bandonment Notices must be filed final inspection. It. J'. Press test 500 psi. Good PUH to 8556'. Spot 25 x cla ' cmt@ 7105'-6805'. Displa Displace 37'. ' cmt@2910'-2510'. Tag TC 5'. 0 x class "C" cmt@ 51 O'-s	ive subsurface locations and me ne Bond No. on file with BLM/1 lts in a multiple completion or n d only after all requirements, inc ass "H" cmt. Displace 32 to ce 26.3 bbl MLF. Tag TO DC@ 2511'. Spot 25 x class	asured and true vertical d BIA. Required subsequer recompletion in a new inte cluding reclamation, have bbl MLF. Tag TOC@ C @6801'. Spot 30 x ss "C" cmt@	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@9880 3. 4/28/18 Gire 140 bbl MLF. 8351'. 4. 4/30/18 Spot 30 x class "C" class "C" cmt@5275'-4975'. 19.1 bbl MLF. Tag TOC@490 5. 5/01/18 Spot 40 x class "C"	ally or recomplete horizontally, g rk will be performed or provide ti d operations. If the operation resu bandonment Notices must be filed final inspection. It. O'. Press test 500 psi. Good PUH to.8556'. Spot 25 x cla ' cmt@ 7105'-6805'. Displa Displace O'. ' cmt@2910'-2510'. Tag TC O'. O x class "C" cmt@ 51 O'-s Surf.	ive subsurface locations and me ne Bond No. on file with BLM/1 lits in a multiple completion or i d only after all requirements, inc ass "H" cmt. Displace 32 to ce 26.3 bbl MLF. Tag TOU DC@ 2511'. Spot 25 x class surf in 5 1/2". 70 x class "(asured and true vertical d BIA. Required subsequer recompletion in a new into luding reclamation, have obl MLF. Tag TOC@ C @6801'. Spot 30 x ss "C" cmt@ C" cmt@ 100'-surf	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@ 9880 3. 4/28/18 Gire 140 bbl MLF. 8351'. 4. 4/30/18 Spot 30 x class "C" class "C" cmt@5275'-4975'. L 19.1 bbl MLF. Tag TOC@490 5. 5/01/18 Spot 40 x class "C" 1550'-1300'. Tag TOC@ 1299 6	ally or recomplete horizontally, g rk will be performed or provide ti d operations. If the operation resu bandonment Notices must be filed final inspection. It. O'. Press test 500 psi. Good PUH to 8556'. Spot 25 x cla Displace 7'. Crmt@2910'-2510'. Tag TC 5'. O x class "C" cmt@ 51 O'-s surf. It. cut wellhead & anchors, f s true and correct. Electronic Submission #4/	ive subsurface locations and me ne Bond No. on file with BLM/ lits in a multiple completion or n d only after all requirements, inc ass "H" cmt. Displace 32 to ce 26.3 bbl MLF. Tag TOO OC@ 2511'. Spot 25 x class ourf in 5 1/2". 70 x class "(cleaned location, installed cleaned location, installed PRODUCTION COM LP.	asured and true vertical d BIA. Required subsequer recompletion in a new into Juding reclamation, have obl MLF. Tag TOC@ C @6801'. Spot 30 x ss "C" cmt@ C" cmt@ 100'-surf I dry hole plate.	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI NUE
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@ 9880 3. 4/28/18 Gire 140 bbl MLF. 8351'. 4. 4/30/18 Spot 30 x class "C" class "C" cmt@5275'-4975'. L 19.1 bbl MLF. Tag TOC@490 5. 5/01/18 Spot 40 x class "C" 1550'-1300'. Tag TOC@ 1299 6	ally or recomplete horizontally, g rk will be performed or provide ti d operations. If the operation resu bandonment Notices must be filed final inspection. It. O'. Press test 500 psi. Good PUH to 8556'. Spot 25 x cla ' cmt@ 7105'-6805'. Displa Displace 7'. Cmt@2910'-2510'. Tag TC O'. O x class "C" cmt@ 51 O'-s surf. It. cut wellhead & anchors, For DEVON ENERG nitted to AFMSS for process	ive subsurface locations and me ne Bond No. on file with BLM/ lits in a multiple completion or r d only after all requirements, inc ass "H" cmt. Displace 32 to ce 26.3 bbl MLF. Tag TOO OC@ 2511'. Spot 25 x class ourf in 5 1/2". 70 x class "C cleaned location, installed cleaned location, installed 21942 verified by the BLM N Y PRODUCTION COM LP, ing by DEBORAH MCKINN	asured and true vertical d BIA. Required subsequer recompletion in a new into Juding reclamation, have obl MLF. Tag TOC@ C @6801'. Spot 30 x ss "C" cmt@ C" cmt@ 100'-surf I dry hole plate.	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI NUE
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@ 9880 3. 4/28/18 Gire 140 bbl MLF. 8351'. 4. 4/30/18 Spot 30 x class "C' class "C" cmt@5275'-4975'. L 19.1 bbl MLF. Tag TOC@496 5. 5/01/18 Spot 40 x class "C 1550'-1300'. Tag TOC@ 1295 6: 5/01/18 Spot 40 x class "C 1550'-1300'. Tag TOC@ 1295 6: 5/03/18 RD P&A equipment 14. I hereby certify that the foregoing is Name (Printed/Typed) MAX LUE	ally or recomplete horizontally, g rk will be performed or provide ti d operations. If the operation resu bandonment Notices must be filed final inspection. It. O'. Press test 500 psi. Good PUH to 8556'. Spot 25 x cla ' cmt@ 7105'-6805'. Displa Displace O'. ' cmt@2910'-2510'. Tag TC O'. O x class "C" cmt@ 51 O'-s surf. t. cut wellhead & anchors, for DEVON ENERG nitted to AFMSS for process BITZ Submission)	ive subsurface locations and me ne Bond No. on file with BLM/1 lts in a multiple completion or i d only after all requirements, inc ass "H" cmt. Displace 32 to ce 26.3 bbl MLF. Tag TOU DC@ 2511'. Spot 25 x class surf in 5 1/2". 70 x class "(cleaned location, installed 21942 verified by the BLM V Y PRODUCTION COM LP, ing by DEBORAH MCKINN Title ENG Date 05/30	Assured and true vertical d BIA. Required subsequer recompletion in a new into luding reclamation, have obl MLF. Tag TOC@ C @6801'. Spot 30 x ass "C" cmt@ C" cmt@ 100'-surf I dry hole plate. Well Information Syste sent to the Hobbs EY on 05/31/2018 (18J INEER	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI NECLAMATION PI DUE DUE em JA0025SE)
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@ 9880 3. 4/28/18 Gire 140 bbl MLF. 8351'. 4. 4/30/18 Spot 30 x class "C' class "C" cmt@5275'-4975'. L 19.1 bbl MLF. Tag TOC@496 5. 5/01/18 Spot 40 x class "C 1550'-1300'. Tag TOC@ 1295 6: 5/01/18 Spot 40 x class "C 1550'-1300'. Tag TOC@ 1295 6: 5/03/18 RD P&A equipment 14. I hereby certify that the foregoing is Name (Printed/Typed) MAX LUE	ally or recomplete horizontally, g rk will be performed or provide ti d operations. If the operation resu bandonment Notices must be filed final inspection. It. O'. Press test 500 psi. Good PUH to 8556'. Spot 25 x cla ' cmt@ 7105'-6805'. Displa Displace O'. ' cmt@2910'-2510'. Tag TC O'. O x class "C" cmt@ 51 O'-s surf. t. cut wellhead & anchors, for DEVON ENERG nitted to AFMSS for process BITZ Submission)	ive subsurface locations and me ne Bond No. on file with BLM/ lits in a multiple completion or r d only after all requirements, inc ass "H" cmt. Displace 32 to ce 26.3 bbl MLF. Tag TOO OC@ 2511'. Spot 25 x class surf in 5 1/2". 70 x class "(cleaned location, installed cleaned location, installed 21942 verified by the BLM V Y PRODUCTION COM LP, ing by DEBORAH MCKINN Title ENG	Assured and true vertical d BIA. Required subsequer recompletion in a new into luding reclamation, have obl MLF. Tag TOC@ C @6801'. Spot 30 x ass "C" cmt@ C" cmt@ 100'-surf I dry hole plate. Well Information Syste sent to the Hobbs EY on 05/31/2018 (18J INEER	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI NECLAMATION PI DUE DUE PA0025SE)
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@ 9880 3. 4/28/18 Gire 140 bbl MLF. 8351'. 4. 4/30/18 Spot 30 x class "C' class "C" cmt@5275'-4975'. L 19.1 bbl MLF. Tag TOC@496 5. 5/01/18 Spot 40 x class "C 1550'-1300'. Tag TOC@ 1295 6: 5/01/18 Spot 40 x class "C 1550'-1300'. Tag TOC@ 1295 6: 5/03/18 RD P&A equipment 14. I hereby certify that the foregoing is Name (Printed/Typed) MAX LUE	ally or recomplete horizontally, g rk will be performed or provide ti d operations. If the operation resu bandonment Notices must be filed final inspection. It. O'. Press test 500 psi. Good PUH to 8556'. Spot 25 x cla ' cmt@ 7105'-6805'. Displa Displace O'. ' cmt@2910'-2510'. Tag TC O'. O x class "C" cmt@ 51 O'-s surf. t. cut wellhead & anchors, for DEVON ENERG nitted to AFMSS for process BITZ Submission)	ive subsurface locations and me ne Bond No. on file with BLM/1 lts in a multiple completion or i d only after all requirements, inc ass "H" cmt. Displace 32 to ce 26.3 bbl MLF. Tag TOU DC@ 2511'. Spot 25 x class surf in 5 1/2". 70 x class "(cleaned location, installed 21942 verified by the BLM V Y PRODUCTION COM LP, ing by DEBORAH MCKINN Title ENG Date 05/30	Assured and true vertical d BIA. Required subsequer recompletion in a new into luding reclamation, have obl MLF. Tag TOC@ C @6801'. Spot 30 x ass "C" cmt@ C" cmt@ 100'-surf I dry hole plate. Well Information Syste sent to the Hobbs EY on 05/31/2018 (18J INEER	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI NECLAMATION PI DUE DUE PA0025SE)
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for it 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@ 9886 3. 4/28/18 Gire 140 bbl MLF. 8351'. 4. 4/30/18 Spot 30 x class "C' class "C" cmt@5275'-4975'. I 19.1 bbl MLF. Tag TOC@ 129 5. 5/01/18 Spot 40 x class "C 1550'-1300'. Tag TOC@ 129 6 5. 1/2" x 13 3/8". Verify cmt@ 7. 5/03/18 RD P&A equipment 14. I hereby certify that the foregoing is Name (<i>Printed/Typed</i>) MAX LUE Signature (Electronic	ally or recomplete horizontally, g rk will be performed or provide ti d operations. If the operation resu bandonment Notices must be filed final inspection. It.)'. Press test 500 psi. Good PUH to 8556'. Spot 25 x cla 'cmt@ 7105'-6805'. Displa Displace 7'. 'cmt@2910'-2510'. Tag TC 5'. 10 x class "C" cmt@ 51 O'-s suft. It. Cut wellhead & anchors, a For DEVON ENERG nitted to AFMSS for process BITZ Submission) THIS SPACE FOI e.d. Approval of this notice does n uitable title to those rights in the s	ive subsurface locations and me he Bond No. on file with BLM/1 its in a multiple completion or 1 d only after all requirements, inc ass "H" cmt. Displace 32 to ce 26.3 bbl MLF. Tag TOO DC@ 2511'. Spot 25 x class surf in 5 1/2". 70 x class "(Complete cleaned location, installed 21942 verified by the BLM V Y PRODUCTION COM LP, ing by DEBORAH MCKINN Title ENG Date 05/30 R FEDERAL OR STAT 	Assured and true vertical d BIA. Required subsequer recompletion in a new into luding reclamation, have obl MLF. Tag TOC@ C @6801'. Spot 30 x ass "C" cmt@ C" cmt@ 100'-surf I dry hole plate. Well Information Syste sent to the Hobbs EY on 05/31/2018 (18J INEER	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI DUE RECLAMATION PI ATTACHI DUE DUE DUE EPTED FOR REC JUN 2.5 2018 ate JUN 2.5 2018 ate
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for i 1. 4/26/18 Notify BLM of inter 2. 4/27/18 Tag bottom@ 9886 3. 4/28/18 Gire 140 bbl MLF. 8351'. 4. 4/30/18 Spot 30 x class "C' class "C" cmt@5275'-4975'. E 19.1 bbl MLF. Tag TOC@ 4996 5. 5/01/18 Spot 40 x class "C' 1550'-1300'. Tag TOC@ 1299 6. 100 Part@ 100'. Spot 5 5 1/2" x 13 3/8". Verify cmt@ 7. 5/03/18 RD P&A equipment 14. I hereby certify that the foregoing i Comm Name (<i>Printed/Typed</i>) MAX LUE Signature (Electronic	ally or recomplete horizontally, g rk will be performed or provide til d operations. If the operation resu- bandonment Notices must be filed final inspection. It.)'. Press test 500 psi. Good PUH to 8556'. Spot 25 x cla 'cmt@ 7105'-6805'. Displa Displace 57'. ''.cmt@2910'-2510'. Tag TC 5'. 0 x class "C" cmt@ 51 O'-s surf. It. Cut wellhead & anchors, i For DEVON ENERG nitted to AFMSS for process BITZ Submission) THIS SPACE FOI ed. Approval of this notice does n uitable title to those rights in the s uct operations thereon. U.S.C. Section 1212, make it a c	ive subsurface locations and me he Bond No. on file with BLM/1 its in a multiple completion or 1 d only after all requirements, inc ass "H" cmt. Displace 32 to ce 26.3 bbl MLF. Tag TOO DC@ 2511'. Spot 25 x class surf in 5 1/2". 70 x class "(Complete cleaned location, installed 21942 verified by the BLM V Y PRODUCTION COM LP, ing by DEBORAH MCKINN Title ENG Date 05/30 R FEDERAL OR STAT ot warrant or ubject lease Office rime for any person knowingly in the state of t	asured and true vertical d BIA. Required subsequer recompletion in a new into luding reclamation, have obl MLF. Tag TOC@ C @6801'. Spot 30 x ss "C" cmt@ C" cmt@ 100'-surf I dry hole plate. Well Information Syste sent to the Hobbs EY on 05/31/2018 (18J INEER D/2018 E OFFICE USE	lepths of all pertinent markers a at reports must be filed within 3 erval, a Form 3160-4 must be fi been completed and the operate RECLAMATION PI ATTACHI DUE DUE EPTED FOR REC JUN 2.5 2010 ate DUE BAULDE LAND MANACEM

Additional data for EC transaction #421942 that would not fit on the form

32. Additional remarks, continued

P&A completed.

Form 3160-5 (August 2007) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.					FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010 5. Lease Serial No. NMLC069276 6. If Indian, Allottee or Tribe Name			
1. Type of Well Gas Well Other					8. Well Name and No. West Corbin 19 02			
2. Name of Operator Devon Energy Production Company, LP					9. API Well No. 30-025-33508-00-S1			
3a. Address 3b. Phone No. (include area code)					10. Field and Pool or Exploratory Area			
6488 Seven Rivers Highway, Art	1615		S Cass 11. Country or Parish, State					
4. Location of Well (Footage, Sec., T.R.M. or Survey Description) 32.731621 Sec 19 T18S R33E NWSW 2173FSL 660FWL -103.709121					Lea County, NM			
12. CHEC	K THE APPROPRIATE BO	X(ES) TO IND	ICATE NATUR	RE OF NOTIO	L CE, REPORT OR OTI	IER DATA		
TYPE OF SUBMISSION	· · · · ·		Ť	YPE OF ACT	ION		<u> </u>	
Notice of Intent	Acidize	Deep	en	Prod	uction (Start/Resume)	U w	ater Shut-Off	
	Alter Casing	Fract	ure Treat	Recla	amation	🗌 w	ell Integrity	
Subsequent Report	Casing Repair	New 1	Construction	Reco	mplete	ther		
	Change Plans		and Abandon		porarily Abandon			
Final Abandonment Notice	Convert to Injection	Plug	Back		r Disposal			
determined that the site is ready for 1. 4/26/18 Notify BLM of intent. 2. 4/27/18 Tag bottom @ 9880' 3. 4/28/18 Circ 140 bbl MLF. Pl 4. 4/30/18 Spot 30 x class "C" o 19.1 bbl MLF. Tag T' 5. 5/01/18 Spot 40 x class "C" o 6. 5/02/18 Perf @ 100' Spot 50 7. 5/03/18 RD P&A equipment,	. Press test 500 psi. Good UH to 8556'. Spot 25 x cla cmt @ 7105'-6805'. Displa OC @4967'. cmt @ 2910'-2510'. Tag Tu) x class "C" cmt @ 510'-s	ss "H" cmt. Di: ce 26.3 bbl Ml OC @ 2511'. S urf in 5 1/2". 7	LF. Tag TOC (Spot 25 x class 0 x class "C" c	@ 6801'. Spc s "C" cmt @ cmt @ 100'-s	ot 30 x class "C" cml 1550'-1300'. Tag TC auf 5 1/2" x 13 3/8".	DC @ 129	5'.	
14. I hereby certify that the foregoing is tru	ue and correct. Name (Frinted	l'Typed)						
Jimmy Bagley			Title Agent					
Signature Signature			Date 05/03/2018					
THIS SPACE FOR FEDERAL OR STATE OFFICE USE ACCEPTED FOR RECORD								
Approved by	• • • • • • • • • • • • • • • • • • • •			·		[
Conditions of approval, if any, are attached, that the applicant holds legal or equitable til entitle the applicant to conduct operations th	tle to those rights in the subjec					Date JUI	+ 2 5 2018	
Title 18 U.S.C. Section 1001 and Title 43 U fictitious or fraudulent statements or repres				and willfully to	o make to any departme	CARLS	For the United States and Malse. BAD FIELD OFFICE	
(Instructions on page 2)								



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Appropriate time for submittal would be when filing the Appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos

Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Henryetta Price Environmental Protection Specialist 575-234-5951

Shelly Tucker Environmental Protection Specialist 575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612