

Bureau of Land Management
WATER PRODUCTION & DISPOSAL INFORMATION

LEASE: STREETCAR 15 FEDERAL

Lease no NMNM 26079

SECTION 15, T25S, R33E

Wells: Streetcar 15 Federal # 501H/ 30-025-44536

Accepted for Record Only
HOBBS OCD

SEP 27 2018

RECEIVED

1. Name of formation producing water on lease: BONE SPRING
2. Amount of water produced from all formations in barrels per day 5000-6000 BWPD
3. How water is stored on lease 4 – 400 BBL Tanks
4. How water is moved to disposal facility Pipeline/Trucked
5. Disposal Facility:
EOG Red Hills Gathering System - 97% of water, 3% water

- a. Name of Operator/facility well name & number

MESQUITE SWD, INC

OWL SWD OPERATING, LLC

Cotton Draw SWD #66

Maralo Sholes B #2

30-025-22024

30-025-09806

E-10-25S-32E

P-25-25S-36E

Permit No SWD 1306-0

Permit No SWD 1127-0

DACO OPERATING, LLC


Challenger Fortress


42-301-32997


Loving County, Texas

UIC NO 114148

Type of facility or wells SWD















EOG Resources, Inc.
STREETCAR 15 FED CTB
SEC 15-T25S-R33

9/6/18 BKM

LEGEND

<p> Valve Open</p> <p> Valve Closed</p> <p> Valve Sealed</p> <p> Orifice Meter</p>	<p> Turbine/ Coriolis Meter</p> <p> Oil</p> <p> Gas</p> <p> Water</p>
--	---

FACILITY DIAGRAM
 Shown: Major equipment, vessels, process piping, and valves
 Not shown: Auxiliary process systems such as fuel/ pilot gas system, gas lift system, roll lines, recirculating lines, vent lines, and small drain lines

PRODUCTION PHASE: All valves that provide access to production are effectively sealed in the closed position.

SALES THROUGH LACT UNITS: Sale is measured through LACT units. All other valves that provide access to production (load-out valves) are effectively sealed in the closed position.

WATER TANKS: If the possibility for oil to enter water tanks exists through common recirculating or equalizing lines, oil tanks are isolated from water tanks by valves effectively sealed in the closed position.

