	EPARTMENT OF THE IN UREAU OF LAND MANA	GEMENT	OCD Hob	bs -	5. Lease S		8
	NOTICES AND REPOR is form for proposals to					M69376	
abandoned we	II. Use form 3160-3 (APL	D) for such prop	oosals.			n, Allottee or Tribe Name	
SUBMIT IN	TRIPLICATE - Other inst	ructions on pag	HOBB	s oct	7. If Unit	or CA/Agreement, Name a	and/or 1
S Oil Well Gas Well Other		DAVID STEWART /art@oxy.com			8. weil Name and No. FEDERAL 27 08 9. API Well No. 30-025-32755-00-S1		
2. Name of Operator OXY USA INCORPORATED							
 3a. Address P O BOX 4294 HOUSTON, TX 77210-4294 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 		3b. Phone No. (includ i 2014) Ph: 432-685-5717			 Field and Pool or Exploratory Area W RED TANK 11. County or Parish, State 		
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICATE	NATURE O	F NOTICE, I	REPORT	, OR OTHER DATA	1
TYPE OF SUBMISSION			TYPE OF	FACTION			
□ Notice of Intent	C Acidize	🗖 Deepen		Productio	on (Start/F	Resume) 🔲 Water	Shut-O
_	□ Alter Casing	🖌 🗖 Hydrau	lic Fracturing	🗖 Reclama	tion	🗖 Well Iı	ntegrit
Subsequent Report	Casing Repair		onstruction	🗖 Recompl		Other	
Final Abandonment Notice	Change Plans	ion Plug and Abandon Temporari			rily Aban sposal	don	
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir	bandonment Notices must be file final inspection.	ed only after all requ	mpletion or reco airements, includ	ing reclamation	w interval, have been	RECLAMATION	iled onc or has
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD	bandonment Notices must be file final inspection. Intermediate & surface csg Prods, pump stuck. Set ac	ed only after all requ valves, install ri ccumulator, NDV	ompletion or reco airements, includ sers. Attempt VH, NU BOP.	mpletion in a ne ling reclamation t to rel pump.	ew interval, have been	completed and the operate	iled ond or has
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD 11/5/18 - RIH w/ WL, perf drai	bandonment Notices must be file final inspection. ntermediate & surface csg) rods, pump stuck. Set ac in holes in tbg, POOH & L	ed only after all requ valves, install ri ccumulator, NDV D tbg, TAC & pu	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. ump.	mpletion in a ne ling reclamation t to rel pump.	ew interval, have been	completed and the operation RECLAMATION ATTAC	iled onc or has
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD	bañdonment Notices must be fil final inspection. ntermediate & surface csg 0 rods, pump stuck. Set ac in holes in tbg, POOH & L 3303', POOH. RIH w/ tbg	ed only after all requ valves, install ri ccumulator, NDV D tbg, TAC & pu & tag CIBP @ 8	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. Imp. 303'.	mpletion in a no ing reclamation t to rel pump. Work to rel	w interval, have been	RECLAMATION ATTAC	iled ond or has I PRO CHED MA
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD 11/5/18 - RIH w/ WL, perf drai 11/6/18 - <u>RIH & set CIBP @ 8</u>	bandonment Notices must be file final inspection. Intermediate & surface csg Drods, pump stuck. Set ac in holes in tbg, POOH & L 3303', POOH. RIH w/ tbg &P 25sx CL C cmt, calc T	ed only after all required only after all required valves, install ri ccumulator, NDV D tbg, TAC & pu & tag CIBP @ 8 COC-7924', POO	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. Imp. 303'. <u>H</u> . RIH & set	mpletion in a not ing reclamation t to rel pump. Work to rel C <u>IBP @ 680</u>	w interval, have been TAC. 1 <u>6', P</u> UH.	RECLAMATION ATTAC	iled onc or has I PRO CHED MA
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD 11/5/18 - RIH w/ WL, perf drai 11/6/18 - <u>RIH & set CIBP @ 8</u> 11/7/18 ? <u>Circ w/ 10# MLF, M</u> 11/8/18 - RIH w/ tbg <u>& tag CIE</u> cmt, PUH, WOC. RIH & tag c	bandonment Notices must be fil- final inspection. Intermediate & surface csg o rods, pump stuck. Set ac in holes in tbg, POOH & L 3303', POOH. RIH w/ tbg 1&P 25sx CL C cmt, calc T 3P @ 6806', M&P 10# ML cmt @ 6212', notified BLM	ed only after all required only after all required only after all required on the second state of the seco	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. Imp. 303'. H. RIH & set 0#, held OK. M&P 30sx Cl y the BLM Wel ED. sent to the	mpletion in a no ing reclamation t to rel pump. Work to rel CIBP @ 680 M&P 40sx C L C cmt, PUP	w interval, have been TAC. 16', PUH. 1 C 1, WOC. System	RECLAMATION RECLAMATION ATTAC RECLA DUE_5-	iled onc or has I PRO CHED MA
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD 11/5/18 - RIH w/ WL, perf drai 11/6/18 - <u>RIH & set CIBP @ 8</u> 11/7/18 ? <u>Circ w/ 10# MLF, M</u> 11/8/18 - RIH w/ tbg <u>& tag CIE</u> cmt, PUH, WOC. RIH & tag c	bandonment Notices must be file final inspection. Intermediate & surface csg o rods, pump stuck. Set ac in holes in tbg, POOH & L 3303', POOH. RIH w/ tbg &P 25sx CL C cmt, calc T BP @ 6806', M&P 10# ML cmt @ 6212', notified BLM strue and correct. Electronic Submission #- For OXY US itted to AFMSS for process	ed only after all required valves, install ri ccumulator, NDV D tbg, TAC & pu & tag CIBP @ 8 OC-7924', POO F, test csg to 60 PUH to 4590', 444155 verified b A INCORPORATI	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. Imp. 303'. H. RIH & set 0#, held OK. M&P 30 <u>sx Cl</u> y the BLM Wel ED, sent to the 1 MCKINNEY of	mpletion in a no ing reclamation t to rel pump. Work to rel CIBP @ 680 M&P 40sx C L C cmt, PUP	w interval, have been TAC. (16', PUH. (1 C (1, WOC. System (18DLM0)	stuce)	iled onc or has I PRO CHED MA
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD 11/5/18 - RIH w/ WL, perf drai 11/6/18 - RIH & set CIBP @ 8 11/7/18 ? Circ w/ 10# MLF, M 11/8/18 - RIH w/ tbg & tag CIE cmt, PUH, WOC. RIH & tag c	bandonment Notices must be file final inspection. Intermediate & surface csg o rods, pump stuck. Set ac in holes in tbg, POOH & L 3303', POOH. RIH w/ tbg &P 25sx CL C cmt, calc T BP @ 6806', M&P 10# ML cmt @ 6212', notified BLM s true and correct. Electronic Submission # For OXY US hitted to AFMSS for process TEWART	ed only after all required only after all required valves, install riscumulator, NDV D tbg, TAC & pu & tag CIBP @ 8 <u>OC-7924', POO</u> F, test csg to 60 . PUH to 4590', 444155 verified b A INCORPORATI Sing by DEBORAL	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. Imp. 303'. H. RIH & set 0#, held OK. M&P 30 <u>sx Cl</u> y the BLM Wel ED, sent to the 1 MCKINNEY of	mpletion in a na ing reclamation t to rel pump. Work to rel CIBP @ 680 M&P 40sx C L C cmt, PUH	W interval, have been TAC. (16', PUH. (1 C (1 C (1 WOC. System (18DLM0 ADVISO	stuce)	I PRO CHED MA
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD 11/5/18 - RIH w/ WL, perf drai 11/6/18 - <u>RIH & set CIBP @ 8</u> 11/7/18 ? <u>Circ w/ 10# MLF, M</u> 11/8/18 - RIH w/ tbg <u>& tag CIE</u> cmt, PUH, WOC. RIH & tag c	bandonment Notices must be file final inspection. Intermediate & surface csg o rods, pump stuck. Set ac in holes in tbg, POOH & L 3303', POOH. RIH w/ tbg &P 25sx CL C cmt, calc T BP @ 6806', M&P 10# ML cmt @ 6212', notified BLM s true and correct. Electronic Submission # For OXY US hitted to AFMSS for process TEWART	ed only after all required only after all required values, install riscumulator, NDV D tbg, TAC & pu & tag CIBP @ 8 OC-7924', POO F, test csg to 60 PUH to 4590', 444155 verified b A INCORPORATI Sing by DEBORAL Ti	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. Imp. 303'. H. RIH & set 0#, held OK. M&P 30sx Cl W&P 30sx Cl D, sent to the 1 MCKINNEY of the SR. REf ate 11/15/20	mpletion in a not ing reclamation t to rel pump. Work to rel CIBP @ 680 M&P 40sx C L C cmt, PUH Il Information e Hobbs on 11/15/2018 GULATORY 018	TAC. TAC. (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	stose) RECLAMATION ATTAC RECLA DUE_5-	I PRO CHED MA 12-
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD 11/5/18 - RIH w/ WL, perf drai 11/6/18 - <u>RIH & set CIBP @ 8</u> 11/7/18 ? <u>Circ w/ 10# MLF, M</u> 11/8/18 - <u>RIH w/ tbg & tag CIE</u> cmt, PUH, WOC. <u>RIH & tag c</u> 14. I hereby certify that the foregoing is <u>Comm</u> <u>Name (Printed/Typed)</u> DAVID ST Signature (Electronic S	bandonment Notices must be file final inspection. Intermediate & surface csg o rods, pump stuck. Set ac in holes in tbg, POOH & L 3303', POOH. RIH w/ tbg 1&P 25sx CL C cmt, calc T 3P @ 6806', M&P 10# ML cmt @ 6212', notified BLM strue and correct. Electronic Submission # For OXY US itted to AFMSS for process TEWART Submission)	ed only after all required only after all required only after all required on the second state of the seco	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. Imp. 303'. H. RIH & set 0#, held OK. M&P 30sx Cl W&P 30sx Cl D, sent to the 1 MCKINNEY of the SR. REf ate 11/15/20	mpletion in a not ing reclamation t to rel pump. Work to rel CIBP @ 680 M&P 40sx C L C cmt, PUH Il Information e Hobbs on 11/15/2018 GULATORY 018	w interval, have been TAC. (16', PUH. C C J, WOC. System (18DLM0: ADVISO	stanse) RECLAMATION ATTAC RECLA DUE_5-	I PROCHED MA 12-
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD 11/5/18 - RIH w/ WL, perf drai 11/6/18 - <u>RIH & set CIBP @ 8</u> 11/7/18 ? <u>Circ w/ 10# MLF, M</u> 11/8/18 - <u>RIH w/ tbg & tag CIE</u> cmt, PUH, WOC. <u>RIH & tag c</u> 14. I hereby certify that the foregoing is <u>Comm</u> <u>Name (Printed/Typed)</u> DAVID ST <u>Signature</u> (Electronic S <u>Approved By</u> <u>Conditions of approval, if any, are attache</u> certify that the applicant holds legal or equ	bandonment Notices must be file final inspection. Intermediate & surface csg o rods, pump stuck. Set ac in holes in tbg, POOH & L 3303', POOH. RIH w/ tbg 1&P 25sx CL C cmt, calc T 3P @ 6806', M&P 10# ML cmt @ 6212', notified BLM strue and correct. Electronic Submission # For OXY US itted to AFMSS for process TEWART Submission) THIS SPACE FO	ed only after all required onl	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. Imp. 303'. H. RIH & set 0#, held OK. M&P 30sx Cl y the BLM Wel ED, sent to the MCKINNEY of the SR. RE ate 11/15/20	mpletion in a not ing reclamation t to rel pump. Work to rel CIBP @ 680 M&P 40sx C L C cmt, PUH Il Information e Hobbs on 11/15/2018 GULATORY 018	w interval, have been TAC. TAC. (16', PUH. C C J, WOC. System (18DLM0: ADVISO	stose) RECLAMATION ATTAC RECLA DUE_5- 540SE) R CEPTED FOR F NOV 1 5 20	I PRO CHED MA 12-
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD 11/5/18 - RIH w/ WL, perf drai 11/6/18 - <u>RIH & set CIBP @ 8</u> 11/7/18 ? <u>Circ w/ 10# MLF, M</u> 11/8/18 - <u>RIH w/ tbg & tag CIE</u> cmt, PUH, WOC. <u>RIH & tag c</u> 14. I hereby certify that the foregoing is <u>Comm</u> <u>Name (Printed/Typed)</u> DAVID ST <u>Signature</u> (Electronic S <u>Signature</u> (Electronic S <u>Conditions of approval, if any, are attache</u> certify that the applicant holds legal or equ which would entitle the applicant to condu Title 18 U.S.C. Section 1001 and Title 43	bandonment Notices must be file final inspection. Intermediate & surface csg 0 rods, pump stuck. Set ac in holes in tbg, POOH & L 3303', POOH. RIH w/ tbg 1&P 25sx CL C cmt, calc T 3P @ 6806', M&P 10# ML cmt @ 6212', notified BLM s true and correct. Electronic Submission #- For OXY US itted to AFMSS for process TEWART Submission) THIS SPACE FO ed. Approval of this notice does uitable title to those rights in the uct operations thereon. U.S.C. Section 1212, make it a	ed only after all required on the subject lease of	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. Imp. 303'. H. RIH & set 0#, held OK. M&P 30sx Cl 0#, held OK. M&P 30sx Cl office ate 11/15/20 OR STATE (Title	mpletion in a na ing reclamation t to rel pump. Work to rel CIBP @ 680 M&P 40sx C L C cmt, PUH Il Information e Hobbs on 11/15/2018 GULATORY 018 OFFICE US	w interval, have been TAC. (16', PUH. C C J, WOC. System (18DLM02 ADVISO ACC E BL	stose) RECLAMATION ATTAC RECLA DUE_5- 540SE) R CEPTED FOR F NOV 1 5 20 Date Date Date Date Date Date Date	I PROD CHED MA 12-'
testing has been completed. Final Al determined that the site is ready for f 11/1/18 - MIRU PU, replace ir 11/2/18 - Start to POOH & LD 11/5/18 - RIH w/ WL, perf drai 11/6/18 - <u>RIH & set CIBP @ 8</u> 11/7/18 ? <u>Circ w/ 10# MLF, M</u> 11/8/18 - RIH w/ tbg & tag <u>CIE</u> cmt, PUH, WOC. RIH & tag <u>c</u> 14. I hereby certify that the foregoing is <u>Comm</u> <u>Name (Printed/Typed)</u> DAVID ST <u>Signature</u> (Electronic S <u>Signature</u> (Electronic S <u>Conditions of approval, if any, are attache certify that the applicant holds legal or equ which would entitle the applicant to condu Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s</u>	bandonment Notices must be file final inspection. Intermediate & surface csg 0 rods, pump stuck. Set ac in holes in tbg, POOH & L 3303', POOH. RIH w/ tbg 1&P 25sx CL C cmt, calc T 3P @ 6806', M&P 10# ML cmt @ 6212', notified BLM s true and correct. Electronic Submission #- For OXY US itted to AFMSS for process TEWART Submission) THIS SPACE FO ed. Approval of this notice does uitable title to those rights in the uct operations thereon. U.S.C. Section 1212, make it a	ed only after all required on the subject lease of the any matter within the subject lease of the any matter within the all required on the al	mpletion or reco irrements, includ sers. Attempt VH, NU BOP. Imp. 303'. H. RIH & set 0#, held OK. M&P 30sx Cl y the BLM Wel ED, sent to the 1 MCKINNEY of the SR. RE ate 11/15/20 OR STATE of Title	willfully to mal	w interval, have been TAC. (16', PUH. C, PUH. C, WOC. System (18DLMO ADVISO ACC E BL BL	statuse) RECLAMATION ATTAC RECLA DUE_5- 540SE) R CEPTED FOR F NOV 1 5 20 Date DATES	I PROD CHED MA 12-'

Additional data for EC transaction #444155 that would not fit on the form

32. Additional remarks, continued

r

11/9/18 - RIH & tag cmt @ 4188', PUH to 2771', M&P 25sx CI C cmt w/ 3% CaCl2, PUH, WOC. RIH & tag cmt @ 2328', BLM witnessed. RIH & perf @ 1090'. POOH, EIR w/ full circ, M&P 100sx CL C cmt, PUH, WOC.

(11/12/18)? RIH & tag cmt @ 648', POOH. RIH & perf @ 100', EIR w/ full circ, POOH. ND BOP, NU B-1 adapter, M&P 35sx CL C cmt, circ cmt to surface. NDPU.



BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation.

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Henryetta Price Environmental Protection Specialist 575-234-5951

Shelly Tucker Environmental Protection Specialist 575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612