

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-21874 ✓
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> <b>HOBBS OCD</b>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> ✓
2. Name of Operator State of New Mexico formerly Canyon E&P Company <b>DEC 05 2018</b>		6. State Oil & Gas Lease No.
3. Address of Operator 1625 N. French Drive Hobbs, NM 88240 <b>RECEIVED</b>		7. Lease Name or Unit Agreement Name Artesia Metex Unit ✓
4. Well Location Unit Letter <u>A</u> : <u>270</u> feet from the <u>North</u> line and <u>1050</u> feet from the <u>East</u> line Section <u>25</u> Township <u>18S</u> Range <u>27E</u> NMPM <u>Eddy</u> County ✓		8. Well Number 061 ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 269864 ✓
		10. Pool name or Wildcat Artesia QU-GB-SA ✓

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b>		<b>SUBSEQUENT REPORT OF:</b>	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**SEE ATTACHED**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Type or print name \_\_\_\_\_ E-mail address: \_\_\_\_\_ PHONE: \_\_\_\_\_

**For State Use Only**

APPROVED BY: Mark Whitaker TITLE P.E.S. DATE 12/05/2018


Conditions of Approval (if any):

Canyon E&P Company  
Artesia Metex Unit #61  
30-015-21874  
270 FNL & 1050 FEL  
UL-A, Sec 25, T18S, R27E

8 5/8" 24 # casing set at 505'. Cemented with 175 sx cement. Cement circulated.  
4 1/2" 11.6# casing set at 2158'. Cemented with 175 sx cement. TOC @ 1450' by TS.  
Perforations: 1932'-2136.5'

1. MIRU and POOH with production equipment.
2. Make gauge ring run and set 4 1/2" CIBP at 1832'. Circulate MLF and test casing to 500#.
3. Spot 35 sx cement on top of CIBP.
4. Perforate 4 1/2" casing at 555'. Pump sufficient cement to circulate cement to surface inside and outside of 4 1/2" casing.
5. Cut off wellhead 3' below ground level.
6. Install upright marker and cut off anchors.

State of New Mexico for Canyon  
E&P Company  
Artesia Metex Unit #61  
API 30-015-21874  
WBD Before PA



State of New Mexico for Canyon  
E&P Company  
Artesia Metex Unit #61  
API 30-015-21874  
WBD After PA

