## State of New Mexico Minerals and Natural Resources District I 1625 N. French Dr., Hobbs, NM State District II 1625 N. French Dr., Hobbs, NM State District II

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

1625 N. French Dr., Hobbs, NM 88210

District II

811 S. First St., Artesia, NM 88210

DEC 17 2018

Oil Conservation Division
1220 South St. Francis Dr.

Santa Fe, NM 87505

NF

NFO Permit No. \_\_\_\_

(For Division Use Only)

## **APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12**

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

A.	Applicant Steward Energy II, LLC,	e
	whose address is2600 N. Dallas Pkwy, Suite 400   Frisco, TX 75034,,	
	hereby requests an exception to Rule 19.15.	18.12 fordays or until
	March 31 , Yr, Yr	
	Name of Lease Broken Spoke Battery	Name of Pool
	Location of Battery: Unit Letter O	Section 2 Township 14S Range 38E
	Number of wells producing into battery	1 (One)- API-30-025-41004 BROKEN SPOKE 2 STA
В.	Based upon oil production of12	barrels per day, the estimated * volume
	of gas to be flared is	MCF; Valueper day.
C.	Name and location of nearest gas gathering facility:  Immediate Area	
D.	Distance NA Estimated cost of connection NA	
E.	This exception is requested for the following reasons:  Steward Energy II, LLC (SE II) hereby request an exception to Rule 19.15.18.12 because Targa's Versado System,  due to pressure and gas quality constraints, cannot take all of SE II's contractual gas on their system 100 % of the time.	
	Interruptions can occur and it will be necessary for SE II to flare during these times.	
OPERATOR I hereby certify that the rules and regulations of the Oil Conservation  OIL CONSERVATION DIVISION		
Division have be	en complied with and that the information given above	Approved Until
Signature 2	of the best of my knowledge and belief.	D.
Printed Name	WPrice-Price LLC mgm_consultant for SEII	By Petroleum Engineer
& Title		12/12/2 18
E-mail Addres	sswayneprice@q.com	Date 12 18 2518
Date Dec	17, 2018 Telephone No. 505-715-2809	

Gas-Oil ratio test may be required to verify estimated gas volume.