District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

MCF/D

Vented

Big Cat 16 CTB 9

			GAS CA	PTURE PL	AN				
Date	: 4/19/2018								
⊠ (Original		Devon &	Devon & OGRID No.: Devon Energy Prod. Co., LP (6137)					
□ A	amended - Reason for	Amendment:							
	Gas Capture Plan out pletion (new drill, reco		•		•	oduction faci	lity flaring/venting for	r new	
Vote:	Form C-129 must be su	bmitted and app	proved prior to excee	ding 60 days a	llowed by Rul MAR	e (Subsection A 082019	1 of 19.15.18.12 NMAC).		
Well	(s)/Production Facil	<u>ity – Name o</u>	f facility						
The	well(s) that will be loo	noted at the m	raduation facility a	ra chaum in		CEIVED			
Tine T	Well Name	API	Well Location	Footages	Expected		Comments	٦	

Gathering System and Pipeline Notification

Big Cat 16-9 State Fed Com

Well(s) will be connected to a production facility after flowback operations are complete, if DCP system is in place. The gas produced from production facility is dedicated to <u>DCP</u> and will be connected to <u>DCP</u> low/high pressure gathering system located in Lea County, New Mexico. It will require 458' of pipeline to connect the facility to low/high pressure gathering system. <u>Devon</u> provides (periodically) to <u>DCP</u> a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, <u>Devon</u> and <u>DCP</u> have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <u>DCP</u> Processing Plant located in Sec. 19, Twn. 19S, Rng. 32E, Lea County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

2314 FSL 2184 FEL

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>DCP</u> system at that time. Based on current information, it is <u>Devon's</u> belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

(ULSTR)

Unit J. Sec 16, T23S.

- Power Generation On lease
 - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines