
	abandoned we	is form for proposals to c II. Use form 3160-3 (APD) for such proposition	6. If Indian, Allot	tee or Tribe Name
=		TRIPLICATE - Other instr	uctions on page 2 MAR	NMNM1370	Agreement, Name and/or No 96X
-	1. Type of Well	RE	RECEIVE Well Name and No. MESA VERDE BS UNIT 9H		
-	2. Name of Operator OXY USA INCORPORATED	Contact: F	YAN NEWPORT	9. API Well No. 30-025-4419	
	3a. Address P O BOX 4294 HOUSTON, TX 77210-4294		3b. Phone No. (include area code) Ph: 713-366-5154	10. Field and Poo BONE SPRI	l or Exploratory Area NGS
	4. Location of Well (Footage, Sec., 7	C., R., M., or Survey Description)		11. County or Par	ish, State
	Sec 17 T24S R32E SWSW 28 32.210960 N Lat, 103.701683				ΓY, NM
-	12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA				
. –	TYPE OF SUBMISSION	TYPE OF ACTION			
-	🛛 Notice of Intent	Acidize	Deepen	Production (Start/Resume) 🔲 Water Shut-Of
	-	Alter Casing	Hydraulic Fracturing	Reclamation	Well Integrity
	Subsequent Report	Casing Repair	□ New Construction	Recomplete	Other
	Final Abandonment Notice	Change Plans	Plug and Abandon	Temporarily Abandon	Right of Way
		Convert to Injection	Plug Back	Water Disposal	
	If the proposal is to deepen directional Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for final We need to install an overhead	ally or recomplete horizontally, g rk will be performed or provide th l operations. If the operation resu- bandonment Notices must be filed inal inspection.	he Bond No. on file with BLM/BIA lts in a multiple completion or reco d only after all requirements, includi	ed and true vertical depths of all p Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f	ally or recomplete horizontally, g rk will be performed or provide ti l operations. If the operation resu bandonment Notices must be filed inal inspection. d 12.47 kv electric from ou .0 feet in width, 196.0 feet	he Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands	ed and true vertical depths of all p . Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point.	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f We need to install an overhea The proposed route will be 30	ally or recomplete horizontally, g rk will be performed or provide th l operations. If the operation resu- bandonment Notices must be filed inal inspection. d 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache	he Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands	ed and true vertical depths of all p . Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point.	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County,	ally or recomplete horizontally, g rk will be performed or provide th l operations. If the operation resu- bandonment Notices must be filed inal inspection. d 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache	he Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands	ed and true vertical depths of all p . Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point.	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County,	ally or recomplete horizontally, g rk will be performed or provide th l operations. If the operation resu- bandonment Notices must be filed inal inspection. d 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache	he Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands	ed and true vertical depths of all p . Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point.	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County,	ally or recomplete horizontally, g rk will be performed or provide th l operations. If the operation resu- bandonment Notices must be filed inal inspection. d 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache	he Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands	ed and true vertical depths of all p . Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point.	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County,	ally or recomplete horizontally, g rk will be performed or provide th l operations. If the operation resu- bandonment Notices must be filed inal inspection. d 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache	he Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands	ed and true vertical depths of all p . Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point.	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County, This route does not cross any	ally or recomplete horizontally, g rk will be performed or provide ti l operations. If the operation resu- bandonment Notices must be filed inal inspection. Id 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache lease lines.	he Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands	ed and true vertical depths of all p . Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point.	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County, This route does not cross any	ally or recomplete horizontally, g rk will be performed or provide ti l operations. If the operation resu- bandonment Notices must be filed inal inspection. Ind 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache lease lines.	he Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM land ed survey plat.	red and true vertical depths of all p Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point. s in Section	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
 	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County, This route does not cross any	ally or recomplete horizontally, g rk will be performed or provide ti l operations. If the operation resu- bandonment Notices must be filed inal inspection. Id 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache lease lines. true and correct. Electronic Submission #40 For OXY USA mmitted to AFMSS for process	he Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands	ed and true vertical depths of all p Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point. s in Section	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
-	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County, This route does not cross any 14. I hereby certify that the foregoing is Corr	ally or recomplete horizontally, g rk will be performed or provide til loperations. If the operation resu bandonment Notices must be filed inal inspection. d 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache lease lines. true and correct. Electronic Submission #40 For OXY USA mitted to AFMSS for proces WPORT	be Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM land ed survey plat. D5946 verified by the BLM Well INCORPORATED, sent to the ssing by PRISCILLA PEREZ or	ed and true vertical depths of all p Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point. s in Section	t be filed within 30 days 3160-4 must be filed once
	Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County, This route does not cross any 14. I hereby certify that the foregoing is Com Name (Printed/Typed) RYAN NE	ally or recomplete horizontally, g rk will be performed or provide ti l operations. If the operation resu- bandonment Notices must be filed inal inspection. d 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache lease lines. true and correct. Electronic Submission #44 For OXY USA mmitted to AFMSS for process WPORT Submission)	be Bond No. on file with BLM/BIA Its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands ed survey plat. D5946 verified by the BLM Well INCORPORATED, sent to the ssing by PRISCILLA PEREZ or Title LANDM,	red and true vertical depths of all p . Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point. s in Section Information System a Hobbs 1 03/26/2018 (18PP0785SE) AN	ertinent markers and zones. t be filed within 30 days 3160-4 must be filed once
_	Attach the Bond under which the won following completion of the involved testing has been completed. Final Al- determined that the site is ready for f We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County, This route does not cross any 14. I hereby certify that the foregoing is Corr Name (Printed/Typed) RYAN NE Signature (Electronic S Approved By	ally or recomplete horizontally, g rk will be performed or provide til loperations. If the operation resu- bandonment Notices must be filed inal inspection. dd 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache lease lines. true and correct. Electronic Submission #40 For OXY USA mmitted to AFMSS for process WPORT Submission) THIS SPACE FOI	be Bond No. on file with BLM/BIA its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands ed survey plat. D5946 verified by the BLM Well INCORPORATED, sent to the ssing by PRISCILLA PEREZ or Title LANDM, Date 02/27/20 R FEDERAL OR STATE (red and true vertical depths of all p . Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point. s in Section Information System a Hobbs 1 03/26/2018 (18PP0785SE) AN	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once
C	Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al- determined that the site is ready for fi We need to install an overhea The proposed route will be 30 17, T24S-R32E, Lea County, This route does not cross any 14. I hereby certify that the foregoing is Corr Name (Printed/Typed) RYAN NE Signature (Electronic S	ally or recomplete horizontally, g rk will be performed or provide til loperations. If the operation resu- bandonment Notices must be filed inal inspection. dd 12.47 kv electric from ou .0 feet in width, 196.0 feet NM, as seen on the attache lease lines. true and correct. Electronic Submission #44 For OXY USA mmitted to AFMSS for process WPORT Submission) THIS SPACE FOI	be Bond No. on file with BLM/BIA its in a multiple completion or reco I only after all requirements, includi r Mesa Verde CGL2 Site to a in length, crossing BLM lands ed survey plat. D5946 verified by the BLM Well INCORPORATED, sent to the ssing by PRISCILLA PEREZ or Title LANDM, Date 02/27/20 R FEDERAL OR STATE (red and true vertical depths of all p . Required subsequent reports mus mpletion in a new interval, a Form ing reclamation, have been comple a tie-in point. s in Section Information System a Hobbs 1 03/26/2018 (18PP0785SE) AN	ertinent markers and zones t be filed within 30 days 3160-4 must be filed once



Company Reference: Oxy Well No. & Name: Mesa Verde BS Unit 9H

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.

5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or

additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.

8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.

9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.

10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.

Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken:

Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the

maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.