SUNDRY	NOTICES AND REPO	ORTS ON WELLS	Hobbs	5. Lease Serial No. NMNM0359292	anuary 31, 2018 2
Do not use thi abandoned we	is form for proposals to II. Use form 3160-3 (AF	o drill or to re-ente rio PD) for such proposals.	BBS	6. If Indian, Allottee	or Tribe Name
SUBMIT IN	TRIPLICATE - Other ins	AGEMENT UCD ORTS ON WELLS, o drill or to re-enter 10 PD) for such proposals.	10200	7. If Unit or CA/Agre	ement, Name and/or l
1. Type of Well Soli Well Gas Well Oth				8. Well Name and No GOEDEKE 04	
2. Name of Operator RKI EXPLORATION & PROD	Contact:	CAITLIN O'HAIR air@wpxenergy.com	ED	9. API Well No. 30-025-20015-0	 00-S1
3a. Address 3500 ONE WILLIAMS CENTER, MD 35 TULSA, OK 74172-0135		3b. Phone No. (include area code) Ph: 539-573-3527		10. Field and Pool or Exploratory Area SALADO DRAW	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description		on)		11. County or Parish, State	
Sec 10 T26S R33E SESW 66	OFSL 1980FWL			LEA COUNTY,	NM
12. CHECK THE AI	PPROPRIATE BOX(ES) TO INDICATE NATUR	E OF NOTIC	E, REPORT, OR OT	HER DATA
TYPE OF SUBMISSION		TYP	E OF ACTION		
□ Notice of Intent		• Deepen	—	ction (Start/Resume)	U Water Shut-C
Subsequent Report	□ Alter Casing □ Casing Repair	♥ □ Hydraulic Fractur □ New Construction			Well Integrit Other
Final Abandonment Notice	Change Plans	Plug and Abandon	—	orarily Abandon	
	Convert to Injection	Plug Back	U Water	Disposal	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equij 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4 1. 4940-4578'. Notified John Sta	rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. pment. w/ rods & pump. ND we / <u>2" CIBP @ 4940'</u> . Circul ton w/ BLM_WOC.	esults in a multiple completion of iled only after all requirements, in il head, NU BOP. lated hole w/ MLF. Spotted	I/BIA. Required a recompletion in including reclamation 2 <u>5 sx class C</u>	subsequent reports must be a new interval, a Form 31 ition, have been completed RECLA	e filed within 30 days 60-4 must be filed ond
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equij 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4 1/2	rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. pment. w/ rods & pump. ND we / <u>2" CIBP @ 4940</u> '. Circul ton w/ BLM. WOC. <u>0'. Set 4 1/2" packer @ 8</u> <u>DESL Spotted 25 sx clas</u> d an injection rate, Soz'd 25/19 Verified cmt to sur ind welder, dug out cellar elded on "Under Ground	le the Bond No. on file with BLM esults in a multiple completion or iled only after all requirements, in ated hole w/ MLF. Spotted 3'. Pressure tested csg, hell is C cmt @ 2708-2346'. Wi 190 sx class C cmt @ 421' face. Rigged down & move r, cut off well head, and Jot	//BIA. Required is recompletion in ncluding reclamat 2 <u>5 sx class C</u> <u>4 500 PSI. Pe</u> <u>2</u> C. Tagged pl <u>& circulated to</u> d off.	subsequent reports must be a new interval, a Form 31 tion, have been completed RECLA <u>cmt @</u> ftd csg <u>ug @ 2340</u> '. REC DUE	e filed within 30 days 60-4 must be filed ond and the operator has
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equip 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4 1. 4940-4578'. Notified John Sta (04/24/19) Tagged plug @ 457 @ 2658'. Pressured up to 600 Perf'd csg @ 421'. Establishe surface in 7 5/8 & 4 1/2". 04/2 05/02/19 Moved in backhoe a verified cement to surface. Wo	rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. pment. w/ rods & pump. ND we / <u>2" CIBP @ 4940</u> '. Circul ton w/ BLM. WOC. <u>0'. Set 4 1/2" packer @ 8</u> <u>DESL Spotted 25 sx clas</u> d an injection rate, Soz'd 25/19 Verified cmt to sur ind welder, dug out cellar elded on "Under Ground	le the Bond No. on file with BLM esults in a multiple completion or iled only after all requirements, in ated hole w/ MLF. Spotted 3'. Pressure tested csg, hell is C cmt @ 2708-2346'. Wi 190 sx class C cmt @ 421' face. Rigged down & move r, cut off well head, and Jot	//BIA. Required is recompletion in ncluding reclamat 2 <u>5 sx class C</u> <u>4 500 PSI. Pe</u> <u>2</u> C. Tagged pl <u>& circulated to</u> d off.	subsequent reports must be a new interval, a Form 31 tion, have been completed RECLA <u>cmt @</u> ftd csg <u>ug @ 2340</u> '. REC DUE	e filed within 30 days 60-4 must be filed ond and the operator has MATION PROCE ATTACHED
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equi 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4 1, 4940-4578'. Notified John Sta (04/24/19)Tagged plug @ 457' @ 2658'. Pressured up to 600 Perf'd csg @ 421'. Established surface in 7 5/8 & 4 1/2". 04/2 05/02/19 Moved in backhoe a verified cement to surface. We deadmen, cleaned location, a	rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. prment. w/ rods & pump. ND we / <u>2" CIBP @ 4940'</u> . Circuit ton w/ BLM. WOC. <u>0'. Set 4 172" packer @ 6</u> <u>25/19 Verified 25 sx class</u> d an injection rate, Sozid 25/19 Verified cmt to sur ind welder, dug out cellar elded on "Under Ground and moved off.	le the Bond No. on file with BLM esults in a multiple completion or iled only after all requirements, in ated hole w/ MLF. Spotted B. Pressure tested csg, hele S. Pressure tested csg, hele S. C cmt @ 2708-2346'. WG 90 sx class C cmt @ 421' face. Rigged down & move r, cut off well head, and Jot Dry Hole Marker". Backfille #464199 verified by the BLM ORATION & PROD LLC, se	//BIA. Required is recompletion in neluding reclamat 25 sx class C d 500 PSI_Pe 2C. Tagged pl & circulated to d off. In Staton w/ B ed cellar, cut o	subsequent reports must be a new interval, a Form 31 ition, have been completed RECLA <u>cent @</u> ftd csg ug @ 2340'. REC DUE of System s	e filed within 30 days 60-4 must be filed ond and the operator has MATION PROCE ATTACHED
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equi 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4 1, 4940-4578'. Notified John Sta (04/24/19)Tagged plug @ 457' @ 2658'. Pressured up to 600 Perf'd csg @ 421'. Established surface in 7 5/8 & 4 1/2". 04/2 05/02/19 Moved in backhoe a verified cement to surface. We deadmen, cleaned location, a	rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. prment. w/ rods & pump. ND we / <u>2" CIBP @ 4940'. Circuit</u> ton w/ <u>BLM. WOC.</u> <u>0'. Set 4 172" packer @ 6</u> <u>25/19 Verified 25 sx class</u> d an injection rate, <u>Sq2'd</u> 25/19 Verified cmt to sur ind welder, dug out cellar elded on "Under Ground and moved off. s true and correct. Electronic Submission i For RKI EXPL nmitted to AFMSS for pro	le the Bond No. on file with BLM esults in a multiple completion or iled only after all requirements, in ated hole w/.MLF. Spotted 3'. Pressure tested csg, hele is C cmt @ 2708-2346'. With 90 sx class C cmt @ 421' face. Rigged down & move r, cut off well head, and Jot Dry Hole Marker". Backfille #464199 verified by the BLM ORATION & PROD LLC, se cessing by PRISCILLA PERI	//BIA. Required is recompletion in neluding reclamat 25 sx class C d 500 PSI_Pe 2C. Tagged pl & circulated to d off. In Staton w/ B ed cellar, cut o	subsequent reports must be a new interval, a Form 31 ition, have been completed RECLA <u>cent @</u> ftd csg ug @ 2340'. REC DUE of System s	e filed within 30 days 60-4 must be filed ond and the operator has MATION PROCE ATTACHED
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equi 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4 1. 4940-4578'. Notified John Sta (04/24/19)Tagged plug @ 457' @ 2658'. Pressured up to 600 Perf'd csg @ 421'. Establisher surface in 7 5/8 & 4 1/2". 04/2 05/02/19 Moved in backhoe a verified cement to surface. We deadmen, cleaned location, a 14. I hereby certify that the foregoing is Name (Printed/Typed) CAITLIN (rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. prment. w/ rods & pump. ND we / <u>2" CIBP @ 4940'. Circuit</u> ton w/ <u>BLM. WOC.</u> <u>0'. Set 4 172" packer @ 6</u> <u>25/19 Verified 25 sx class</u> d an injection rate, <u>Sq2'd</u> 25/19 Verified cmt to sur ind welder, dug out cellar elded on "Under Ground and moved off. s true and correct. Electronic Submission i For RKI EXPL nmitted to AFMSS for pro	le the Bond No. on file with BLM esults in a multiple completion or iled only after all requirements, in all head, NU BOP. <u>lated hole w/ ML</u> F. Spotted 3'. Pressure tested csg, hell is C cmt @ 2708-2346'. W(<u>190 sx class C cmt @ 421'</u> face. Rigged down & move r, cut off well head, and Jot Dry Hole Marker". Backfille #464199 verified by the BLM ORATION & PROD LLC, se cessing by PRISCILLA PERE Title SUI	/BIA. Required in recompletion in neluding reclamate 25 sx class C d 500 PSI. Pe DC. Tagged pl & circulated to d off. In Staton w/ Bed cellar, cut of cellar, cut of cellar, cut of to the Hobbez on 05/06/20 BMITTER	subsequent reports must be a new interval, a Form 31 ition, have been completed RECLA <u>cent @</u> ftd csg ug @ 2340'. REC DUE of System s	e filed within 30 days 60-4 must be filed ond and the operator has MATION PROCE ATTACHED CLAMATIO LO-24-K
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equi 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4 1, 4940-4578°. Notified John Sta (04/24/19)Tagged plug @ 4571 @ 2658°. Pressured up to 600 Perf'd csg @ 421°. Establisher surface in 7 5/8 & 4 1/2°. 04/2 05/02/19 Moved in backhoe a verified cement to surface. We deadmen, cleaned location, a 14. I hereby certify that the foregoing is Name (Printed/Typed) CAITLIN (rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. pment. w/ rods & pump. ND we / <u>2" CIBP @ 4940'</u> . Circuit ton w/ BLM. WOC. <u>0'. Set 4 172" packer</u> @ 8 <u>0 PSL Spotted 25 sx clas</u> d an injection rate, Sozid 25/19 Verified cmt to sur ind welder, dug out cellar elded on "Under Ground and moved off. s true and correct. Electronic Submission For RKI EXPL nmitted to AFMSS for pro O'HAIR Submission)	le the Bond No. on file with BLM esults in a multiple completion or iled only after all requirements, in all head, NU BOP. <u>lated hole w/ ML</u> F. Spotted 3'. Pressure tested csg, hell is C cmt @ 2708-2346'. W(<u>190 sx class C cmt @ 421'</u> face. Rigged down & move r, cut off well head, and Jot Dry Hole Marker". Backfille #464199 verified by the BLM ORATION & PROD LLC, se cessing by PRISCILLA PERE Title SUI	//BIA. Required in recompletion in necluding reclamation in necluding reclamation in necluding reclamation in necluding reclamation in the sector of the	subsequent reports must be a new interval, a Form 31- ition, have been completed RECLA <u>cmt @</u> ftd csg <u>ug @ 2340'</u> . REC LLM ff on System se (19PP1146SE) CCEPTED FOR USE	e filed within 30 days 60-4 must be filed ond and the operator has MATION PROCE ATTACHED CLAMATIO LO -24-10 /
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equi 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4 1, 4940-4578'. Notified John Sta (04/24/19)Tagged plug @ 457 @ 2658'. Pressured up to 600 Perf'd csg @ 421'. Establisher surface in 7 5/8 & 4 1/2". 04/2 05/02/19 Moved in backhoe a verified cement to surface. We deadmen, cleaned location, a 14. I hereby certify that the foregoing is Name (Printed/Typed) CAITLIN (Signature (Electronic 1)	rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. prment. w/ rods & pump. ND we / <u>2" CIBP @ 4940'</u> . Circuit ton w/ BLM. WOC. <u>0'. Set 4 172" packer @ 6</u> 25/19 Verified 25 sx class d an injection rate, Sg2/d 25/19 Verified cmt to sur ind welder, dug out cellar elded on "Under Ground and moved off. s true and correct. Electronic Submission i For RKI EXPL nmitted to AFMSS for pro O'HAIR Submission)	le the Bond No. on file with BLM esults in a multiple completion or iled only after all requirements, in ated hole w/.MLF. Spotted 3. Pressure tested csg, hele is C cmt @ 2708-2346'. WG 190 sx class C cmt @ 421' face. Rigged down & move r, cut off well head, and Jot Dry Hole Marker". Backfille #464199 verified by the BLM ORATION & PROD LLC, se cessing by PRISCILLA PERE Title SUI Date 05/0 OR FEDERAL OR STA	//BIA. Required in recompletion in necluding reclamation in necluding reclamation in necluding reclamation in necluding reclamation in the sector of the	subsequent reports must be a new interval, a Form 31- ition, have been completed RECLA <u>cmt @</u> ftd csg <u>ug @ 2340'</u> . REC LLM ff on System se (19PP1146SE) CCEPTED FOR USE	e filed within 30 days 60-4 must be filed ond and the operator has MATION PROCE ATTACHED CLAMATIO LO-24-K
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equij 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4.1 4940-4578'. Notified John Sta (04/24/19) Tagged plug @ 457/ @ 2658'. Pressured up to 600 Perf'd csg @ 421'. Establishe surface in 7 5/8 & 4.1/2''. 04/2 '05/02/19 Moved in backhoe a verified cement to surface. W/ deadmen, cleaned location, a 14. I hereby certify that the foregoing is Name (Printed/Typed) CAITLIN (Signature (Electronic S	rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. prment. w/ rods & pump. ND we /2" CIBP @ 4940'. Circuit /2" CIB	le the Bond No. on file with BLM results in a multiple completion or iled only after all requirements, in all head, NU BOP. lated hole w/.MLF. Spotted 3'. Pressure tested csg, hel- is C cmt @ 2708-2346'. W(190 sx class C cmt @ 421' face. Rigged down & move r, cut off well head, and Joh Dry Hole Marker''. Backfille #464199 verified by the BLM ORATION & PROD LLC, se cessing by PRISCILLA PERE Title SUI Date 05/0 OR FEDERAL OR STA	/BIA. Required i recompletion in ncluding reclamat 25 sx class C d 500 PSL Per DC. Tagged pl & circulated to d off. nn Staton w/ B ed cellar, cut o Well Informati nt to the Hobb Z on 05/06/201 BMITTER	subsequent reports must be a new interval, a Form 31- ition, have been completed RECLA <u>cmt @</u> ftd csg <u>ug @ 2340'</u> . REC LLM ff on System sig (19PP1146SE) CCEPTED FOR USE	e filed within 30 days 60-4 must be filed ond and the operator has MATION PROCE ATTACHED CLAMATIO CLAM
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equil 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4 1. 4940-4578'. Notified John Sta (04/24/19) Tagged plug @ 457/ @ 2658'. Pressured up to 600 Perf'd csg @ 421'. Establishe surface in 7 5/8 & 4 1/2". 04/2 05/02/19 Moved in backhoe a verified cement to surface. We deadmen, cleaned location, a 14. I hereby certify that the foregoing is Name (Printed/Typed) CAITLIN (Signature (Electronic 1) Signature (Electronic 1) Approved By	rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. prment. w/ rods & pump. ND we /2" CIBP @ 4940'. Circuit for w/ BLM. WOC. 0'. Set 4 172" packer @ E DESL Spotted 25 sx class d an injection rate, Sozid 25/19 Verified cmt to sur ind welder, dug out cellare elded on "Under Ground and moved off. s true and correct. Electronic Submission For RKI EXPL nmitted to AFMSS for pro- O'HAIR Submission) THIS SPACE F	le the Bond No. on file with BLM esults in a multiple completion or iled only after all requirements, in all head, NU BOP. <u>lated hole w/ ML</u> F. Spotted 3'. Pressure tested csg, hell is C cmt @ 2708-2346'. W(190 sx class C cmt @ 421' face. Rigged down & move r, cut off well head, and Jot Dry Hole Marker''. Backfille #464199 verified by the BLM ORATION & PROD LLC, se cessing by PRISCILLA PERE Title SUI Date 05/0 OR FEDERAL OR STA	/BIA. Required in recompletion in necluding reclamate 25 sx class C d 500 PSI_Pe DC. Tagged pl & circulated to d off. In Staton w/ B d cellar, cut of d cellar, cut of to the Hobbez on 05/06/2019 AC TE OFF CE	subsequent reports must be a new interval, a Form 31- ition, have been completed RECLA <u>cmt @</u> ftd csg <u>ug @ 2340'</u> . REC DUF SULM ff on System 19 (19PP1146SE) CEPTED FOR <u>USE</u> NAY 7 2 BUREAU OF LAND MAT <u>CARL SBAD FIELD</u>	e filed within 30 days 60-4 must be filed ond and the operator has MATION PROCE ATTACHED CLAMATIO CLAMATIO CLAMATIO CLAMATIO CLAMATIO CLAMATIO CLAMATIO CLAMATIO CLAMATIO CLAMATIO Description
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 04/18/19 MIRU plugging equil 04/22/19 Dug out cellar. POH 04/23/19 POH w/ tbg. Set 4.1. 4940-4578'. Notified John Sta (04/24/19) Tagged plug @ 457/ @ 2658'. Pressured up to 600 Perf'd csg @ 421'. Establishe surface in 7 5/8 & 4.1/2''. 04/2 '05/02/19 Moved in backhoe a verified cement to surface. W/ deadmen, cleaned location, a '0 addition of approval, if any, are attache ertify that the applicant holds legal or eq hich would entitle the applicant to condu- tite 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent networking on page 2)	rk will be performed or provid d operations. If the operation r bandonment Notices must be f final inspection. prment. w/ rods & pump. ND we / <u>2" CIBP @ 4940'. Circuit</u> ton w/ BLM. WOC. <u>0'. Set 4 172" packer @ 8</u> <u>1 PSL Spotted 25 sx class</u> d an injection rate, <u>Sgz 0</u> 25/19 Verified cmt to sur- ind welder, dug out cellate elded on "Under Ground and moved off. s true and correct. Electronic Submission : For RKI EXPL nmitted to AFMSS for pro- O'HAIR Submission) THIS SPACE F ed. Approval of this notice doo uitable title to those rights in th uct operations thereon. U.S.C. Section 1212, make it statements or representations a	le the Bond No. on file with BLM esults in a multiple completion or iled only after all requirements, in all head, NU BOP. <u>lated hole w/ ML</u> F. Spotted 3'. Pressure tested csg, hell is C cmt @ 2708-2346'. W(190 sx class C cmt @ 421' face. Rigged down & move r, cut off well head, and Jot Dry Hole Marker''. Backfille #464199 verified by the BLM ORATION & PROD LLC, se cessing by PRISCILLA PERE Title SUI Date 05/0 OR FEDERAL OR STA	//BIA. Required in recompletion in nacluding reclamate in recompletion in nacluding reclamate in the second	subsequent reports must be a new interval, a Form 31 ition, have been completed RECLA cmt @ ftd csg ug @ 2340'. REC DUE thm ff on System [9 (19PP1146SE) CEPTED FOR USE WAY 7 2 BUREAU OF LAND MAR CARI SBAD FIELD make to any department o	e filed within 30 days 60-4 must be filed ond and the operator has MATION PROCE ATTACHED CLAMATIO CLAM



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crystal Weaver Environmental Protection Specialist 575-234-5943

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-5996

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612