Submit 1 Copy To Appropriate District	Office	Chaha af Nia	M:					
District I - (575) 393-6161	-	State of Ne				Form C Revised July 18		
1625 N. French Dr., Hobbs, NM 88240	Energy	, Minerals and	1 Natural Res	ources WELL A	PI NO.	Revised July 10	0,2013	
<u>District II</u> - (575) 748-1283	ОП. (	CONSERVA	PIOPOLIVISI	ION -	30-02	5-37556		
811 S. First St., Artesia, NM 88210 <u>District III - (505)</u> 334-6178			~3 A	3. Indica	te Type of Le		_	
1000 Rio Brazos Rd. Aztec, NM 87410	)	1220 South <b>A</b>	rancis Dr.	<b>•O</b>   S'	TATE	FEE		
District IV - (505) 476-3460		Santa Ee N	IM 87 <i>5<b>08/9</b></i>	6. State	Oil & Gas Lea	ase No.		
1220 S. St. Francis Dr., Santa Fe, NM	87505	TEC	CE.				ĺ	
	Y NOTICES AND REPO		SIVED		Name or Uni	t Agreement Nam	ne	
	(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DEFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)  Walter Lynch							
RESERVIOR. USE AFFLICATION I	POR PERMIT (FORM C-101)	FOR SUCH PROPE	OSALS.)	8. Well	Number			
1. Type of Well: Oil Well	Gas Well Other					12		
2. Name of Operator	Augusta Oginasud			9. OGRI	9. OGRID Numer			
3. Address of Operator	Apache Corporat	ion		10 Pool	873 10. Pool Name or Wildcat			
	Airpark Lane, Ste. 300	00. Midland. T	X 79705		Brunson; Queen, Northeast (Gas) 97559			
4. Well Location					,,,,,,			
Unit Letter	F : 1830	feet from the	N line	e and 1980	feet from t	W line		
Section	1 Township		Range	37E NMPM		County L1	EA	
	11. Elevation (S	Show whether Di		, etc.)				
		335	53' GL		<u> </u>			
12	. Check Appropriate B	lox To Indicate	Nature of No	tice, Report, or 0	Other Data			
NOTICE O	F INTENTION TO:	1 6.60		SUBSEQUEN	T REPORT	OF:		
PERFORM REMEDIAL WORK		ANDON 🗗 🖸 F	REMEDIAL WO			G CASING [		
TEMPORARILY ABANDON	CHANGE PLAN	vs <u> </u>	COMMENCE DR	RILLING OPNS.	PANDA			
PULL OR ALTER CASING	MULTIPLE CO	MPL □¦(	CASING/CEMEI	NT JOB [				
DOWNHOLE COMMINGLE		i						
CLOSED-LOOP SYSTEM						г	_	
OTHER:	1 . 1	<u></u>	OTHER:	•• • •		<u> </u>	<del></del>	
13. Describe proposed or co		~	-			_		
date of starting any proposed work.) SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram or								
proposed completion or reco	mpletion.							
Annaha Camanatian maa	anna da 170 A dha aha					d la au airetaur	!!!	
Apache Corporation prop			_	_			WIII	
be used for all	fluids from this wellb	ore and dispo	sea or require	ea by OCD Hule	19.15.17.14	NIVIAC.		
					See A	\ttached		
					••••			
				C	ondition	s of Appro	val	
Spud Date:		F	Rig Release Da	ate:		• •		
I hereby certify that the infor	rmation above is true a	nd complete to	the best of my	y knowledge and	belief.			
	$\sim l \cdot l \cdot l$							
SIGNATURE	Durn Durin	TITLE _	Sr. Reclama	ation Foreman	DATE	10/18/19		
Type or print name	Guinn Burks	F-mail add		<u> </u>				
For State Use Only			guinn.burks@	apachecorp.com	<u> </u>	432-556-914	<b>4</b> 3	
For State Use Only	, \ <del>+</del>		guinn.burks@	apachecorp.com	PHONE:	432-556-914	43	
APPROVED BY:	en Jutie	TITLE (	guinn.burks@	apachecorp.com	PHONE: DATE	432-556-914	43 <u> </u>	



 WELL #
 12

 API #
 30-025-37556

 COUNTY
 LEA

12 1/4" Hole 463 8 5/8" 24# @ 435' w/ 280 sx @ surf

0

1850

4163

4626

925

2313 2776


3238 CIBP @ 3646'

3701 CICR @ 3740' w/ 75 sx

CIBP @ 3970' w/ 35' cmt

CIBP @ 4204'

7 7/8" Hole 5 1/2" 15.5# @ 4613' w/ 1182 sx CIRC to surf



Queen perfs @ 3676'-3682'

Sqz'd Grayburg perfs @ 3829'-3901'

San Andres perfs @ 3978'-4081'

San Andres perfs @ 4206'-4304'



LEASE NAME	Walter Lynch
WELL#	12
API#	30-025-37556
COUNTY	LEA

## PROPOSED PROCEDURE

CIBP @ 3646' CICR @ 3740' w/ 75 sx CIBP @ 3970' w/ 35' cmt CIBP @ 4204'

> PBTD @ 3646 TD @ 4626'

3. PUH & spot 50 sx Class "C" cmt frm 485' to surf. (Surf Shoe & Water Board)

2. PUH & spot 25 sx Class "C" cmt from 1248'-998', WOC/TAG (Rustler)

1. MIRU P&A rig. RIH w/ tbg & CIRC w/MLF & spot 130 sx Class "C" cmt from 3646'-2342', TAG (Queen, 7Rvrs, Yates & Base of Salt)

Queen perfs @ 3676'-3682'

Sqz'd Grayburg perfs @ 3829'-3901'

San Andres perfs @ 3978'-4081'

San Andres perfs @ 4206'-4304'

463

0

12 1/4" Hole 8 5/8" 24# @ 435' w/ 280 sx @ surf

925

1388

1850

2313

2776

3238

3701

4163

7 7/8" Hole

5 1/2" 15.5# @ 4613' w/ 1182 sx CIRC to surf

4626

## **GENERAL CONDITIONS OF APPROVAL:**

- 1) Insure all bradenheads have been exposed, identified, and valves are operational prior to rigging up on well.
- 2) Contact the appropriate NMOCD District Office no later than 24 hours prior to moving in and rigging up.
- 3) A copy of the approved C103 intent to P&A should be distributed to the onsite company and plugging representatives. Approved procedures are good for a period of one year from approved date, unless otherwise specified on the C103 intent. Approvals past this date will require the submission and approval of a new C103 intent.
- 4) A company representative is required to be present to witness all operations including setting CIBP's, circulation of mud laden fluids, perforating, squeezing or spotting cement plugs, tags, or any other operations approved on the C103 intent to P&A. Company representative should contact the NMOCD and report all operations.
- 5) Any changes that may be required during plugging operations should be approved by the NMOCD before proceeding.
- 6) A closed loop system is to be used for all plugging operations. Contents of the steel pits to be hauled to a NMOCD permitted disposal facility.
- 7) Mud laden fluids must be placed between all cement plugs mixed at 25 sacks of salt gel per 100 barrels of brine.
- 8) All cement plugs will be 100' or 25 sacks cement, whichever is greater. Class 'C' cement will be used above 7500' and Class 'H' below 7500'. Plugs should be no more than 3000' apart
- 9) Site remediation due within one year of well plugging completion.