

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

NEW MEXICO OIL CONSERVATION COMMISSION

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

3a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
K-5059

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - I" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator The Maurice L. Brown Company	6. Farm or Lease Name Vada State
3. Address of Operator Suite 200/Sutton Place Bldg./Wichita, Kansas 67202	9. Well No. 1
4. Location of Well UNIT LETTER J, 1980 FEET FROM THE South LINE AND 1980 FEET FROM THE East LINE, SECTION 16 TOWNSHIP 9-S RANGE 34-E NMPM.	10. Field and Pool, or Willcat Vada Penn (Abo)
15. Elevation (Show whether DF, RT, GR, etc.) 4275' KB	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Move in and rig up PBCP Services, Inc.
2. Set cast iron bridge plug at 8840' (50' above Abo perforations in 4½" casing from 8890' to 8895').
3. Dump 3 sacks cement on top bridge plug using dump bailer to form 35' plug.
4. Displace hole through tubing with mud laden fluid.
5. Salvage 4½" casing from free point anticipated to be at 5200' depth.
6. Spot 35 sacks cement through tubing at 50' below 4½" casing stub.
7. Tag top of cement.
8. Spot 35 sacks cement through tubing at 4050' depth to form 100' plug across 8 5/8" casing shoe at 4000' depth.
9. Tag top of cement.
10. Spot 35 sacks cement through tubing at 2150' depth to form 100' plug inside 8 5/8" casing across top of salt section.
11. Salvage 8 5/8" casing at free point anticipated to be at 1000' depth.
12. Spot 70 sx. cement through tubing at 50' below top of 8 5/8" casing stub.
13. Tag top of cement.
14. Spot 70 sx. cement through tubing at 509' depth. (50' below 11 3/4" casing shoe at 459' depth).

THE COMMISSION MUST BE NOTIFIED
24 HOURS PRIOR TO COMMENCING WORK

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Wm. Grossbeck TITLE District Engineer DATE 9-26-79

APPROVED BY John R. Ryan TITLE Commissioner DATE OCT - 1 1979

CONDITIONS OF APPROVAL, IF ANY:

SEP 1 - 100

RECEIVED
SEP 28 1979
Q.C.D. HOBBS, OFFICE

NEW MEXICO OIL CONSERVATION COMMISSION

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
Vada State	
7. Unit Agreement Name	
8. Farm or Lease Name	
Vada State	
9. Well No.	
1	
10. Field and Pool, or Wildcat	
Vada Penn (Abo)	
12. County	
Lea	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator
The Maurice L. Brown Company
3. Address of Operator
Suite 200/Sutton Place Bldg./Wichita, Kansas 67202
4. Location of Well
UNIT LETTER <u>J</u> <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>16</u> TOWNSHIP <u>9-S</u> RANGE <u>34-E</u> N.M.P.M.
15. Elevation (Show whether DF, RT, GR, etc.)
4275' KB

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

15. Tag top of cement.
16. Spot 10 sx. cement inside 11 3/4" casing at surface and erect dry hole marker.
17. Rig down casing pulling rig.
18. Fill cellar and pit. Clean and level location.

**THE COMMISSION MUST BE NOTIFIED
24 HOURS PRIOR TO COMMENCING WORK**

19. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Wm. L. Zoesbeck TITLE District Engineer DATE 9-26-79

APPROVED BY John Runyan TITLE Geologist DATE OCT - 1 1979

CONDITIONS OF APPROVAL, IF A Geologist

RECEIVED
SEP 28 1971
O.C.D. HOBBS, OFFICE