

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC 060978

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Milnesand Unit

8. FARM OR LEASE NAME

9. WELL NO.

34

10. FIELD AND POOL, OR WILDCAT

Milnesand San Andres

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 18, T-8-S, R-35-E

12. COUNTY OR PARISH

13. STATE

Roosevelt

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
UNION TEXAS PETROLEUM CORPORATION

3. ADDRESS OF OPERATOR
1300 Wilco Building, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1980' FS&WL, of Section 18

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4229' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- March 30, 1979, MIRUSU - Pulled rods & pump - Installed BOP - POH w/tbg. RU McCullough perf. w/2 JSPF 4616-4661. Ran 4 1/2" Model "R" pkr. & tested 2 3/8" tbg. to 6000# below slips.
- March 31, 1979, RU Western, spotted 100 gal. acid across perfs. Set pkr. @ 4605' Acidized btm. perf. w/750 gal. 15% NE acid. Pulled pkr. to 4444' acidized w/3050 gal. 15% NE acid.
- April 2, 1979, Ran temp. base log. Frac'd well w/17,850 gal. gelled H2O - 23,200# sand.
- April 4, 1979 - Released pkr. & POH.
- April 9, 1979 - Trip in hole w/MA, Perf. Sub, SN & 2 3/8" tbg. Ran pump & rods.
- April 10, 1979 - Returned well to production & started recovering load water.
- May 23, 1979 - All load water recovered.

RECEIVED

MAY 31 1979

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED Clayd S. Houdyshell

TITLE Prod. Analyst

DATE 5/30/79

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

CONDITIONS OF APPROVAL, IF ANY:

