

COUNTY	ROOSEVELT	FIELD	Bluitt, E.	STATENM	MX 00221-WO
OPR	INGRAM, TOM L.			MAP	
	1 Federal "E"				
	Sec 24, T-8-S, R-37-E			CO-ORD	
	660' FNL, 1980' FWL of Sec.				
	Re-Spd 2-24-69		CLASS	OWDF	
	Re-Cmp 6-15-69		FORMATION	DATUM	FORMATION
CSG & SX - TUBING					
8 5/8" at 350' w/375 sx					
4 1/2" at 4830' w/200 sx					
LOGS EL GR RA IND HC A					
			TD 4830'; PBD 4815'		

IP (San Andres) Perfs 4742-70' F 8 BOPD. Pot based on 24 hr test thru 1/2" chk, TP 25#

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 4770' TYPE WO
DATE

F.R. 2-18-69
PD 4770' WO
(Orig. Shell Oil Co. #4 Bluitt Unit, P&A 8-3-57,
OTD 4830')

3-5-69 TD 4830'; Prep perf
Ran 4 1/2" csg

3-11-69 TD 4830'; PBD 4814'; WOC
Perf @ 4746', 4747', 4749', 4750', 4751',
4753', 4756', 4758', 4768'
Acid (4746-68') 4500 gals
Flwd 10 BFPH w/trace oil in 7 hrs thru 3/4" chk,
TP 75# (4746-68')

-19-69 Sqzd (4746-68') 100 sx
TD 4830'; PBD 4814'; Prep sqz
Perf 4745-54' w/l SPF
Acid (4745-54') 500 gals

ROOSEVELT
INGRAM, TOM L.

Bluitt, E NM Sec 24, T-8-S, R-37-E
#1 Federal "E" Page 2

3-19-69 Continued
Swbd oil, gas & wtr (4745-54')
3-25-69 TD 4830'; PBD 4814'; SI
Sqzd (4745-54') 150 sx
Perf 4743-53' w/1 SPF
Acid (4743-53') 500 gals
Swbd dry (4743-53')
Acid (4743-53') 2000 gals
Swbd 8 BFWPH (4743-53')
Perf 4795-4802' w/1 SPF
Would Not Break
4-29-69 TD 4830'; PED 4814'; SI
5-6-69 TD 4830'; PED 4815'; Prep TO Pmp
Sqzd (4743-4802') 125 sx

5-6-69 Continued
DO to 4815'
Perf @ 4742', 4746', 4748', 4750', 4753', 4757',
4760', 4767', 4770' w/1 SPI
Acid (4742-4770') 500 gals
Swbd wtr w/good show oil & gas
5-12-69 TD 4830'; PED 4815'; TO Pmp
Ppd 57 EW in 24 hrs
6-16-69 TD 4830'; PED 4815'; Complete
Ppd 8 BC in 24 hrs
6-23-69 TD 4830'; PED 4815'; COMPLETE
6-26-69 COMPLETION REPORTED

OWWO

COUNTY ROOSEVELT FIELD Eluitt STATE NM MX 00221
 OPR INGRAM, TOM L. MAP
 1 Federal "E"
 Sec 24, T-8-S, R-37-E CO-ORD
 660' FNL, 1980' FWL of Sec

Re-Cmp 8-8-72	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
8 5/8" at 350' w/375 sx				
4 1/2" at 4830' w/200 sx				
LOGS EL GR RA IND HC A				
	TD 4830'; PED 4815'			

(San Andres) Perfs 4618-4770' NO NEW POTENTIAL

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 4815' TYPE WO
 DATE

F.R.C. 9-16-72; Opr's Elev. 4008' DF
 PD 4815' WO (San Andres)
 (Orig. Shell Oil Co. #4 Eluitt Unit, PSA 8-3-57,
 OTD 4830'; OWWO by Ingram, Tom L. as #1 Federal
 "E" & Re-Cmp 6-15-69 thru (San Andres) Perfs 4742-
 4770', OPB 4815')

9-11-72 TD 4830'; PED 4815'; COMPLETE
 Perf (San Andres) @ 4618', 4620', 4636', 4638',
 4643', 4649', 4650'

9-16-72 Frac (4618-4770') 20,000 gals brine + 16,000# sd
 COMPLETION REPORTED