


Copy sent to A.D.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Martha Fe., N. M.

Lease No. N.M. 0463

Unit 8

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Martha Featherstone

December 12, 1955

Well No. 1 is located 1960 ft. from N line and 1960 ft. from E line of sec. 4

34 1/2 Sec. 4 159 30E N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wilcox Chaves New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3986 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to set approximately 100' of 8 5/8 O.D. 36# casing in 11" hole with sufficient cement to circulate. We expect to drill to approximately 2100' to test Quana formation. If production is encountered we will run approximately 2100' of 5 1/2" 14# casing and cement with sufficient cement to bring it to base of 8 5/8" casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company L. E. Elliott

Address Box 703

Roswell, N. M.

By L. E. Elliott

Title E. M. Elliott

Ph. NA-2-5840