Peckham and Clark No. 1 Watkins Field, Lea C 660 feet from south and 1980 feet from west line

CASING RECORF

Cut

Size Weight

Kind of shoe

8-5/8"

28#

Temas pattern

DRILL Turm-

Paccylago and Clark No. 1

ිට කොට පළමුව පුරුණ්ඩ එසේ වී වැ. සිංකු ස්විය**ාව යනව**ට විදේශ ලිට

THE THE COURT OF THE TOTAL SECTION OF THE STATE OF THE ST

٠

0814

Peckham and Clark No. 1 Watkins Field, Lea County, New Mexico

660 feet from south and 1980 feet from west lines of section 31, T. 188., R. 32E.

## CASING RECORD

Size Weight Kind of shoe Cut and pulled from Purpose

8-5/8" 28# Temas pattern Cmtd. w/50 sacks Water shut-off

DRILL DEEPER

Threads Make Amount Kind of shoe Purpose 5-1/2 Pittsburg 4165 Baker Production

MUDDING AND CEMENTING RECORD

Size Where set Number sacks of cement Method used

5불 4165 None 2) sax Acuajel spotted behind pipe by Halliburton DRILL DEEPER

7" 3480 100 sacks Halliburton

SHOOTING RECORD

DRILL DEEPER

Size Shell used Explosive used Cuantity  $D_a$ te Depth Cleaned Out 녆. Metal Nitro 100 ots. 6/18/47 3528-3560

3565

	•			4	and the second	fores Q
Q (Fig. 18)	Left to 10 sec	ি (কলি সি		i •0A °		.55
. <b>765 .</b> 7 <b>.</b> 295 <b>.</b> 7 . 33	, in the to smith	সভূপ ভি.কৌ	J. J. C. of S. C.		្រា≋ .⊖ឃ" ⊣ា	is Gir
		I WH LAT				
	laord it it is be	a eð	man new little little	2.7	or Asi	ాంచికేట్
- Policy - (字: 性的李娜)	17.4 <b>96</b>	, binu	ing i Mising l <b>a S</b>	Tex	1 (14 <b>5</b>	BR COVER TO BE
					TRIE LEAD	
े द्वाराज्य । हे देवतीय द्वाराज्य ।	791 强 31 3 20 3n (X	process.	्र विष्ठके हैं जिल् इस्टब्रे	abastill 9	e The specific	2014
	GEODRY ALIT	1733 671				
	page fords	dae ie	5 3 <b>308</b> 0	and the	ବୃତ୍ୟ <b>ଅଧି</b> ର ବୃତ୍ୟ	11.7
enje è izr i in kroos i gydkodž <b>i</b> í®k y <sup>†</sup>	Jahanna (see ju			esaT.	1. 1 ±	\$\$ <sup>1</sup>
			如此研究在一种主义。			-
	restriction (1)		25%			
	Section (Section 1997)	gran in the	y a common of the common of th			
				Ñ	्ष्ट्राक्ष्य विद्याल	

100 Page 100