$|\mathbf{X}|$

State of New Mexico Submit 3 Copies To Appropriate District Energy, Minerals and Natural Resources Office Revised March 25, 1999 District I WELL API NO. 1625 N. French Dr., Hobbs, NM 87240 30-025-01353-00 District II OIL CONSERVATION DIVISION 811 South First, Artesia, NM 87210 5. Indicate Type of Lease 2040 South Pacheco District III STATE x FEE 🔲 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV 6. State Oil & Gas Lease No. 2040 South Pacheco, Santa Fe, NM 87505 B-5310 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name: (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR, USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) SEMGSAII 1. Type of Well: Gas Well Oil Well Other Injection Well 8. Well No. 2. Name of Operator 902 XTO Energy Inc. 9. Pool name or Wildcat 3. Address of Operator Maljamar Grayburg San Andres 3000 N. Garfield, Suite 175 Midland, Texas 79705 4. Well Location 330 990 feet from the East line line and feet from the **NMPM** Lea County NM Township Range Section 17S 10. Elevation (Show whether DR, RKB, RT, GR, etc.) GR 4056' 11. Check Appropriate Box to Indicate, Nature of Notice, Report, or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: ALTERING CASING REMEDIAL WORK PERFORM REMEDIAL WORK PLUG AND ABANDON COMMENCE DRILLING OPNS. PLUG AND **CHANGE PLANS TEMPORARILY ABANDON ABANDONMENT MULTIPLE** CASING TEST AND **PULL OR ALTER CASING CEMENT JOB** COMPLETION OTHER: OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation. 9/5/01 Notified Johnny Robinson w/NMOCD/Hobbs of commencement of P&A of well. POH w/2-3/8" tbg. TIH w/ CTBP to 3920'. Set CTBP & circ hole w/9.5# mud laden fluid & capped CTBP w/25sx C1 C cmt plug from 3920-3675'. POH w/tbg. TIH w/pkr & isolated holes in csg above 1040'. TIH w/WL & perf'd csg @ 2800'. TIH w/pkr to 2850' & ppd 30sx Cl C cmt plug @ 2850 per Johnny Robinson w/OCD. POH w/17 stands. TIH w/tbg & tagged cmt @ 2650'. TIH w/WL & perf'd csg @ 1200'. POH w/WL. TIH w/pkr. Sqzd w/50sx Cl C cmt. WOC 4 hrs. TIH w/tbg & tagged cmt @ 1060'. TIH w/WL & perf'd csg @ 60'. TIH w/1 jt tbg & pkr. Set pkr & circ 35sx Cl C cmt 60' to surface. POH w/tbg & pkr. Filled csg w/cmt plug to surface. Cut off WH & welded on cap 3' below GL. Installed P&A marker. Backfilled WO pit. Cleaned location. P&A complete 9/11/01.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Regulatory Tech SIGNATURE. DATE _ Telephone No. Type or print name Janice Courtney COMPLIANCE OFFICER JAN 21 2003 (This space for State use) APPROVED BX

Conditions of approval, if any: C WIM