

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office

Lease No.

Unit

NM 04242

1957/00 5 M 8 14

## SUDDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	X	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 20, 1963

Derrick Fed

Well No. 3 is located 1980 ft. from {S} line and 1980 ft. from {W} line of sec. 33

NE 1/4, SW 1/4 Sec. 33

(1/4 Sec. and Sec. No.)

17 S

(Twp.)

33E

(Range)

NMPN

(Meridian)

Cortina Abc

(Field)

Lee

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 4111 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to set Cast Iron Bridging Plug at 8660 and cap with 2 sacks cement, temporarily abandoning lower perforations at 8690-8740. Treat perforations 8776-8606 with 5,000 gals 15% HCl Halliburton acid using 100 rubber ball sealers.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company James P. Dwyer

Address c/o Oil Reports &amp; Con Services

Box 763

Robbs, E.H.

By

H. L. Smith

Title Agent