

Form 9-331a  
(Feb. 1951)Land Office \_\_\_\_\_  
Lease No. **060967**  
Unit **Williams**

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 17, 1961

Williams

Well No. **3** is located **2308** ft. from **N** line and **660** ft. from **E** line of sec. **34**

SW/4 NW/4 Section 34

T-17-S

R-33-E

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Undesignated

Lee County

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Cemented 5-1/2" (14, 15.5 & 17#) casing at 8829' with 124 sacks regular 20% DD (445 cu. ft.) followed by 165 sacks Glosol. Plug to 8815'. LOG 21 hours. Temperature survey top of cement at 8862'. Tested casing with 1500# for 30 minutes, no pressure loss.

JAN 19 1961

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Phillips Petroleum Company**Address **P.O. Box 2105****Hobbs, New Mexico**By **H. G. Croston**  
District Chief Clerk

Title \_\_\_\_\_