

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. **LC 060967**

Unit

Williams**RECEIVED****DEC 23 1960**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 19, 1960

WilliamsWell No. **5** is located **2310** ft. from **[N]** line and **1879** ft. from **[W]** line of sec. **34****SE/4 NW/4 Sec. 34**

(1/4 Sec. and Sec. No.)

17-S

(Twp.)

34-E

(Range)

(Meridian)

Cordin Abo

(Field)

Lea County

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (Furnish later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill well to approx. 9000', Abo Reef Test, with rotary. Set 13-3/8" (27 & 48#) casing in 17-3/4" hole at approx. 320' and circulate cement to surface. Set 8-5/8" (24 & 32#) casing in 11" hole at approx. 4590' and cement to isolate salt section by placing approx. 1150 cu. ft. of cement slurry as first stage to bring cement to base of salt, then place second stage of approx. 220 cu. ft. slurry through stage collar at approx. 1500' to place cement above salt. Set 5-1/2" (14, 15.5 & 17#) casing at total depth and cement with sufficient cement to cover Clarietta zone at approx. 6000'. Drill hole with native mud with addition of oil and gel to run 8-5/8" casing; drill with clear water below intermediate casing to approx. 8100' and with low solids emulsions to TD.

RECEIVED**DEC 23 1960**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Phillips Petroleum Company**Address **P.O. Box 2105****Hobbs, New Mexico**By *[Signature]*Title **District Chief Clerk**

NEW MEXICO OIL CONSERVATION COMMISSION
Well Location and Acreage Dedication Plat

Section A.

Date December 19, 1960

Operator Phillips Petroleum Company Lease Williams
Well No. 5 Unit Letter P Section 34 Township 17S Range 33E NMPM
Located 2310 Feet From north Line, 1879 Feet From west Line
County Lea G. L. Elevation later Dedicated Acreage 40 Acres
Name of Producing Formation Alto Reservoir Pool Certain Alto

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes No .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No . If answer is "yes," Type of Consolidation
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner


Land Description

RECEIVED

DEC 20 1960

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Phillips Petroleum Company
(Operator)

W. E. Spratz
(Representative)

Box 2105, Hobbs, New Mexico
Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed 12-19-60

W. E. Spratz
Registered Professional
Engineer and/or Land Surveyor.

Certificate No. 679

INSTRUCTIONS FOR COMPLETION:

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the outer boundaries of Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

* "Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)