

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☐ other Dry ☐  
2. NAME OF OPERATOR  
Mobil Producing TX. & N.M. Inc.  
3. ADDRESS OF OPERATOR 9 Greenway Plaza,  
Suite 2700, Houston, Texas 77046  
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17  
below.)  
AT SURFACE: 660' FSL & 660' FEL Sec. 13, T18S, R33E  
AT TOP PROD. INTERVAL: Same as surface  
AT TOTAL DEPTH: Same as surface  
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,  
REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:  
TEST WATER SHUT-OFF ☐ ☐  
FRACTURE TREAT ☐ ☐  
SHOOT OR ACIDIZE ☐ ☐  
REPAIR WELL ☐ ☐  
PULL OR ALTER CASING ☐ ☐  
MULTIPLE COMPLETE ☐ ☐  
CHANGE ZONES ☐ ☐  
ABANDON\* ☒ ☐  
(other) \_\_\_\_\_

5. LEASE  
LC-063645  
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
7. UNIT AGREEMENT NAME  
8. FARM OR LEASE NAME  
Carper-Sivley Federal  
9. WELL NO.  
1  
10. FIELD OR WILDCAT NAME  
E-K Yates 7-Rivers Queen  
11. SEC., T., R., M., OR BLK. AND SURVEY OR  
AREA  
Sec. 13, T18S, R33E  
12. COUNTY OR PARISH 13. STATE  
Lea New Mexico  
14. API NO.  
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
DF 3975, KB 3976

(NOTE: Report results of multiple completion or zone  
change on Form 9-330.)

RECEIVED  
OCT 3 10 46 AM '83  
BUDGET BUREAU  
R.D.

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

- (1) Circulate 195 sacks class C neat cement from 4318' to 3200'.
- (2) Perforate 4SPF at 3085'.
- (3) Set cement retainer at 3050' and squeeze 75 sacks class C neat cement.
- (4) Circulate 130 sacks class C neat cement to 2300'.
- (5) Circulate 27 bbls 9.5#/gal MLF from 2300' to 1650'.
- (6) Perforate 4SPF at 1650'.
- (7) Set cement retainer at 1630' and squeeze 100' plug with 30 sacks class C neat cement.
- (8) Circulate 61 bbls 9.5#/gal MLF from 1605' to 100'.
- (9) Circulate 18 sacks class C neat cement from 100' to surface.
- (10) Erect P&A marker and clean location.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Paula A. Collins TITLE Authorized Agent DATE September 29, 1983

APPROVED \_\_\_\_\_  
(This space for Federal or State office use)

(Orig. Sgd.) PETER W. CHESTER

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL IF ANY:

NOV 10 1983

RECEIVED

NOV 14 1983

G.C.D.  
HOLDS OFFICE

DATE 8-10-83 WELL NO. #1 LEASE CARTER-SINLEY FIELD EK VATES 7 RIVERS CO

LOCATION 13-18S-33E

SIGNED W.J. KASLER

G.L. 3966


D.F. 3975

K.B. 3976

ZERO 10' AGL

PRESENT


Proposed



RECEIVED

NOV 14 1983

G.C.D.  
HOBBS OFFICE



# LEGEND

| Proposed unit boundary | Tract number       |
|------------------------|--------------------|
| Federal                | 1975.36 Ac. 68.2%  |
| State                  | 880.00 Ac. 30.4%   |
| Fee                    | 40.00 Ac. 1.4%     |
| Totals                 | 2895.36 Ac. 100.0% |

EXHIBIT "A"  
EFFECTIVE JAN. 1, 1966

E-K QUEEN UNIT AREA  
Lea County, New Mexico

Scale: 1" = 2000'

T.G. 9-18-64 M.L.R.

RECEIVED

NOV 14 1983

O.C.D.  
HOBBS OFFICE

STATEMENT OF SURFACE RESTORATION INTENTION  
ATTACHMENT TO USGS FORM 9-331, SUNDRY NOTICE OF INTENT TO ABANDON

Applicable To: Mobil Producing Texas & New Mexico Inc.  
Nine Greenway Plaza, Suite 2700  
Houston, TX 77046

Lease Name: Carper-Sivley Federal  
Well No: 1  
Location: Sec. 13, T18S, R33E

This is to advise your office that surface restoration associated with the above described proposed plugging and abandonment will be conducted in accordance with applicable rules and regulations of the United States Geological Survey and the New Mexico Oil Conservation Commission; and in accordance with any existent agreement with the surface landowner, or in a manner arrived at by agreement with the surface landowner.

Such restoration work will include:

Backfilling of all pits and cellar. Levelling or contouring the location site. Clearing the location area of junk.

FORM 9-331 Dated: September 29, 1983.

RECEIVED

NOV 14 1983

O.C.D.  
HOBBS OFFICE