(SUBMIT IN TRIPLICATE)



UNITED STATES
PARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office New Medica
Lease No. NM 0 77005
Unit

SUNDRY NOTICES AND REPORTS ON WELLS

		SUBSEQUENT REPORT OF ABANDONMENTSUPPLEMENTARY WELL HISTORY	1 1
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	1	SUBSEQUENT REPORT OF ALTERING CASINGSUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	1
NOTICE OF INTENTION TO DRILL	.	SUBSEQUENT REPORT OF WATER SHUT-OFF	

		Nove	mber 6	,	19. 61
U.S.A. CULBERTSON-IR				.	
Well No. 1 is loca	ted 1980 ft. f	$rom_{-} \begin{cases} X X \\ S \end{cases}$ line a	and 660 ft. from	W line of sec.	8
14 Sk/4, Sec. 8 (½ Sec. and Sec. No.)	T-19-5	R-33-E	nmpm		
(1/4 Sec. and Sec. No.)	(m)	(T) \	(Meridian)		
Wildcat	Lea		New	Maxico.	
. (Field)	(Co	inty or Subdivision)	(Sti	ate or Territor)	EIVED
The elevation of the derrick	s floor above sea	a level is	ft. Not Yet Av	NOV sidalia	7 1961
	_	TAILS OF WO		U. S. GEOLO:	GICAL SHRVEN
(State names of and expected depths t	o objective sands; sho ing points, and	w sizes, weights, and I all other important	lengths of proposed casing proposed work)	o; indica ARTESTAjoN	EW MEXICO

It is proposed to drill a 3600° Tates Formation test well with rotary tools from surface to total depth. Casing program to be as follows:

Hole Size Casing Size & Wt. Appx. Depth 300' Circulate 7-7/8" 4-1/2" 9.5# 3600' Sufficient to fill 600' above indicated page.

Water and minimum mud will be used in drilling. Logs will be run, indicated pays to be perforated, stimulated and evaluated.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.						
Company .	Pan American Petroleum Corporation					
Address	Bex 68					
	Hobba, New Maxies	Ву	Original Signed by: V. E. STALEY			
			Area Superintendent			

Ä

2.3 November 6 1. 网络野野鼠(2) 1. 24 T.C XXII ි්ඨ 8 of the land # 2 1 Ž

Nov to available and

大学教

In the property to day in a 1970 file as F. committee test well with recomp bould from survives to the color of the same file.

ក់**មួ**ធ ។ គេនៅលារ៉ៃ

EIVE 05-128 NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE arphiSECTIONA Operator PAN AMERICAN PETROLEUM CORP. USA CULBERTSON-IRWIN Range 33 East Unit Letter 19 SOUTH 8 Actual Footage Location of Vell: 1980 feet from the SOUTH 660 WEST line and feet from the Ground Level Elev. Producing Formation Pool Dedicated Acreage: Undesignated Not Yet Avail. Yates 40 Acres 1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES X NO who has the right to drill into and to produce from any pool and to appropriate the production either for himself or himself and another. (65-3-29 (e) NMSA 1935 Comp.) 2. If the answer to question one is "no," have the interests of all the owners been consolidated by communicization agreement or otherwise? YES _____ NO ____ . If answer is "yes," Type of Consolidation __ 3. If the answer to question two is "no," list all the owners and their respective interests below Land Description 7 1961 U. S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO SECTION B CERTIFICATION I hereby sectify that the information in SECTION A above is true and complete to the best of my knowledge and Original Signed by: Position STALEY Area Superintendent Company Pan American Petroleum Corp. Date November 7, 1961 I hereby certify that the well location shows on the plat in SECTION B was -660 '- plotted from field notes of actual surveys made by me or un supervision, and that the bad and correct to the Beat of my Mowledge 330 660 990 /320 /660 /980 23/0 26/40 2000 1500 1000 500

JOHN W. WEST ENGINEERING COMPANY

412 NORTH DAL PASO

HOBES, NEW MEXICO

Ji 11 Mi 7 3a −

NOVEMBER 6, 1961 RECEIVED

MOV 8 1961

O. C. C.
ARTEBIA, OFFICE

PAN AMERICAN PET. CORP. HOBBS, NEW MEXICO

GENTLEMEN:

ON NOVEMBER 4, 1961, A SURVEY WAS MADE TO LOCATE YOUR USA CULBERTSON-IRWIN NO. 1 WELL AT A POINT 1980 FEET FORM THE SOUTH LINE AND 660 FEET FROM THE WEST LINE OF SECTION 8, TOWNSHIP 19 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO.

A FLAG WAS SET UP AT THE USGLO MARKER SET FOR THE WEST QUARTER SECTION CORNER OF SAID SECTION 8 AND THE TRANSIT WAS SET UP AT THE USGLO MARKER SET FOR THE SOUTHWEST CORNER OF SAID SECTION 8. Then we chained N0°08'E a distance of 1960 feet, setting a hub with tack. Then we chained S89°56'E from said hub a distance of 660 feet to the location of your USA Culbertson-Irwin No. 1 well.

As a check on our survey we Chained N0°08'E a distance of 660 feet and N89°56'W a distance of 660 feet from said location to the West Quarter Section corner of said Section 8, closing within 0.30 fett of Latitude and Departure of the Distances shown on the USGLO Township Plats.

I HEREBY CERTIFY THAT THE ABOVE NOTES WERE TAKEN IN A BONA FIDE FIELD SURVEY UNDER MY SUPERVISION AND THET THEY ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

RESPECTFULLY SUBMITTED,

JOHN, W. WEST