



NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

THE OHIO OIL COMPANY

(Company or Operator)

State Bridges "B"

(Lease)

Well No. 2, in NW 1/4 of NW 1/4, of Sec. 12, T. 17S, R. 34E, NMPM.

Vacuum

Pool,

Lea

County.

Well is 660' feet from North line and 660' feet from West line of Section 12. If State Land the Oil and Gas Lease No. is

Drilling Commenced 9-21-1955, Drilling was Completed 10-25-1955

Name of Drilling Contractor Howard Holmes

Address Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head 4037'. The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 4662' to 4751' No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10-3/4	40.5	NEW	607	Baker			Surface
5 1/2	17.0	NEW	4774'	Baker		4698-4716'	Oil

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WEIGHT SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15"	10-3/4	623.39	475	2 plug		
7-7/8	5-1/2	4790.63	400	2 plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Acidized perfs with 500 gals. MA and 6000 gals. 15% H-type acid.

Result of Production Stimulation Potentialled 85.3 BOPD based on 62.2 in 17.5 hrs, 32.4° gravity at 60° F. Tbg. press. 350#, esg. pressure 800#. No water.

Depth Cleaned Out 4751'

CORRECTION DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from Surface feet to 4793' feet, and from _____ feet to _____ feet.
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing 10-26-, 55

OIL WELL: The production during the first 24 hours was 85.3 barrels of liquid of which 100 % was
 was oil: 0 % was emulsion, 0 % water, and 0 % was sediment. A.P.I.
 Gravity 32.4° @ 60° F.

GAS WELL: The production during the first 24 hours was _____ M.C.F. plus _____ barrels of
 liquid Hydrocarbon. Shut in Pressure _____ lbs.

Length of Time Shut in _____

PLEASE INDICATE BELOW FOERATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	<u>1673'</u>	1	Devonian.		T. Ojo Alamo.
T. Salt.		1	Silurian.		T. Kirtland-Fruitland.
B. Salt.		1	Montova.		T. Farmington.
T. Yates.	<u>2908</u>	1	Simpson.		T. Pictured Cliffs.
T. 7 Rivers.	<u>3210</u>	1	McKee.		T. Menefee.
T. Queen.	<u>3893</u>	1	Ellenburger.		T. Point Lookout.
T. Grayburg.	<u>4365</u>	1	Gr. Wash.		T. Mancos.
T. San Andres.	<u>4662'</u>	1	Granite.		T. Dakota.
T. Glorieta.		1			T. Morrison.
T. Drinkard.		1			T. Penn.
T. Tubbs.		1			T.
T. Abo.		1			T.
T. Penn.		1			T.
T. Miss.		1			T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	60	6	Caliche				
60	374	314	Sand, Red Rock				
374	423	49	Sand				
423	630	207	Red Bed, Shale				
630	1009	379	Red Bed				
1009	1408	399	Red Bed, gyp.				
1408	1683	275	Red Bed, gyp, anhy.				
1683	3125	1442	Anhy, Salt, gyp.				
3125	4012	887	Anhy, Dolo.				
4012	4206	194	Dolo, Lime				
4206	4485	279	Dolo, Anhy, Lime				
4485	4793	308	Dolo, Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
 as can be determined from available records

Company or Operator THE OHIO OIL COMPANY Address Box 2107, Hobbs, New Mexico (Date) November 7, 1955
 Name W.D. Krammer Position or Title Petroleum Engineer