

Submit 3 copies
to appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-02259

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil / Gas Lease No.

B-3011-1

7. Lease Name or Unit Agreement Name

VACUUM GRAYBURG SAN ANDRES UT

8. Well No.

12

9. Pool Name or Wildcat

VACUUM GRAYBURG SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELL
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☒

GAS
WELL ☐

OTHER

2. Name of Operator

TEXACO EXPLORATION & PRODUCTION INC.

3. Address of Operator

P.O. BOX 730, HOBBS, NM 88240

4. Well Location

Unit Letter O : 660 Feet From The SOUTH Line and 1980 Feet From The EAST Line

Section 1 Township 18S Range 34E NMPM LEA COUNTY

10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3987' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPERATION ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

UNDERREAMED CASING, ACIDIZED, SS ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6/26/94 - 7/11/94

1. MIRU, TOH W/ TBG & SUB PUMP. TIH W/ 4 3/4" BIT, CLEANED OUT FROM 4615'-4681'. CIRCD CLEAN & TOH W/ 4 3/4" BIT.

2. TIH W/ 6 1/4" REAMER, ESTD CIRC, UNDERREAMED FROM 4105'-4624'. JUNK IN HOLE @ 4624'.

3. SPTD 1000 GALS 15% NEFE HCL @ 4624'. SET TREATING PKR @ 3325', ACIDIZED OPEN HOLE W/ 8000 GALS 15% NEFE HCL. MAX P = 4000#, AIR = 4 BPM. SION.

4. SCALE SQZD W/ 5 DRUMS TH-793 IN 60 BFW, OVERFLUSHED W/ 500 BFW. SION.

5. TAGGED FILL @ 4596', DRILLED OUT TO 4681'. TIH W/ TBG AND SUB PUMP. PUMP SET @ 4576'. RETURNED WELL TO PRODUCTION.

OPT 8-28-94 PUMPING BY SUB PUMP: 50 BOPD, 665 BWPD, 25 MCFD; FLUID LEVEL = 1891' FROM SURFACE

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Monte C. Duncan

TITLE

Engr Asst

DATE

9/28/94

TYPE OR PRINT NAME

Monte C. Duncan

Telephone No.

397-0418

(This space for State Use)

APPROVED BY

TITLE

DATE

SEP 30 1994

CONDITIONS OF APPROVAL, IF ANY: