

**Santa Fe, New Mexico**

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

**AREA 640 ACRES  
LOCATE WELL CORRECTLY**

**Pan American Petroleum Corporation**

**State NCPR**

.....  
(Company or Operator)

(Lease)

Well No. 1, in NW  $\frac{1}{4}$  of NW  $\frac{1}{4}$ , of Sec. I, T. 18-S, R. 33-E, NMPM.

**Gerbin Abo**

**Pool** ..... **Lea**

County.

Well is 994.3' feet from North line and 330 feet from West line

of Section I If State Land the Oil and Gas Lease No. is E-8979

Drilling Commenced.....12-8.....1962.....Drilling was Completed.....1-20.....1963.....

Name of Drilling Contractor..... **Marcum Drilling Co.** **001**

Address.....Midland, Texas

Elevation above sea level at Top of Tubing Head..... **4110' RDB** ..... The information given is to be kept confidential until

**Not confidential**

### OIL SANDS OR ZONES

No. 1, from 8765 to 8780 No. 4, from \_\_\_\_\_ to \_\_\_\_\_

No. 2, from.....to..... No. 5, from.....to.....

No. 3, from.....to..... No. 6, from.....to.....

## IMPORTANT WATER SANDS

**Include data on rate of water inflow and elevation to which water rose in hole.**

No. 1, from.....to.....feet.

No. 2, from.....to.....feet.....

No. 3, from ..... to ..... feet. ....

No. 4, from.....to.....

## CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	REMARKS	DATE POSTED	BY
13-3/8"	35.6	New	301	Guide				
8-5/8"	24-32	New	3213	Guide				
4-1/2"	9.5-11.6	New & Used	857	Guide				

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	AMOUNT OF MORTAR USED
17-1/2"	13-3/8"	314	220	Pump Plug	
11"	8-5/8"	3198	250	Pump Plug	
7-7/8"	4-1/2"	818	1150	Pump Plug	

### RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Acidized perforated interval 8765-80' w/1000 gallons

Result of Production Stimulation: On PT flowed 270 BO X O BW in 24 hours, TPF-125, 32/64" Ch. CGR 38°

..Depth Cleaned Out..PBD-1763

RECORD OF DRILL-STEM AND SPECIAL

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 8818 TO feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 1-26, 19 63.  
OIL WELL: The production during the first 24 hours was 270 barrels of liquid of which 100% was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 38°.  
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.  
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	2640		T. Devonian.		T. Ojo Alamo.
T. Salt.	1705		T. Silurian.		T. Kirtland-Fruitland.
B. Salt.	2980		T. Montoya.		T. Farmington.
T. Yates.			T. Simpson.		T. Pictured Cliffs.
T. 7 Rivers.			T. McKee.		T. Menefee.
T. Queen.			T. Ellenburger.		T. Point Lookout.
T. Grayburg.			T. Gr. Wash.		T. Mancos.
T. San Andres.			T. Granite.		T. Dakota.
T. Glorieta.			T.		T. Morrison.
T. Drinkard.			T.		T. Penn.
T. Tubbs.			T.		T.
T. Abo.	Reef 8708		T.		T.
T. Penn.			T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	315	315	Surface				
315	1290	975	Red Bed				
1290	1757	467	Red Bed, Anhy				
1757	1975	218	Anhy				
1975	2231	256	Anhy, Gyp, Salt				
2231	2758	527	Anhy, Salt				
2758	2930	172	Anhy, Gyp				
2930	3130	200	Anhy, Lime				
3130	6003	2873	Lime				
6003	6051	48	Lime, Sand				
6051	6129	78	Lime, Dolo				
6129	6187	58	Lime				
6187	6352	165	Lime, Sand				
6352	6487	135	Lime, Chert				
6487	6538	51	Lime, Dolo				
6538	6594	56	Lime, Chert				
6594	7988	1394	Lime				
7988	8008	20	Lime, Chert				
8008	8818	810	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

February 4, 1963 (Date)  
Company or Operator Pan American Petroleum Corp. Address Box 68 - Hobbs, New Mexico  
Name Original Signed by V. K. STALEY Position Title Area Superintendent