

COUNTY IEA FIELD Hobbs STATE NM 30-025-23260

OPR HUMBLE OIL & REFIN. CO. MAP

34 Bowers "A" Federal

Sec 30, T-18-S, R-38-E CO-ORD

1980' FSL, 2120' FEL of Sec.

Spd 8-25-69 CLASS E

Cmp 12-16-69

	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
13 3/8" at 401' w/400 sx				
9 5/8" at 3850' w/550 sx				
3 1/2" at 7010')				
3 1/2" at 6100') w/895 sx				
LOGS EL GR RA IND HC A				

TD 7010'

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.  
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 7100' TYPE  
 DATE

F.R. 8-19-69; Opr's Elev. 3659' DF  
 PD 7100' (Drinkard)

8-29-69 Drlg. 1915' salt & anhy

9-8-69 Drlg. 5068'

9-15-69 TD 7010'; Rng Casing

9-17-69 TD 7010'; WOC

9-24-69 TD 7010'; Swbg  
 Perf 5848-5907' w/11 shots (overall)  
 Swbd 5 EO + 171 BFW in 11 hrs (5848-5907')

10-1-69 TD 7010'; TO Pmp  
 Ppd 156 BW in 24 hrs (5848-5907')

10-15-69 TD 7010'; swbg  
 Sqzd (5848-5907') w/19 sx  
 Swbd 130 BNW in 8 hrs (5848-5907')

10-20-69 TD 7010'; Swbg  
Perf 6973-79' w/1 SPF  
Acid (6973-79') 2000 gals  
Swbd 75 BLW in 10 hrs (15% oil) (6973-79')

10-27-69 TD 7010'; SI

11-3-69 TD 7010'; TO Pmp  
Perf 6973-79'  
Acid (6973-79') 3000 gals  
Ppd 22 BO + 78 BW in 23 hrs 30 min

11-10-69 TD 7010'; TO Pmp  
Ppd 5 BO + 47 BW in 24 hrs (6973-79')

11-17-69 TD 7010'; SI

11-21-69 TD 7010'; SI

12-1-69 TD 7010'; Prep Swab

12-1-69 Continued  
Ppd 2 BO + 31 BW in 24 hrs (6973-79')  
FP @ 6968'  
Perf 6946-50', 6955-63' w/1 SPF

12-8-69 TD 7010'; SI  
Swbd Dry (6946-63')  
Re-Set BP @ 6930'  
Perf @ 6718', 6766', 6767', 6798', 6832',  
6853', 6855', 6875', 6901', 6912'  
Acid (6718-6912') 10,000 gals  
Swbd dry, 13 hrs (6718-6912')  
Re-Set BP @ 6650'

12-15-69 TD 7010'; SI  
Sqzd (5848-5907') w/25 sx  
Perf 5822-28' w/1 SPF

12-15-69 Continued  
Acid (5822-28') 500 gals  
Swbd 158 BW in 9 hrs (5822-28')

12-22-69 TD 7010'; P&A

1-5-70 TD 7010'; PLUGGED & ABANDONED

1-8-70 COMPLETION REPORTED