


(SUBMIT IN TRIPLICATE)

U. S. Land Office **Las Cruces**
Lease or permit No. **029201**

Alottee _____
Lease No. _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



DUPLICATE

SUNDRY NOTICES AND REPORTS ON WELLS OFFICE

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**The Texas Company,
West Lea Oil Co.,
E. C. Cleveland**

Midland, Texas, November 29th, 19 39

Well No. **1** is located **330** ft. from **[N]** line and **1980** ft. from **[E]** line of sec. **21**
NW 1/4 Sec. 21 **20-S** **32-E** **N.M.P.M.**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Halfway **Lea** **New Mexico.**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **3503** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well was drilled to total depth of 2672' where sulphur water was encountered, no shows of oil and/or gas in commercial quantities were encountered in drilling to the above depth.

Wood plug will be driven in bottom and hole cemented back from 2672' to 2638' with ten sacks cement. Hole will be mudded back to 2236 and then cemented with ten sacks from 2236' to 2270', which is base of salt. Hole will then be mudded back to 932' which is the base of 8 1/2" Casing. 10 sacks of cement will be spotted from 932' to 900'. Approximately 500' of 8 1/2" Casing will be pulled and hole mudded to surface. A 4' marker will be cemented at the surface.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The Texas Company,**

Address **Box 1270,**

Midland, Texas.

By *[Signature]*

Title **District Superintendent**

