

• The following is a list of the names of the persons who have been appointed to the various committees of the Board of Directors of the Corporation for the year ending December 31, 1920.

• The following is a list of the names of the persons who have been appointed to the various committees of the Board of Directors of the Corporation for the year ending December 31, 1921.

DST #16.

minute build up. Tool opened with a faint bubble of air and
died. Recovered 340' of drilling mud.
Tested 16,502' to 16,576'. Tool opened 1 hour with a 30 minute
build up. Tool opened with a faint momentary blow of air and
died. Recovered 75' of drilling mud.

- DST #15. Tested 16,415' to 16,502'. Tool opened for 1 hour with a 35 minute build up. Tool opened with a faint bubble of air and died. Recovered 340 ' of drilling mud.
- DST #16. Tested 16,502' to 16,576'. Tool opened 1 hour with a 30 minute build up. Tool opened with a faint momentary blow of air and died. Recovered 75' of drilling mud.

10-10

Tested 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000.

10-10

Tested 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000.