


NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico



AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Stanolind Oil and Gas Company Hobbs, New Mexico
Company or Operator Address

State "M" Well No. 1 in C.NW/4 NW/4 Sec. 32, T. 19-S
Lease

R. 35-E N. M. P. M. Wildcat Field, Lea County.
Well is 660 feet south of the North line and 660 feet East of the West line of Section 32

If State land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is _____ Address _____

If Government land the permittee is _____ Address _____

The Lessee is _____ Address _____

Drilling commenced October 14 19 44 Drilling was completed November 13 19 44

Name of drilling contractor Noble Drilling Company, Address Tulsa, Oklahoma

Elevation above sea level at top of casing 3743 feet.

The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.

No. 2, from _____ to _____ feet.

No. 3, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
13-3/8"	48#	8RT	H-40	305	None				Surface String.
9-5/8"	36#	8RT	H-40	3348	Baker				Salt String.

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17	13-3/8"	313	275	Halliburton		
12 1/2	9-5/8"	3334	250	"		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3985 feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION - NONE

Put to producing _____, 19 _____

The production of the first 24 hours was NONE barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

C. O. Steed Driller G. F. Johnston Driller

Virgil Latham Driller _____ Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 2nd day of December 19 44

Hobbs, New Mexico December 2, 1944
Name Ralph J. Henningson
Position Field Superintendent

R. M. [Signature]
Notary Public

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	50	50	Sand and Caliche.
50	245		Red Beds.
245	330		Red Beds and Shells.
330	436		Red Bed.
436	625		Sand and Red Bed.
625	1020		Red Bed and Shells.
1020	1461		Red Bed.
1461	1486		Anhydrite.
1486	1593		Anhydrite and red beds.
1593	1803		Red Rock.
1803	1928		Anhydrite.
1928	2802		Salt and anhydrite.
2802	2888		Salt.
2888	3127		Anhydrite
3127	3166		Salt and anhydrite.
3166	3345		Anhydrite.
	3345		T. D.

NOTE: Due to structures running very low, well is being plugged and abandoned.