

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 4690 feet, and from _____ feet to _____ feet.
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing _____, 19_____

OIL WELL: The production during the first 24 hours was _____ barrels of liquid of which _____% was
 was oil; _____% was emulsion; _____% water; and _____% was sediment. A.P.I.
 Gravity _____

GAS WELL: The production during the first 24 hours was _____ M.C.F. plus _____ barrels of
 liquid Hydrocarbon. Shut in Pressure _____ lbs.

Length of Time Shut in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.....	<u>1475</u>	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	<u>1560</u>	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	<u>2740</u>	T. Montoya.....	T. Farmington.....
T. Yates.....	<u>2870</u>	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	<u>3100</u>	T. McKee.....	T. Menefee.....
T. Queen.....	<u>3900</u>	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....		T. Gr. Wash.....	T. Mancos.....
T. San Andres.....	<u>4665</u>	T. Granite.....	T. Dakota.....
T. Glorieta.....		T.	T. Morrison.....
T. Drinkard.....		T.	T. Penn.....
T. Tubbs.....		T.	T.
T. Abo.....		T.	T.
T. Penn.....		T.	T.
T. Miss.....		T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	263	263	Surface, caliche, sand				
263	1193	930	Red bed				
1193	1475	282	" " & anhyd.				
1475	1560	85	Anhyd.				
1560	1594	34	Salt				
1594	2730	1136	Anhyd. & Salt				
2730	2740	10	Salt				
2740	2914	174	Anhyd. & lime				
2914	2977	63	Gyp & lime				
2977	3047	70	Lime				
3047	3090	43	Gyp & lime				
3090	3157	67	Anhyd. & lime				
3157	3204	47	Lime				
3204	3245	41	" & GYP				
3245	4690	1445	Lime				
		<u>4690TD</u>					

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED


I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

May 9, 1953 (Date)

Company or Operator CARPER DRILLING CO., INC. Address Artesia, New Mexico
 Name J. Marshall Lawley Position or Title Vice-Pres.

INITIAL MUD
PRESSURE
2280

FINAL MUD
PRESSURE
2280



JOHNSTON TESTERS, Inc.
SUB-SURFACE PRESSURE RECORD

Company <u>Carper Drilling Company</u>	Date of Test <u>4-24-53</u>
Well No. <u>1-Stanolind-State A</u>	Recorder No. <u>MOJ-401</u>
Location <u>Wildcat</u>	Pressure Element <u>4500#</u>
Packer Set At <u>3899'</u>	Total Depth <u>4017'</u>
Water Cushion <u>----</u>	Max. Temp. <u>----</u> Mud Wt. <u>10.4#</u>
Recovery <u>20' Drilling mud.</u>	Date Calibrated <u>12-26-51</u>
Surface Pressure <u>----</u>	Choke Size: Top <u>1"</u> Bottom <u>3/4"</u>
Kind of Test <u>Formation</u>	Operator <u>H.B. Dean</u> Number of Copies <u>3</u>
	Test Ticket # <u>34445</u>

Carper Drilling Company
Carper Bldg.,
Artesia, New Mexico

