

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER) <b>Recomplete as</b>	<b>X</b>

a gas well.

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

**Hobbs, New Mexico**  
(Place)

**May 17, 1957**  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the **Foster lease**

**Shell Oil Company**

(Company or Operator)

Well No. **2** in **0**  
(Unit)

**SW**  $\frac{1}{4}$  **SE**  $\frac{1}{4}$  of Sec. **34**, T. **-19-S**, R. **-36-E**, NMPM., **Summit Gas** Pool

**Lea** County.

FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

**We propose to recomplete as a gas well:**

1. Set RV packer @ 3620' and pressure test 5 1/2" casing. Pull tubing and packer. Change out well head equipment.
2. Plug back open hole to 3740' with pea gravel and cap w/46' Hydronite to 3694'.
3. Perforate 5 1/2" casing from 3634' to 3690' w/4 jet shots per foot.
4. Run 2" tubing.
5. Fracture treat down tubing and casing with 20,000 gallons gelled lease crude containing 1#/gal. 20-40 mesh sand and sufficient fluid loss additive to obtain 10-15 cc. fluid loss. Use 3 or 4 pump trucks to total approximately 1800 hydraulic horsepower. Overflush with 100 BO.
6. Take potential test.

Approved....., 19.....  
Except as follows:

Approved  
OIL CONSERVATION COMMISSION

By E. J. Wischer

Title.....

**Shell Oil Company**

(Company or Operator)

By **B. Nevill**

Position **Division Exploitation Engineer**

Send Communications regarding well to:

Name **Shell Oil Company**

Address **P. O. Box 1957 Hobbs, New Mexico**