

CONFIDENTIAL

# OIL CONSERVATION COMMISSION

## MISCELLANEOUS REPORTS ON WELLS

Santa Fe, New Mexico

RECEIVED  
DEC 16 1947  
RECEIVED

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		Report on Plugging Back	X

SHEET #2

December 12, 1947

Monument, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO.  
Gentlemen:

CONFIDENTIAL

Following is a report on the work done and the results obtained under the heading noted above at the

Amerada Petroleum CorporationJ. R. PhillipsWell No. 5 in the

Company or Operator

Lease

NE 1/4 NE 1/4of Sec. 1T. 20SR. 36E

N. M. P. M.,

MonumentField, Lea

County.

The dates of this work were as follows: December 9 - 12, 1947Notice of intention to do the work was (~~vacant~~) submitted on Form C-102 on December 9, 1947 19and approval of the proposed plan was (~~vacant~~) obtained. (Cross out incorrect words.)

(Con. from Sheet #1)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Top of plastic at 7220'. Hole taking water at rate of 20 bbls. per hour. At 10:00PM, pressured up to 1000# and in 5 minutes hole took 10 bbls. water. At 2:30AM, 12-11-47, top of plastic 7230' and dumped 10 gals. plastic. Hole taking water at rate of 22 bbls. per hour. At 9:00AM ~~dumped~~ dumped 10 gals. plastic with filler and at 3:00PM pressured up with 1000# for 5 minutes. Ran steel line and found top of plastic at 7217'. At 9:15PM started in hole with Dowell Pilot Spinner Survey. Pumped water in hole at 38.2 bbls. per minute at 900# pressure. From 7076' to 7080', 30.2 gals. per min., or 79.1%. From 7192' to 7196', 4.5 gals. per min., or 11.7%. From 7215' to 7217', 3.5 gals. per min., or 9.2%. From 7076' to 7080' hole would take fluid with hole pressure alone. (Cont'd. on sheet #3)

Witnessed by W. D. Jarred Amerada Petroleum Corporation Farm Boss

Name

Company

Title

Subscribed and sworn before me this

I hereby swear or affirm that the information given above is true and correct.

12th. day of December, 1947

Name

Position

Asst. Dist. Supt.

Representing

Amerada Petroleum Corporation  
Company or Operator

My commission expires

My Commission Expires May 9, 1948

Address

Drawer D, Monument, New Mexico

Remarks:

APPROVED

DEC 16 1947

Date

Roy Yarbrough  
Name  
OIL & GAS INSPECTOR  
Title