

DISTRICT I  
P.O. Box 1903, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Arriba R.A. Area, NM 87430

**OIL CONSERVATION DIVISION**  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-04136

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

J. R. Phillips

8. Well No.

7

9. Foot name or Wildcat

Monument Abo

**SUNDRY NOTICES AND REPORTS ON WELLS**

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL  
WELL ☒

GAS  
WELL ☐

OTHER

2. Name of Operator

Amerada Hess Corporation

3. Address of Operator

Drawer D, Monument, N.M. 88265

4. Well Location

Unit Letter H : 1980 Feet From The North Line and 760 Feet From The East Line

Section 1 Township 20S Range 36E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: TA'd well. ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

This Approval of Temporary  
Abandonment Expires 8-1-92

7-29 thru 8-6-92

MIRU Ram Well Svc. pulling unit & TOH laying down rods & pump. Removed well head, installed BOP & TOH w/tbg. TIH w/4-3/4" bit, tagged salt ring at 5208' & cleaned out csg. fr. 5208' - 6859' & TOH. TIH w/5-1/2" Elder hydro mech. drillable CIBP & set at 6848'. TIH w/pkr. set at 6840' & tested CIBP to 2000#. Held OK. Re-set pkr. at intervals testing csg. & located csg. leak fr. 5147' - 5266' & TOH. TIH w/tbg. set OE at 5320'. Halliburton Svc. mixed & pumped 50 sks. Class C neat cement across leak at 5147' - 5266'. Pulled up hole. WOC. Ran in well & tagged top of cement at 4873'. Cement plug fr. 4873' - 5320'. Star tool circ. csg. w/2% KCL & pkr. fluid & tested csg. to 500# for 30 min. Held OK. Chart attached. TOH w/tbg., removed BOP & installed well head. RDPU & cleaned location. TA'd well.

Amerada Hess Corporation respectfully request a TA'd status on captioned well until such time as it is deemed economically feasible to re-enter.

I hereby certify that the information above is true and accurate to the best of my knowledge and belief.

SIGNATURE R. L. Wheeler, Jr. TITLE Supv. Adm. Svc. DATE 8-7-92

TYPE OR PRINT NAME R. L. Wheeler, Jr. TELEPHONE NO. 393-2144


(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON  
DISTRICT I SUPERVISOR

AUG 14 '92

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

C-940-N-2  
NOTES OF APPROVAL, IF ANY:



No. William for 111000

8-6-92

St. Philips  
J. H. M.  
American Corp.

8-6-92  
General Service  
Edward Jones

RECEIVED

AUG 19 1992

100 YEARS OF