

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.
3002504220

5. Indicate Type of Lease
STATE FEE

6. State Oil & Gas Lease No.
S-NM-56

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

7. Lease Name or Unit Agreement Name

WILLIAM P. BYRD

1. Type of Well:
OIL WELL GAS WELL OTHER

8. Well No.
2

2. Name of Operator
ARCO OIL AND GAS COMPANY

9. Pool name or Wildcat EUNICE MONUMENT
GRAYBURG SAN ANDRES

3. Address of Operator
BOX 1710, HOBBS, NEW MEXICO 88240

4. Well Location
Unit Letter D : 330 Feet From The NORTH Line and 990 Feet From The WEST Line

Section 11 Township 20S Range 36E NMPM LEA County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
GL 3598'

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: _____ <input type="checkbox"/>		OTHER: _____ <input type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

PROCEDURE:

1. Notify NMOCD 24 hr prior to testing csg.
2. MIRU POH w/rods and tbg.
3. RIH w/gauge ring on W.L.
4. Set CIBP at 3820' ±5'.
5. Load csg w/8.6# brine and corrosion inhibitor.
6. Test csg to 300# and chart record results.
7. Submit results to NMOCD.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE James D. Cogburn TITLE Services Supervisor DATE 5-16-89
TYPE OR PRINT NAME James D. Cogburn TELEPHONE NO. 392-3551

(This space for State Use)

Orig. Signed by
Paul Kautz
Geologist

MAY 17 1989

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: