

COUNTY	LEA	FIELD	Undesignated	STATE	N.M.	OWWO
OPR	SUNRAY DX OIL COMPANY			MAP		
9 Cooper, A.						
Sec. 12, T-20-S, R-36-E				CO-ORD		
554' fr N Line & 766' fr E Line of Sec.						
Re-Spud 4-30-64			CLASS	own P EL 3568 E		
P&A 5-19-64			FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING						
13 3/8"	351'	300				
9 5/8"	2668'	1000				
7"	6893'	400				
LOGS EL GR RA IND HC A						
TD 10,625'						

PLUGGED & ABANDONED.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 5715' TYPE
 DATE

5-25-64 F. R. 5-7-64; OWWO, OTD 10,625'.
 PB 5715' - Blinebry.
 Orig. Barnsdall Oil Co., P&A 4-13-48.
 TD 10,625', PBD 5690', P&A.
 CO to 6777'.
 Block sqzd. 6691-92' w/175 sx.
 Block sqzd. 6569-70' w/200 sx.
 Block sqzd. 5714-15' w/100 sx.
 Block sqzd. 5632-33' w/100 sx.
 Drld. out to 6777'.
 Perf. (Drinkard) 6570-72', 6582-84',
 6601-03', 6628-30', 6636-38', 6647-49',
 6661-63', 6688-90' w/2 SPF.
 Ac. 3000 gals.
 Swbd. 100% wtr. w/very sli show gas.

5-25-64 - cont. -
Squeezed Perfs 6570-6690' W/200 sx.
Perf (Blinebry) 5634-36', 5652-54', 5664-66',
5679-81', 5701-03', 5713-15' W/2 SPF
Ac. 1000 gals.
Swbd 32 BO + 488 B Salt Wtr in 21½ hrs.
Ran Tracer, indicated fluid entering below
5700'.
Squeezed perfs 5634-5715' W/650 sx.
Drld Out to 5690'.
Re-Perf (Blinebry) 5634-36', 5652-54', 5664-
66', 5679-81' W/2 SPF
Re-Ac. 1000 gals. 5634-5681'
Swbd 100% Wtr
6-1-64 TD 10625', PBD 5690', Completion Reported.

Surrey DX

Cooper #9

Drum & Blin squeezed

Pull 3220

~~50~~ 50 SX @ stub

50 SXS @ interter.

10 SX cap

Memo

From
JOE D. RAMEY
SUPERVISOR & PRORATION
MANAGER

To
C-110

C-10