



**LOG OF DRILL-STEM AND SPECIAL TESTS**

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

**TOOLS USED**

Rotary tools were used from Surface feet to 3900 feet, and from ..... feet to ..... feet.  
 Cable tools were used from ..... feet to ..... feet, and from ..... feet to ..... feet.

**PRODUCTION**

Put to Producing April 4, 1955, 19.....

OIL WELL: The production during the first 24 hours was 432 barrels of liquid of which 100 % was  
 was oil; ..... % was emulsion; ..... % water; and ..... % was sediment. A.P.I.  
 Gravity 34

GAS WELL: The production during the first 24 hours was ..... M.C.F. plus ..... barrels of  
 liquid Hydrocarbon. Shut in Pressure ..... lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.....	<u>1360</u>	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	<u>1470</u>	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....		T. Montoya.....	T. Farmington.....
T. Yates.....	<u>2940</u>	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	<u>3290</u>	T. McKee.....	T. Menefee.....
T. Queen.....	<u>3656</u>	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....		T. Gr. Wash.....	T. Mancos.....
T. San Andres.....		T. Granite.....	T. Dakota.....
T. Glorieta.....		T. ....	T. Morrison.....
T. Drinkard.....		T. ....	T. Penn.....
T. Tubbs.....		T. ....	T. ....
T. Abo.....		T. ....	T. ....
T. Penn.....		T. ....	T. ....
T. Miss.....		T. ....	T. ....

**FORMATION RECORD**

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	80	80	Redbed				
80	125	45	Sand				
125	870	745	Redbed				
870	1118	248	Redbed & Shale				
1118	1258	140	Anhydrite & Redbed				
1258	1260	2	Anhydrite				
1260	1435	175	Anhydrite, salt & shale				
1435	1466	31	Anhydrite & Redbed				
1466	1571	105	Redbed				
1571	1606	35	Anhydrite & shale				
1606	1773	167	Anhydrite & salt				
1773	1953	180	Anhydrite & shale				
1953	2244	291	Anhydrite & salt				
2244	2465	221	Salt & Potash				
2465	2731	266	Anhydrite & salt				
2731	3165	434	Anhydrite & Gyp				
3165	3694	529	Lime				
3694	3791	97	Lime & sand				
3791	3900	109	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

April 12, 1955

Company or Operator..... Sinclair Oil & Gas Company  
 Name..... G. C. Salts

Address..... 520 East Broadway, Hobbs, New Mexico  
 Position or Title..... Dist. Supt.