


N.



NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

DUPLICATE
WELL RECORD

MAIL TO DISTRICT OFFICE, OIL CONSERVATION COMMISSION, TO WHICH FORM C-101 WAS SENT NOT LATER THAN TWENTY DAYS AFTER COMPLETION OF WELL. FOLLOW INSTRUCTIONS IN RULES AND REGULATIONS OF THE COMMISSION. SUBMIT IN QUINTUPPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Humble Oil & Refining Company

N. M. State E

(COMPANY OR OPERATOR)

(LEASE)

WELL NO. 2, IN SW 1/4 OF SW 1/4 OF SEC. 10, T. 19 S, R. 37 E, NMPM.

Undesignated

FOOI, Lea

COUNTY.

WELL IS 660 FEET FROM south LINE AND 660 FEET FROM west LINE

OF SECTION 10 IF STATE LAND THE OIL AND GAS LEASE NO. IS B 2209

DRILLING COMMENCED 5-20, 19 56 DRILLING WAS COMPLETED 6-6, 19 56

NAME OF DRILLING CONTRACTOR Gackle Drilling Company

ADDRESS Box 2076, Hobbs, New Mexico

ELEVATION ABOVE SEA LEVEL AT TOP OF TUBING HEAD 3662 GL THE INFORMATION GIVEN IS TO BE

KEPT CONFIDENTIAL UNTIL _____, 19____

OIL SANDS OR ZONES

NO. 1, FROM 3875 TO 3955 NO. 4, FROM _____ TO _____

NO. 2, FROM _____ TO _____ NO. 5, FROM _____ TO _____

NO. 3, FROM _____ TO _____ NO. 6, FROM _____ TO _____

IMPORTANT WATER SANDS

INCLUDE DATA ON RATE OF WATER INFLOW AND ELEVATION TO WHICH WATER ROSE IN HOLE.

NO. 1, FROM _____ TO _____ FEET.

NO. 2, FROM _____ TO _____ FEET.

NO. 3, FROM _____ TO _____ FEET.

NO. 4, FROM _____ TO _____ FEET.

CASING RECORD

SIZE,	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8	24	New	1626	Baker			Surface
5-1/2	14	New	3977	Howco		3875-3955	Oil

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11	8-5/8	1640	950	BJ		
7-7/8	5-1/2	3989	1050	BJ		

RECORD OF PRODUCTION AND STIMULATION

(RECORD THE PROCESS USED, NO. OF QTS. OR GALS. USED, INTERVAL TREATED OR SHOT.)

6-8-56: Perf. casing from 3875 to 3955 w/4 jet shots per foot.

6-11-56: Treated formation from 3875 to 3955 w/1000 gallons 15% LT acid.

6-13-56: Treated formation from 3875 to 3955 w/10,000 gallons oil & 15,000# sand.

RESULT OF PRODUCTION STIMULATION _____

DEPTH CLEANED OUT _____