

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Orig & 3cc: NMOCC

lcc: File Oct 28 1 01 PM '67

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator GETTY OIL COMPANY	8. Farm or Lease Name State "J"
3. Address of Operator P. O. Box 249, Hobbs, New Mexico 88240	9. Well No. 3
4. Location of Well UNIT LETTER F , 1980 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 17 TOWNSHIP 19S RANGE 37E NMPM.	10. Field and Pool, or Wildcat Eumont Gas-Monument Oil
15. Elevation (Show whether DF, RT, GR, etc.) 3714 DF	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Plug Off Gas Zone

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Well #3 is a gas-oil dual completion. Eumont gas produced through the annulus was used to gas lift the Monument oil with valves on 1" tubing inside of 2" tubing. Gas pressure is no longer sufficient to gas lift. It is proposed to squeeze the gas zone in order to rod pump the Monument oil without having the tubing packed off. Work to be performed as follows:

Pull tubing, run 7" retrievable BP to 3700' on bottom of squeeze packer. Spot sand on BP and pick up squeeze packer to 3450, squeeze perforations at 3588-3642'. WOC. Test casing, pull squeeze packer, run bit with scraper, drill to sand on BP. Test casing, pull bit, run bridge plug retrieving tool and pull bridge plug. Run tubing through Model D packer to 4014. Run rods and put on pump.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original Signed By

SIGNED **G. L. WADE**

TITLE **Area Supt.**

DATE **10-18-67**

APPROVED BY 
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE