

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

(Form C-104)
(Revised 7/1/52)

REQUEST FOR (OIL) - (GAS) ALLOWABLE

New Well

RECOMPLETION

This form shall be submitted by the operator before an initial allowable will be assigned to any completed Oil or Gas well. Form C-104 is to be submitted in QUADRUPLICATE to the same District Office to which Form C-101 was sent. The allowable will be assigned effective 7:00 A.M. on date of completion or recompletion, provided this form is filed during calendar month of completion or recompletion. The completion date shall be that date in the case of an oil well when oil is delivered into the stock tanks. Gas must be reported on 15.025 psia at 60° Fahrenheit.

Hobbs, New Mexico

April 16, 1957

(Place)

(Date)

WE ARE HEREBY REQUESTING AN ALLOWABLE FOR A WELL KNOWN AS:

Continental Oil Company

State A-26 "A"

Well No. 1

in S 1/4

SE 1/4

1/4

(Company or Operator)

(Lease)

0

Sec. 26

T. 29S

R. 37E

NMPM.

Eminent

Pool

Unit Letter

Ten

County. Date Spudded. 3-27-57

Date Completed. 4-13-57

Please indicate location:

D	C	B	A
E	F	G	H
I	K	J	I
M	N	O	P

Elevation 3608 Total Depth 3900 P.B.

Top oil/gas pay 3768 Name of Prod. Form. Queen

Casing Perforations: 3768-3770, 3826-3826, 3859-3878 or

Depth to Casing shoe of Prod. String.

Natural Prod. Test

based on bbls. Oil in Hrs. Mins.

Test after acid or shot 96 BOPD

Based on 48 bbls. Oil in 12 Hrs. 0

Gas Well Potential.

Size choke in inches 32/64

Date first oil run to tanks or gas to Transmission system: 4-13-57

Transporter taking Oil or Gas: Texas-New Mexico Pipe Line Company

Remarks:

I hereby certify that the information given above is true and complete to the best of my knowledge.

Approved, 19

Continental Oil Company

(Company or Operator)

OIL CONSERVATION COMMISSION

By: [Signature]

(Signature)

Title District Superintendent

Send Communications regarding well to:

Name Continental Oil Company

Address Box 427, Hobbs, N. M.

By: [Signature]

Title

Casing and Cementing Record

Size	Feet	Sax
8 5/8	328	250
5 1/2	3779	1800