

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL	<input checked="" type="checkbox"/>		

Hobbs, New Mexico.

June 23rd, 1936.

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the \_\_\_\_\_

**Gulf Oil Corporation**  
**(Cypsy Division)** S. T. Burk Well No. 1 in the  
Company or Operator  
0 NE/4 of Sec. 28, T. 19s, R. 57e., N. M. P. M.,  
**Monument** Field, Started plugging 6-16-36 Finished 6-22-36. County.

The dates of this work were as follows: Started plugging 6-16-36 Finished 6-22-36.

Notice of intention to do the work was [~~was~~] submitted on Form C-102 on 6-15-36. 19\_\_\_\_  
and approval of the proposed plan was [~~was~~] obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Circulated 2 sax aquagel and cemented well w/20 Sax Lone star cement, by Halliburton cementing process, cement filled up to 3840' or 7' up in the 5-1/2" casing, shot the 5 1/2" casing off at 2302', pulled same and filled hole with heavy mud to 1470' and ran 6 sax cement thru drill pipe, shot off the 7-5/8" casing at 689' and pulled, filled hole to bottom of surface casing with heavy mud and put in 5 sax cement, filled hole to bottom of cellar and cemented cellar with 25 Sax Cement, inserted 4" piece of pipe in cement extending 4' above the ground,

DUPLICATE

Witnessed by \_\_\_\_\_ Name \_\_\_\_\_ Company \_\_\_\_\_ Title \_\_\_\_\_

Subscribed and sworn to before me this 29

day of June, 1936

Patricia Mahoney  
Notary Public

My Commission expires 10-24-39

I hereby swear or affirm that the information given above is true and correct.

Name P. P. [Signature]  
Position District Superintendent  
Representing Gulf Oil Corporation  
Cypsy Division, Operator  
Address Hobbs, New Mexico.

Remarks:

APPROVED  
[Signature]  
Name \_\_\_\_\_  
Title \_\_\_\_\_

MISCELLANEOUS REPORTS OF WELLS

It is the policy of the Oil Conservation Commission to require that all reports of well operations be filed with the Commission... (text is mirrored and difficult to read)

Table with 2 columns: 'Name of well' and 'Date of report'. Contains several entries with names like 'REPORT ON DRILLING OPERATIONS' and 'REPORT ON TESTING OF CASING'.

Section header or separator line with some illegible text.

REPORT ON DRILLING OPERATIONS... (Detailed report text, mirrored and difficult to read)

REPORT ON TESTING OF CASING... (Detailed report text, mirrored and difficult to read)

Detailed account of work done and results obtained... (Detailed report text, mirrored and difficult to read)

Witnessed by... (Signature area with illegible text)

I hereby swear or affirm that the information herein above is true and correct... (Affirmation text)

Address... (Form fields for contact information)